



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

## **CASE NARRATIVE**

### **Coppola Services**

**Project Name: Millville Sewage Treatment Plant - Field Sampling**

**Project # N/A**

**Order ID # Q2409**

**Test Name: Corrosivity, Ignitability, Reactive Cyanide, Reactive Sulfide, TS, TVS**

### **A. Number of Samples and Date of Receipt:**

2 Solid samples were received on 06/24/2025.

### **B. Parameters:**

According to the Chain of Custody document, the following analyses were requested: Corrosivity, Ignitability, PCB, Reactive Cyanide, Reactive Sulfide, TCLP BNA, TCLP Extraction, TCLP Mercury, TCLP Metals+Cu+Ni+Zn, TCLP Pesticide Group 1, TCLP VOA, TCLP ZHE Extraction, TCLP Metals Group 1, TPH GC, TS and TVS. This data package contains results for Corrosivity, Ignitability, Reactive Cyanide, Reactive Sulfide, TS, TVS.

### **C. Analytical Techniques:**

The analysis of Ignitability was based on method 1030, The analysis of TVS was based on method 160.4, The analysis of Reactive Cyanide was based on method 9012B, The analysis of Reactive Sulfide was based on method 9034, The analysis of Corrosivity was based on method 9045D and The analysis of TS was based on method SM2540 B.

### **D. QA/ QC Samples:**

The Holding Times were met for all samples except for COP-SOIL-PILE of Corrosivity as sample was received out of holding time.

The Blank Spike met requirements for all parameters.

The Duplicate analysis met criteria for all parameters.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

### **E. Additional Comments:**

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_