

SOP ID : M9030B-Sulfide-13

SDG No : N/A

Matrix : SOIL

Pipette ID : WC

Balance ID : WC SC-7

Hood ID : HOOD#1

Block ID : MC-1,MC-2

Weigh By : RM

Start Digest Date: 06/27/2025 Time : 09:10 Temp : N/A

End Digest Date: 06/27/2025 Time : 10:40 Temp : N/A

Digestion tube ID : M5595

Filter paper ID : N/A

pH Meter ID : N/A

Block Thermometer ID : N/A

Prep Technician Signature: RH

Supervisor Signature: 12

Standard Name	MLS USED	STD REF. # FROM LOG
PBS003	50.0ML	W3112
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Chemical Used	ML/SAMPLE USED	Lot Number
0.5M ZINC ACETATE	5.0ML	WP113086
FORMALDEHYDE	2.0ML	W3220
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A
N/A	N/A	N/A

Extraction Conformance/Non-Conformance Comments:

N/A

06/27/2025
R14

Date / Time	Prepped Sample Relinquished By/Location	Received By/Location
	Preparation Group	Analysis Group

Lab Sample ID	Client Sample ID	Initial Weight (g)	Final Vol (ml)	pH	Sulfide	Oxidizing	Nitrate/Nitrite	Comment	Prep Pos
PB168629BL	PBS629	5.00	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2409-02DUP	COP-SOIL-PILEDUP	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2409-02	COP-SOIL-PILE	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2414-04	WC-1	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2415-04	WC-1	5.03	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2416-04	MH-G/H	5.04	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2420-02	72-11933	5.01	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2429-04	TP-4	5.07	50	N/A	N/A	N/A	N/A	N/A	N/A
Q2430-04	MH-E/F	5.05	50	N/A	N/A	N/A	N/A	N/A	N/A