

Report of Analysis

Client:	Coppola Services	Date Collected:	
Project:	Millville Sewage Treatment Plant - Field Sampling	Date Received:	
Client Sample ID:	PB168614BS	SDG No.:	Q2409
Lab Sample ID:	PB168614BS	Matrix:	TCLP
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	TCLP BNA
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142861.D	1	06/25/25 11:10	06/26/25 11:36	PB168614

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
110-86-1	Pyridine	38.4		1.30	5.00	ug/L
106-46-7	1,4-Dichlorobenzene	43.1		0.53	5.00	ug/L
95-48-7	2-Methylphenol	44.4		1.10	5.00	ug/L
65794-96-9	3+4-Methylphenols	44.5		1.10	10.0	ug/L
67-72-1	Hexachloroethane	43.2		0.65	5.00	ug/L
98-95-3	Nitrobenzene	43.4		0.76	5.00	ug/L
87-68-3	Hexachlorobutadiene	44.4		0.54	5.00	ug/L
88-06-2	2,4,6-Trichlorophenol	43.9		0.51	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	42.8		0.62	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	49.3		1.20	5.00	ug/L
118-74-1	Hexachlorobenzene	43.6		0.52	5.00	ug/L
87-86-5	Pentachlorophenol	98.5	E	1.60	10.0	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	132		15 (23) - 110 (138)	88%	SPK: 150
13127-88-3	Phenol-d6	135		15 (10) - 110 (134)	90%	SPK: 150
4165-60-0	Nitrobenzene-d5	85.5		30 (67) - 130 (132)	86%	SPK: 100
321-60-8	2-Fluorobiphenyl	80.3		30 (52) - 130 (132)	80%	SPK: 100
118-79-6	2,4,6-Tribromophenol	147		15 (44) - 110 (137)	98%	SPK: 150
1718-51-0	Terphenyl-d14	86.7		30 (42) - 130 (152)	87%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	87000	6.875			
1146-65-2	Naphthalene-d8	334000	8.163			
15067-26-2	Acenaphthene-d10	184000	9.921			
1517-22-2	Phenanthrene-d10	326000	11.41			
1719-03-5	Chrysene-d12	190000	14.057			
1520-96-3	Perylene-d12	168000	15.545			

Report of Analysis

Client:	Coppola Services		Date Collected:		
Project:	Millville Sewage Treatment Plant - Field Sampling		Date Received:		
Client Sample ID:	PB168614BS		SDG No.:	Q2409	
Lab Sample ID:	PB168614BS		Matrix:	TCLP	
Analytical Method:	8270E		% Solid:	0	
Sample Wt/Vol:	1000	Units: mL	Final Vol:	1000	uL
Soil Aliquot Vol:		uL	Test:	TCLP BNA	
Extraction Type :		Decanted : N	Level :	LOW	
Injection Volume :		GPC Factor : 1.0	GPC Cleanup :	N	PH :
Prep Method :					

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142861.D	1	06/25/25 11:10	06/26/25 11:36	PB168614

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products