

Report of Analysis

Client:	Coppola Services	Date Collected:	06/20/25
Project:	Millville Sewage Treatment Plant - Field Sampling	Date Received:	06/20/25
Client Sample ID:	SU-1-062025MS	SDG No.:	Q2409
Lab Sample ID:	Q2386-02MS	Matrix:	TCLP
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	100 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	TCLP BNA
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142846.D	1	06/25/25 11:10	06/25/25 19:37	PB168614

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
110-86-1	Pyridine	270		12.8	50.0	ug/L
106-46-7	1,4-Dichlorobenzene	360		5.30	50.0	ug/L
95-48-7	2-Methylphenol	380		11.2	50.0	ug/L
65794-96-9	3+4-Methylphenols	390		11.0	100	ug/L
67-72-1	Hexachloroethane	360		6.50	50.0	ug/L
98-95-3	Nitrobenzene	390		7.60	50.0	ug/L
87-68-3	Hexachlorobutadiene	380		5.40	50.0	ug/L
88-06-2	2,4,6-Trichlorophenol	430		5.10	50.0	ug/L
95-95-4	2,4,5-Trichlorophenol	420		6.20	50.0	ug/L
121-14-2	2,4-Dinitrotoluene	400		12.2	50.0	ug/L
118-74-1	Hexachlorobenzene	460		5.20	50.0	ug/L
87-86-5	Pentachlorophenol	860	E	15.8	100	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	104		15 (23) - 110 (138)	69%	SPK: 150
13127-88-3	Phenol-d6	97.1		15 (10) - 110 (134)	65%	SPK: 150
4165-60-0	Nitrobenzene-d5	72.4		30 (67) - 130 (132)	72%	SPK: 100
321-60-8	2-Fluorobiphenyl	75.3		30 (52) - 130 (132)	75%	SPK: 100
118-79-6	2,4,6-Tribromophenol	103		15 (44) - 110 (137)	69%	SPK: 150
1718-51-0	Terphenyl-d14	47.3		30 (42) - 130 (152)	47%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	84800	6.881			
1146-65-2	Naphthalene-d8	319000	8.163			
15067-26-2	Acenaphthene-d10	153000	9.922			
1517-22-2	Phenanthrene-d10	200000	11.41			
1719-03-5	Chrysene-d12	167000	14.057			
1520-96-3	Perylene-d12	194000	15.545			

Report of Analysis

Client:	Coppola Services	Date Collected:	06/20/25
Project:	Millville Sewage Treatment Plant - Field Sampling	Date Received:	06/20/25
Client Sample ID:	SU-1-062025MS	SDG No.:	Q2409
Lab Sample ID:	Q2386-02MS	Matrix:	TCLP
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	100 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	TCLP BNA
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142846.D	1	06/25/25 11:10	06/25/25 19:37	PB168614

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products