

Report of Analysis

Client:	CDM Smith	Date Collected:	06/23/25
Project:	South River WM Replacement	Date Received:	06/24/25
Client Sample ID:	TP-73	SDG No.:	Q2413
Lab Sample ID:	Q2413-05	Matrix:	SOIL
Analytical Method:	8260D	% Solid:	77.1
Sample Wt/Vol:	6.22 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY022823.D	1		06/25/25 14:32	VY062525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
75-71-8	Dichlorodifluoromethane	1.20	U	1.20	5.20	ug/Kg
74-87-3	Chloromethane	1.20	U	1.20	5.20	ug/Kg
75-01-4	Vinyl Chloride	0.82	U	0.82	5.20	ug/Kg
74-83-9	Bromomethane	1.10	U	1.10	5.20	ug/Kg
75-00-3	Chloroethane	1.30	U	1.30	5.20	ug/Kg
75-69-4	Trichlorofluoromethane	1.30	U	1.30	5.20	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	1.10	U	1.10	5.20	ug/Kg
75-35-4	1,1-Dichloroethene	1.00	U	1.00	5.20	ug/Kg
67-64-1	Acetone	120		4.90	26.1	ug/Kg
75-15-0	Carbon Disulfide	1.10	U	1.10	5.20	ug/Kg
1634-04-4	Methyl tert-butyl Ether	0.76	U	0.76	5.20	ug/Kg
79-20-9	Methyl Acetate	1.60	U	1.60	5.20	ug/Kg
75-09-2	Methylene Chloride	8.20	J	3.70	10.4	ug/Kg
156-60-5	trans-1,2-Dichloroethene	0.90	U	0.90	5.20	ug/Kg
75-34-3	1,1-Dichloroethane	0.83	U	0.83	5.20	ug/Kg
110-82-7	Cyclohexane	0.82	U	0.82	5.20	ug/Kg
78-93-3	2-Butanone	19.3	J	6.80	26.1	ug/Kg
56-23-5	Carbon Tetrachloride	1.00	U	1.00	5.20	ug/Kg
156-59-2	cis-1,2-Dichloroethene	0.78	U	0.78	5.20	ug/Kg
74-97-5	Bromochloromethane	1.20	U	1.20	5.20	ug/Kg
67-66-3	Chloroform	0.88	U	0.88	5.20	ug/Kg
71-55-6	1,1,1-Trichloroethane	0.97	U	0.97	5.20	ug/Kg
108-87-2	Methylcyclohexane	0.95	U	0.95	5.20	ug/Kg
71-43-2	Benzene	0.82	U	0.82	5.20	ug/Kg
107-06-2	1,2-Dichloroethane	0.82	U	0.82	5.20	ug/Kg
79-01-6	Trichloroethene	0.84	U	0.84	5.20	ug/Kg
78-87-5	1,2-Dichloropropane	0.95	U	0.95	5.20	ug/Kg
75-27-4	Bromodichloromethane	0.81	U	0.81	5.20	ug/Kg
108-10-1	4-Methyl-2-Pentanone	3.70	U	3.70	26.1	ug/Kg
108-88-3	Toluene	0.81	U	0.81	5.20	ug/Kg

Report of Analysis

Client:	CDM Smith	Date Collected:	06/23/25
Project:	South River WM Replacement	Date Received:	06/24/25
Client Sample ID:	TP-73	SDG No.:	Q2413
Lab Sample ID:	Q2413-05	Matrix:	SOIL
Analytical Method:	8260D	% Solid:	77.1
Sample Wt/Vol:	6.22 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY022823.D	1		06/25/25 14:32	VY062525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	0.68	U	0.68	5.20	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	0.65	U	0.65	5.20	ug/Kg
79-00-5	1,1,2-Trichloroethane	0.96	U	0.96	5.20	ug/Kg
591-78-6	2-Hexanone	3.80	U	3.80	26.1	ug/Kg
124-48-1	Dibromochloromethane	0.91	U	0.91	5.20	ug/Kg
106-93-4	1,2-Dibromoethane	0.92	U	0.92	5.20	ug/Kg
127-18-4	Tetrachloroethene	1.10	U	1.10	5.20	ug/Kg
108-90-7	Chlorobenzene	0.95	U	0.95	5.20	ug/Kg
100-41-4	Ethyl Benzene	0.70	U	0.70	5.20	ug/Kg
179601-23-1	m/p-Xylenes	1.30	U	1.30	10.4	ug/Kg
95-47-6	o-Xylene	0.85	U	0.85	5.20	ug/Kg
100-42-5	Styrene	0.74	U	0.74	5.20	ug/Kg
75-25-2	Bromoform	0.90	U	0.90	5.20	ug/Kg
98-82-8	Isopropylbenzene	0.81	U	0.81	5.20	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	1.30	U	1.30	5.20	ug/Kg
541-73-1	1,3-Dichlorobenzene	1.80	U	1.80	5.20	ug/Kg
106-46-7	1,4-Dichlorobenzene	1.60	U	1.60	5.20	ug/Kg
95-50-1	1,2-Dichlorobenzene	1.50	U	1.50	5.20	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	1.90	U	1.90	5.20	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	3.10	U	3.10	5.20	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	3.30	U	3.30	5.20	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	46.3		63 - 155	93%	SPK: 50
1868-53-7	Dibromofluoromethane	49.4		70 - 134	99%	SPK: 50
2037-26-5	Toluene-d8	49.0		74 - 123	98%	SPK: 50
460-00-4	4-Bromofluorobenzene	50.3		17 - 146	101%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	353000	7.701			
540-36-3	1,4-Difluorobenzene	632000	8.609			
3114-55-4	Chlorobenzene-d5	568000	11.414			
3855-82-1	1,4-Dichlorobenzene-d4	244000	13.34			

Report of Analysis

Client:	CDM Smith	Date Collected:	06/23/25
Project:	South River WM Replacement	Date Received:	06/24/25
Client Sample ID:	TP-73	SDG No.:	Q2413
Lab Sample ID:	Q2413-05	Matrix:	SOIL
Analytical Method:	8260D	% Solid:	77.1
Sample Wt/Vol:	6.22	Units:	g
Soil Aliquot Vol:			uL
GC Column:	RXI-624	ID :	0.25
Prep Method :		Level :	LOW
		Final Vol:	5000 uL
		Test:	VOC-TCLVOA-10

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
VY022823.D	1		06/25/25 14:32	VY062525

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products