

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q2413

Client: CDM Smith

Analytical Method: SW8260D

Datafile : VY022814.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VY0625SBSD01	Dichlorodifluoromethane	20	21.7	ug/Kg	109	1		64	136	20
	Chloromethane	20	20.0	ug/Kg	100	4		52	151	20
	Vinyl chloride	20	21.0	ug/Kg	105	3		56	148	20
	Bromomethane	20	23.1	ug/Kg	116	2		58	141	20
	Chloroethane	20	20.8	ug/Kg	104	2		69	130	20
	Trichlorofluoromethane	20	20.9	ug/Kg	104	0		69	134	20
	1,1,2-Trichlorotrifluoroethane	20	20.7	ug/Kg	104	0		81	123	20
	1,1-Dichloroethene	20	20.7	ug/Kg	104	2		79	121	20
	Acetone	100	130	ug/Kg	130	0		40	171	20
	Carbon disulfide	20	20.4	ug/Kg	102	1		59	130	20
	Methyl tert-butyl Ether	20	20.9	ug/Kg	104	2		77	129	20
	Methyl Acetate	20	18.6	ug/Kg	93	1		69	149	20
	Methylene Chloride	20	21.1	ug/Kg	106	5		72	131	20
	trans-1,2-Dichloroethene	20	20.4	ug/Kg	102	2		80	123	20
	1,1-Dichloroethane	20	20.5	ug/Kg	103	3		82	123	20
	Cyclohexane	20	20.4	ug/Kg	102	0		76	122	20
	2-Butanone	100	110	ug/Kg	110	0		69	131	20
	Carbon Tetrachloride	20	20.6	ug/Kg	103	1		76	129	20
	cis-1,2-Dichloroethene	20	20.4	ug/Kg	102	1		82	123	20
	Bromochloromethane	20	19.7	ug/Kg	99	1		80	127	20
	Chloroform	20	20.2	ug/Kg	101	1		82	125	20
	1,1,1-Trichloroethane	20	20.5	ug/Kg	103	2		80	126	20
	Methylcyclohexane	20	20.6	ug/Kg	103	0		77	123	20
	Benzene	20	20.4	ug/Kg	102	1		84	121	20
	1,2-Dichloroethane	20	20.5	ug/Kg	103	0		81	126	20
	Trichloroethene	20	20.4	ug/Kg	102	2		83	122	20
	1,2-Dichloropropane	20	20.3	ug/Kg	102	2		83	122	20
	Bromodichloromethane	20	20.3	ug/Kg	102	0		82	123	20
	4-Methyl-2-Pentanone	100	100	ug/Kg	100	0		70	135	20
	Toluene	20	20.0	ug/Kg	100	1		83	122	20
	t-1,3-Dichloropropene	20	20.1	ug/Kg	101	1		78	124	20
	cis-1,3-Dichloropropene	20	20.5	ug/Kg	103	1		81	122	20
	1,1,2-Trichloroethane	20	20.3	ug/Kg	102	1		82	125	20
	2-Hexanone	100	110	ug/Kg	110	0		66	138	20
	Dibromochloromethane	20	20.3	ug/Kg	102	1		79	125	20
	1,2-Dibromoethane	20	20.3	ug/Kg	102	2		80	125	20
	Tetrachloroethene	20	18.8	ug/Kg	94	15		83	125	20
	Chlorobenzene	20	20.6	ug/Kg	103	3		84	122	20
	Ethyl Benzene	20	20.6	ug/Kg	103	2		82	124	20
	m/p-Xylenes	40	41.0	ug/Kg	103	3		83	124	20
	o-Xylene	20	20.2	ug/Kg	101	2		83	123	20
	Styrene	20	20.4	ug/Kg	102	4		82	124	20
	Bromoform	20	20.1	ug/Kg	101	3		75	127	20
	Isopropylbenzene	20	21.3	ug/Kg	106	4		82	124	20
	1,1,2,2-Tetrachloroethane	20	22.6	ug/Kg	113	17		77	127	20
	1,3-Dichlorobenzene	20	20.9	ug/Kg	104	5		83	122	20
	1,4-Dichlorobenzene	20	20.5	ug/Kg	103	3		84	121	20
	1,2-Dichlorobenzene	20	20.5	ug/Kg	103	4		83	124	20

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q2413

Client: CDM Smith

Analytical Method: SW8260D

Datafile : VY022814.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits	RPD
									High	
VY0625SBSD01	1,2-Dibromo-3-Chloropropane	20	20.0	ug/Kg	100	3		66	134	20
	1,2,4-Trichlorobenzene	20	20.2	ug/Kg	101	1		78	127	20
	1,2,3-Trichlorobenzene	20	19.9	ug/Kg	100	2		70	137	20