

NO

1.00

1 0

1

1.00

U

Ignitability

Paint Filter

oC

ml/100gm

06/26/25 09:40 1030

06/26/25 08:25 9095B

Report of Analysis

Client:	PSE	EG					Date Collected:	06/25/25 1	0:00
Project:	PSE	EG 104 I	Hamil	ton- Paterson			Date Received:	06/25/25	
Client Sample ID:	WC	2-1					SDG No.:	Q2414	
Lab Sample ID:	Q24	414-01					Matrix:	SOIL	
							% Solid:	89.4	
Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weig	ght) Prep Date	Date Ana.	Ana Met.
Hexavalent Chromium	0.44	U	1	0.077	0.44	mg/Kg	06/26/25 08:35	06/26/25 12:06	7196A

0

1.00

Comments:

- U = Not Detected
- LOQ = Limit of Quantitation
- MDL = Method Detection Limit
- LOD = Limit of Detection
- D = Dilution
- Q = indicates LCS control criteria did not meet requirements
- H = Sample Analysis Out Of Hold Time

- J = Estimated Value
- B = Analyte Found in Associated Method Blank
- * = indicates the duplicate analysis is not within control limits.
- E = Indicates the reported value is estimated because of the presence of interference.
- OR = Over Range
- N =Spiked sample recovery not within control limits