

Report of Analysis

Client:	PSEG	Date Collected:	06/25/25
Project:	Bergen Point Substation	Date Received:	06/25/25
Client Sample ID:	72-11933	SDG No.:	Q2420
Lab Sample ID:	Q2420-02	Matrix:	TCLP
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	100 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	TCLP BNA
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142901.D	1	06/27/25 11:10	06/27/25 19:10	PB168646

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
110-86-1	Pyridine	0.050	U	0.013	0.050	mg/L
106-46-7	1,4-Dichlorobenzene	0.050	U	0.0053	0.050	mg/L
95-48-7	2-Methylphenol	0.050	U	0.011	0.050	mg/L
65794-96-9	3+4-Methylphenols	0.10	U	0.011	0.10	mg/L
67-72-1	Hexachloroethane	0.050	U	0.0065	0.050	mg/L
98-95-3	Nitrobenzene	0.050	U	0.0076	0.050	mg/L
87-68-3	Hexachlorobutadiene	0.050	U	0.0054	0.050	mg/L
88-06-2	2,4,6-Trichlorophenol	0.050	U	0.0051	0.050	mg/L
95-95-4	2,4,5-Trichlorophenol	0.050	U	0.0062	0.050	mg/L
121-14-2	2,4-Dinitrotoluene	0.050	U	0.012	0.050	mg/L
118-74-1	Hexachlorobenzene	0.050	U	0.0052	0.050	mg/L
87-86-5	Pentachlorophenol	0.10	U	0.016	0.10	mg/L
SURROGATES						
367-12-4	2-Fluorophenol	114		23 - 138	76%	SPK: 150
13127-88-3	Phenol-d6	98.0		10 - 134	65%	SPK: 150
4165-60-0	Nitrobenzene-d5	81.2		67 - 132	81%	SPK: 100
321-60-8	2-Fluorobiphenyl	86.5		52 - 132	87%	SPK: 100
118-79-6	2,4,6-Tribromophenol	131		44 - 137	88%	SPK: 150
1718-51-0	Terphenyl-d14	60.0		42 - 152	60%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	56200	6.875			
1146-65-2	Naphthalene-d8	196000	8.157			
15067-26-2	Acenaphthene-d10	89900	9.916			
1517-22-2	Phenanthrene-d10	147000	11.404			
1719-03-5	Chrysene-d12	149000	14.051			
1520-96-3	Perylene-d12	104000	15.545			

Report of Analysis

Client:	PSEG	Date Collected:	06/25/25
Project:	Bergen Point Substation	Date Received:	06/25/25
Client Sample ID:	72-11933	SDG No.:	Q2420
Lab Sample ID:	Q2420-02	Matrix:	TCLP
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	100	Units:	mL
Soil Aliquot Vol:		Final Vol:	1000 uL
Extraction Type :		Test:	TCLP BNA
	Decanted :	Level :	LOW
Injection Volume :	GPC Factor :	1.0	GPC Cleanup :
		N	PH :
Prep Method :	SW3541		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BF142901.D	1	06/27/25 11:10	06/27/25 19:10	PB168646

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products