

Q2424

Order ID:

284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789

8900, Fax: 908 789 8922

## **Prep Standard - Chemical Standard Summary**

rest: Oil and C	31 6436
Prepbatch ID :	
Sequence ID/Qc Batch ID:	LB136276,
<b>Standard ID</b> : EP2622,WP112782,WP112783	,WP112784,
Chemical ID: E3551,E3917,M6069,M6151,W	/2817,W2871,W3009,W3082,W3112,W3204,





Fax: 908 789 8922

#### **Extractions STANDARD PREPARATION LOG**

Recipe ID	NAME_	NO.	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Riteshkumar Patel
3923	Baked Sodium Sulfate	EP2622	06/13/2025	12/04/2025	RUPESHKUMA R SHAH	Extraction_SC ALE 2	None	00/40/0005
	1000 00000 (F0554 F' 10				KOHAH	(EX-SC-2)		06/16/2025

**FROM** 4000.0000gram of E3551 = Final Quantity: 4000.000 gram

Recipe				Expiration	Prepared			Supervised By
<u>ID</u>	<u>NAME</u>	<u>NO.</u>	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	<u>PipetteID</u>	Iwona Zarych
229	1:1 HCL	WP112782	04/22/2025	08/18/2025	Jignesh Parikh	None	None	Ţ
								04/22/2025

FROM 500.00000ml of M6151 + 500.00000ml of W3112 = Final Quantity: 1.000 L



Aliance

Fax: 908 789 8922

## Wet Chemistry STANDARD PREPARATION LOG

Recipe ID	<u>NAME</u>	NO.	Prep Date	Expiration Date	Prepared By	<u>ScaleID</u>	<u>PipetteID</u>	Supervised By Iwona Zarych
2470	1664A SPIKING SOLN	WP112783	04/22/2025	10/03/2025	Jignesh Parikh	_		
						CALE_8 (WC SC-7)		04/22/2025

<b>FROM</b>	1000.0000ml of E3917 + 4.00000	gram of W2817 + 4.000	00gram of W2871 = Fina	l Quantity: 1000.000 ml
-------------	--------------------------------	-----------------------	------------------------	-------------------------

Recipe				Expiration	Prepared			Supervised By
<u>ID</u>	<u>NAME</u>	<u>NO.</u>	Prep Date	<u>Date</u>	<u>By</u>	<u>ScaleID</u>	<u>PipetteID</u>	Iwona Zarych
3374	1664A QCS spiking solution-SS	WP112784	04/22/2025	10/03/2025	Jignesh Parikh	WETCHEM_S	None	
						CALE_8 (WC		04/22/2025

FROM 1000.00000ml of E3917 + 4.00000gram of W3009 + 4.00000gram of W3082 = Final Quantity: 1000.000 ml



## **CHEMICAL RECEIPT LOG BOOK**

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	PC19631-100 / SODIUM SULFATE, ANHYDROUS, PEST GRADE, 1	313201	12/04/2025	01/03/2024 / Rajesh	07/20/2023 / Rajesh	E3551
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9254-03 / Acetone, Ultra Resi (cs/4x4L)	24H2762008	10/03/2025	04/03/2025 / Rajesh	03/31/2025 / Rajesh	E3917
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	140440 / TEST PAPERS,PH,0-2.5,.2SENSI, 100PK	80A0441	02/29/2028	09/03/2024 / jignesh	08/19/2024 / Jaswal	M6069
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9530-33 / Hydrochloric Acid, Instra-Analyzed (cs/6x2.5L)	22G2862015	08/18/2025	02/18/2025 / Sagar	01/15/2025 / Sagar	M6151
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date /	Chemtech Lot #
PCI Scientific Supply, Inc.	A12244 / Stearic acid, 98%, 100 g	U20E006	04/02/2026	04/02/2021 / apatel	04/02/2021 / apatel	W2817
Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	H223-57 / Hexadecane, 99.0%	0000266903	05/04/2027	09/07/2021 / apatel	08/26/2021 / apatel	W2871



## **CHEMICAL RECEIPT LOG BOOK**

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	H223-57 / Hexadecane, 99.0%	SHBP8192	02/27/2028	02/27/2023 / Iwona	02/27/2023 / Iwona	W3009

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
PCI Scientific Supply, Inc.	A12244 / Stearic acid, 98%, 100 g	U23E020	02/26/2029	02/26/2024 / Iwona	02/26/2024 / lwona	W3082

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	DIW / DI Water	Daily Lab-Certified	07/03/2029	07/03/2024 / Iwona	07/03/2024 / Iwona	W3112

Supplier	ItemCode / ItemName	Lot #	Expiration Date	Date Opened / Opened By	Received Date / Received By	Chemtech Lot #
Seidler Chemical	BA-9262-03 / Hexane, Ultra-Resi (cs/4x4L)	25c0362005	04/30/2026	04/22/2025 / jignesh	04/18/2025 / jignesh	W3204



Material No.: H223-57 Batch No.: 0000266903

Manufactured Date: 2020/05/05

Retest Date: 2027/05/04 Revision No: 1

## Certificate of Analysis

Test	Specification	Result
Assay (CH3(CH2)14CH3) (by GC)	>= 99.0 %	99.3
Infrared Spectrum	Passes Test	PT

For Laboratory, Research or Manufacturing Use

Country of Origin: US

Packaging Site: Paris Mfg Ctr & DC



Thermo Fisher SCIENTIFIC

W 2817 Nec. 04/02/2021

**Product Specification** 

**Product Name:** 

Stearic acid, 98%, Thermo Scientific Chemicals

**Catalog Number:** 

A12244.14

**CAS Number:** 

57-11-4

Molecular Formula:

C18H36O2

Molecular Weight:

284.48

InChi Key:

QIQXTHQIDYTFRH-UHFFFAOYSA-N

SMILES:

CCCCCCCCCCCCC(O)=O

Synonym:

stearic acid acide stearique hydrofol acid 1855 hydrofol acid 1655 industrene 5016

stearic acid, ion(1-) (8CI) glycon TP glycon DP acidum stearinicul hydrofol acid 150

**Product Specification** 

Appearance (Color):

White

Form:

Crystals or powder or crystalline powder or flakes or waxy solid

Assay (Silylated GC):

≥97.5%

Melting Point (clear melt):

67.0-74.0?C

Date Of Print:

11/30/2023

Product Specifications are subject to amendment and may change over time. Data contained is accurate as of the date printed.

W3009 Lec. 2/27/2023

12

3050 Spruce Street, Saint Louis, MO 63103, USA

Website: www.sigmaaldrich.com Email USA: techserv@sial.com

Outside USA: eurtechserv@sial.com

Product Name:

**Certificate of Analysis** 

CH<sub>3</sub>(CH<sub>2</sub>)<sub>14</sub>CH<sub>3</sub>

Hexadecane - ReagentPlus®, 99%

**Product Number:** 

H6703

**Batch Number:** 

SHBP8192

Brand:

SIAL

CAS Number:

544-76-3

MDL Number:

MFCD00008998

Formula:

C16H34

Formula Weight:

226.44 g/mol

Quality Release Date:

04 AUG 2022

Test	Specification	Result	
Appearance (Color)	Colorless or White	Colorless	
Appearance (Form)	Liquid or Solid	Liquid	
Infrared Spectrum	Conforms to Structure	Conforms	
Refractive index at 20 ° C	1.432 - 1.436	1.435	
Purity (GC)	> 98.5 %	99.3 %	
Color Test	_ ≤ 20 APHA	< 5 APHA	

Larry Coers, Director **Quality Control** 

Sheboygan Falls, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.





MIRADOR 201, COL. MIRADOR MONTERREY, N.L. MEXICO CP 64070 TEL +62 81 13 52 57 57 www.pqm.com,mx

## CERTIFICATE OF ANALYSIS

PRODUCT:

SODIUM SULFATE CRYSTALS ANHYDROUS

QUALITY:

ACS (CODE RMB3375)

FORMULA:

Na<sub>2</sub>SO<sub>4</sub>

SPECIFICATION NUMBER: 6399

RELEASE DATE:

ABR/21/2023

LOT NUMBER:

313201

TEST	SPECIFICATIONS	LOT VALUES
Assay (Na <sub>2</sub> SO <sub>4</sub> )	Min. 99.0%	99.7 %
pH of a 5% solution at 25°C	5.2 - 9.2	6.4
Insoluble matter	Max. 0.01%	0.005 %
Loss on ignition	Max. 0.5%	0.1 %
Chloride (Cl)	Max. 0.001%	<0.001 %
Nitrogen compounds (as N)	Max. 5 ppm	<5 ppm
Phosphate (PO <sub>4</sub> )	Max. 0.001%	<0.001 %
Heavy metals (as Pb)	Max. 5 ppm	<5 ppm
Iron (Fe)	Max. 0.001%	<0.001 %
Calcium (Ca)	Max. 0.01%	0.002 %
Magnesium (Mg)	Max. 0.005%	0.001 %
Potassium (K)	Max. 0.008%	0.003 %
Extraction-concentration suitability	Passes test	Passes test
Appearance	Passes test	Passes test
Identification	Passes test	Passes test
Solubility and foreing matter	Passes test	Passes test
Retained on US Standard No. 10 sieve	Max. 1%	0.1 %
Retained on US Standard No. 60 sieve	Min. 94%	97.3 %
Through US Standard No. 60 sieve	Max. 5%	25%
Through US Standard No. 100 sieve	Max. 10%	0.1 %

COMMENTS

QC: PhC Irma Belmares

If you need further details, please call our factory or contact our local distributor.

Recd. by Ri on 7/4/3 E 3551

RE-02-01, Del

Acetone BAKER RESI-ANALYZED® Reagent For Organic Residue Analysis



Material No.: 9254-03

Batch No.: 24H2762008

Manufactured Date: 2024-04-18

Expiration Date: 2027-04-18

Revision No.: 0

# Certificate of Analysis

Test	- Thai y 515	
	Specification	Result
Assay ((CH <sub>3</sub> ) <sub>2</sub> CO) (by GC, corrected forwater) Color (APHA)	>= 99.4 %	
Residue after Evaporation	<= 10	100.0 % 5
Substances Reducing Permanganate	<= 1.0 ppm	0.0 ppm
Titrable Acid (µeq/g)	Passes Test	Passes Test
Fitrable Base (µeq/g)	<= 0.3	0.2
Vater (H <sub>2</sub> O)	<= 0.6	<0.1
ID-Sensitive Impurities (as 2-Octanol)Single Impurity Peak	<= 0.5 %	<0.1 %
CD Sensitive Impurities (as HeptachlorEpoxide) Single Peak	\ <del>-</del> 3	1
og/mL) (as neptachlorEpoxide) Single Peak	<= 10	1

For Laboratory, Research, or Manufacturing Use MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: United States

Packaging Site: Phillipsburg Mfg Ctr & DC

Recd by RP cn 03/31/25



Director Quality Operations, Bioscience Production



## Certificate of Analysis

### Product information

**Product** 

pH-Fix 0.3-2.3

REF

92180

LOT

80A0441

**Expiration date:** 

29.02.2028

Date of examination:

23.01.2024

Gradation:

pH 0.3-0.7-1.0-1.3-1.6-1.9-2.3

### Confirmation

Hereby we confirm, that the above mentioned product has successfully passed our quality control system in accordance with ISO 9001 and meets the specific quality criteria.

This document has been produced electronically and is valid without a signature.

US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Hydrochloric Acid, 36.5-38.0% BAKER INSTRA-ANALYZED® Reagent For Trace Metal Analysis





M6151

R-> 1/15/25

Material No.: 9530-33

Batch No.: 22G2862015 Manufactured Date: 2022-06-15

Retest Date: 2027-06-14

Revision No.: 0

## Certificate of Analysis

Test	Specification	Result
ACS - Assay (as HCI) (by acid-base titrn)	36.5 - 38.0 %	
ACS - Color (APHA)	50.5 - 38.0 % ≤ 10	37.9 %
ACS - Residue after Ignition	≤ 3 ppm	5
ACS - Specific Gravity at 60°/60°F		< 1 ppm
ACS – Bromide (Br)	1.185 - 1.192	1.191
ACS - Extractable Organic Substances	≤ 0.005 %	< 0.005 %
ACS - Free Chlorine (as Cl <sub>2</sub> )	≤ 5 ppm	< 1 ppm
Phosphate (PO <sub>4</sub> )	≤ 0.5 ppm	< 0.5 ppm
Sulfate (SO <sub>4</sub> )	≤ 0.05 ppm	< 0.03 ppm
Sulfite (SO <sub>3</sub> )	≤ 0.5 ppm	< 0.3 ppm
Ammonium (NH <sub>4</sub> )	≤ 0.8 ppm	0.3 ppm
Trace Impurities - Arsenic (As)	≤ 3 ppm	< 1 ppm
Trace Impurities – Aluminum (AI)	≤ 0.010 ppm	< 0.003 ppm
Arsenic and Antimony (as As)	≤ 10.0 ppb	1.3 ppb
Trace Impurities – Barium (Ba)	≤ 5.0 ppb	< 3.0 ppb
Trace Impurities – Beryllium (Be)	≤ 1.0 ppb	0.2 ppb
Trace Impurities - Bismuth (Bi)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Boron (B)	≤ 10.0 ppb	< 1.0 ppb
	≤ 20.0 ppb	< 5.0 ppb
Trace Impurities - Cadmium (Cd)	≤ 1.0 ppb	< 0.3 ppb
Trace Impurities - Calcium (Ca)	≤ 50.0 ppb	163.0 ppb
Trace Impurities - Chromium (Cr)	≤ 1.0 ppb	0.7 ppb
Trace Impurities - Cobalt (Co)	≤ 1.0 ppb	< 0.3 ppb
Trace Impurities – Copper (Cu)	≤ 1.0 ppb	< 0.1 ppb
Trace Impurities – Gallium (Ga)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Germanium (Ge)	≤ 3.0 ppb	< 2.0 ppb
Frace Impurities – Gold (Au)	≤ 4.0 ppb	0.6 ppb
Heavy Metals (as Pb)	≤ 100 ppb	< 50 ppb
Trace Impurities – Iron (Fe)	≤ 15 ppb	6 ppb

>>> Continued on page 2 >>>

Hydrochloric Acid, 36.5-38.0% BAKER INSTRA-ANALYZED® Reagent For Trace Metal Analysis





Material No.: 9530-33 Batch No.: 22G2862015

Test	Specification	Result
Trace Impurities – Lead (Pb)	≤ 1.0 ppb	< 0.5 ppb
Trace Impurities - Lithium (Li)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Magnesium (Mg)	≤ 10.0 ppb	2.9 ppb
Trace Impurities - Manganese (Mn)	≤ 1.0 ppb	< 0.4 ppb
Trace Impurities – Mercury (Hg)	≤ 0.5 ppb	0.1 ppb
Trace Impurities – Molybdenum (Mo)	≤ 10.0 ppb	< 3.0 ppb
Trace Impurities - Nickel (Ni)	≤ 4.0 ppb	< 0.3 ppb
Trace Impurities - Niobium (Nb)	≤ 1.0 ppb	0.8 ppb
Trace Impurities - Potassium (K)	≤ 9.0 ppb	< 2.0 ppb
Trace Impurities - Selenium (Se), For Information Only		< 1.0 ppb
Trace Impurities - Silicon (Si)	≤ 100.0 ppb	< 10.0 ppb
Trace Impurities - Silver (Ag)	≤ 1.0 ppb	0.5 ppb
Trace Impurities – Sodium (Na)	≤ 100.0 ppb	2.3 ppb
Trace Impurities – Strontium (Sr)	≤ 1.0 ppb	< 0.2 ppb
Trace Impurities – Tantalum (Ta)	≤ 1.0 ppb	1.6 ppb
Trace Impurities – Thallium (TI)	≤ 5.0 ppb	< 2.0 ppb
Trace Impurities – Tin (Sn)	≤ 5.0 ppb	4.0 ppb
Trace Impurities – Titanium (Ti)	≤ 1.0 ppb	1.5 ppb
Trace Impurities – Vanadium (V)	≤ 1.0 ppb	< 0.2 ppb
Frace Impurities – Zinc (Zn)	≤ 5.0 ppb	0.8 ppb
Frace Impurities – Zirconium (Zr)	≤ 1.0 ppb	0.3 ppb

Hydrochloric Acid, 36.5-38.0% BAKER INSTRA-ANALYZED® Reagent For Trace Metal Analysis





Material No.: 9530-33 Batch No.: 22G2862015

Test

Specification

Result

For Laboratory, Research, or Manufacturing Use Product Information (not specifications): Appearance (clear, fuming liquid) Meets ACS Specifications Storage Condition: Store below 25 °C.

Country of Origin: USA Packaging Site: Phillipsburg Mfg Ctr & DC



# Certificate of analysis

W3082 Received on 2/26/2026 by IZ

Product No.: A12244

Product: Stearic acid, 98%

Lot No.: U23E020

Appearance White flakes

Assay 98.7 %

This document has been electronically generated and does not require a signature.



n-Hexane 95% ULTRA RESI-ANALYZED For Organic Residue Analysis





09012' 04/22/2025

Material No.: 9262-03

Batch No.: 25C0362005

Manufactured Date: 2025-01-29 Expiration Date:2026-04-30

Revision No.: 0

Certificate of Analysis

Test	Specification	
FID-Sensitive Impurities (as 2-Octanol)Single Impurity Peak	Specification	Result
(19/11)	\- J	1
ECD Sensitive Impurities (as HeptachlorEpoxide) Single Peak (pg/mL)	<= 10	6
ECD-Sensitive Impurities (as EthyleneDibromide) - Single Impurity Peak (ng/mL)	<= 5	5
Assay (Total Saturated Collsomers) (byGC, corrected for water)	>= 99.5 %	100.0 %
Assay (as n-Hexane) (by GC, correctedfor water)	>= 95 %	
Color (APHA)	337,3	100 %
·	<= 10	10
esidue after Evaporation	<= 1.0 ppm	0.1 ppm
ubstances Darkened by H2SO4	Process To	ол рын
ater (by KF, coulometric)	Passes Test	Passes Test
- to (b) ki , coulometric)	<= 0.05 %	<0.01 %

For Laboratory,Research,or Manufacturing Use MEETS SPECIFICATIONS WITHIN THE EXPIRATION PERIOD

Country of Origin: United States

Packaging Site: Phillipsburg Mfg Ctr & DC



Director Quality Operations, Bioscience Production