

PESTICIDE CALIBRATION VERIFICATION SUMMARY

Contract: POWE02

Lab Code: CHEM Case No.: Q2425 SAS No.: Q2425 SDG NO.: Q2425

GC Column: ZB-MR1 ID: 0.32 (mm) Initi. Calib. Date(s): 06/17/2025 06/17/2025

Client Sample No. (PEM): PEM - PD089191.D Date Analyzed: 06/27/2025

Lab Sample No.(PEM): PEM Time Analyzed: 18:32

PEM COMPOUND	RT	RT WINDOW		CALC	NOM	%D
		FROM	TO	AMOUNT(ng)	AMOUNT(ng)	
Decachlorobiphenyl	9.071	8.970	9.170	20.920	20.000	4.6
Tetrachloro-m-xylene	3.550	3.500	3.600	22.080	20.000	10.4
alpha-BHC	3.998	3.950	4.050	10.090	10.000	0.9
beta-BHC	4.515	4.460	4.570	11.260	10.000	12.6
gamma-BHC (Lindane)	4.328	4.280	4.380	10.260	10.000	2.6
Endrin	6.572	6.500	6.640	51.080	50.000	2.2
4,4'-DDT	7.020	6.950	7.090	80.720	100.000	-19.3
Methoxychlor	7.492	7.420	7.560	182.490	250.000	-27.0

GC Column: ZB-MR2 ID: 0.32 (mm) Initi. Calib. Date(s): 06/17/2025 06/17/2025

Client Sample No. (PEM): PEM - PD089191.D Date Analyzed: 06/27/2025

Lab Sample No.(PEM): PEM Time Analyzed: 18:32

PEM COMPOUND	RT	RT WINDOW		CALC	NOM	%D
		FROM	TO	AMOUNT(ng)	AMOUNT(ng)	
Decachlorobiphenyl	8.071	7.970	8.170	20.430	20.000	2.2
Tetrachloro-m-xylene	2.880	2.830	2.930	23.060	20.000	15.3
alpha-BHC	3.392	3.340	3.440	11.830	10.000	18.3
beta-BHC	4.025	3.970	4.080	10.760	10.000	7.6
gamma-BHC (Lindane)	3.729	3.680	3.780	11.860	10.000	18.6
Endrin	5.788	5.720	5.860	53.330	50.000	6.7
4,4'-DDT	6.182	6.110	6.250	80.360	100.000	-19.6
Methoxychlor	6.753	6.680	6.820	160.570	250.000	-35.8