

1.00

U

1

1.00

ml/100gm

06/30/25 08:38 9095B

Report of Analysis

Client:	PSEG			D	Date Collected:	06/26/25 1	2:10
Project:	PSEG Ony	x UG		D	Date Received:	06/26/25	
Client Sample ID:	MH-E/F			S	DG No.:	Q2430	
Lab Sample ID:	Q2430-01			Ν	Matrix:		
				0/	6 Solid:	88.2	
Parameter	Conc. Qua.	DF MDL	LOQ / CRQL	Units(Dry Weigl	ht) Prep Date	Date Ana.	Ana Met.
Hexavalent Chromium	0.45 U	1 0.079	0.45	mg/Kg	06/27/25 08:40	06/27/25 12:03	7196A
Ignitability	NO	1 0	0	oC		06/30/25 10:05	1030

1.00

Comments:

Paint Filter

- U = Not Detected
- LOQ = Limit of Quantitation
- MDL = Method Detection Limit
- LOD = Limit of Detection
- D = Dilution
- Q = indicates LCS control criteria did not meet requirements
- H = Sample Analysis Out Of Hold Time

- J = Estimated Value
- B = Analyte Found in Associated Method Blank
- * = indicates the duplicate analysis is not within control limits.
- E = Indicates the reported value is estimated because of the presence of interference.
- OR = Over Range
- N =Spiked sample recovery not within control limits