

284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Fax: 908 789 8922

Report of Analysis

Client: Earth Engineering Inc. Date Collected:

Project: 1710 N4 Ave Date Received:

Client Sample ID: MH-E/FMS SDG No.: Q2431

Lab Sample ID: Q2430-01MS Matrix: Solid

Analytical Method: NJEPH % Solid: 88.2

Sample Wt/Vol: 30.05 Units: g Final Vol: 2000 uL

Soil Aliquot Vol: uL Test: EPH_NF

Prep Method:

Prep Date : Date Analyzed : Prep Batch ID

06/27/25 08:30 06/27/25 18:05 PB168635

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight))
TARGETS								
Aliphatic C28-C4	O Aliphatic C28-C40	39.1		1	1.34	2.26	mg/kg	FG016160.D
Aliphatic C9-C28	Aliphatic C9-C28	91.0	E	1	1.03	4.53	mg/kg	FG016160.D
Total AliphaticEP	H Total AliphaticEPH	130			2.37	6.79	mg/kg	
Total EPH	Total EPH	130			2.37	6.79	mg/kg	

^{*} As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C40 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C40 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

Datafile

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution



284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Fax: 908 789 8922

Report of Analysis

Client: Earth Engineering Inc. Date Collected:

Project: 1710 N4 Ave Date Received:

Client Sample ID: MH-E/FMS SDG No.: Q2431

Lab Sample ID: Q2430-01MS Matrix: Solid

Analytical Method: NJEPH % Solid: 88.2

Sample Wt/Vol: 30.05 Units: g Final Vol: 2000 uL

Soil Aliquot Vol: uL Test: EPH_NF

Prep Method:

Prep Date : Date Analyzed : Prep Batch ID

06/27/25 08:30 06/27/25 18:05 PB168635

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight))
TARGETS								
Aliphatic C28-C4	O Aliphatic C28-C40	39.1		1	1.34	2.26	mg/kg	FG016160.D
Aliphatic C9-C28	Aliphatic C9-C28	91.0	E	1	1.03	4.53	mg/kg	FG016160.D
Total AliphaticEP	H Total AliphaticEPH	130			2.37	6.79	mg/kg	
Total EPH	Total EPH	130			2.37	6.79	mg/kg	

^{*} As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C40 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C40 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

Datafile

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution



Test:

uL

EPH_NF



Report of Analysis

Client: Earth Engineering Inc. Date Collected:

Project: 1710 N4 Ave Date Received:

uL

Client Sample ID: MH-E/FMS SDG No.: Q2431
Lab Sample ID: Q2430-01MS Matrix: Solid

Analytical Method: NJEPH % Solid: 88.2

Sample Wt/Vol: 30.05 Units: g Final Vol: 2000

Soil Aliquot Vol:

 $Prep\ Method:$

 File ID :
 Dilution:
 Prep Date :
 Date Analyzed :
 Prep Batch ID

 FG016160.D
 1
 06/27/25
 06/27/25
 PB168635

CAS Number	Parameter		Conc. Q	ualifier	MDL	LOQ / CRQL	Units
TARGETS							
Aliphatic C9-C	C28	Aliphatic C9-C28	91.0	E	1.03	4.53	mg/kg
Aliphatic C28-	-C40	Aliphatic C28-C40	39.1		1.34	2.26	mg/kg
SURROGATES	S						
3383-33-2		1-chlorooctadecane (SURR)	33.7		40 - 140	67%	SPK: 50
84-15-1		ortho-Terphenyl (SURR)	32.1		40 - 140	64%	SPK: 50



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900, Fax : 908 789 8922

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID: Q2430-01MS Acq On: 27 Jun 2025 18:05

Client Sample ID: Q2430-01MS Operator: YP\AJ

Data file: FG016160.D Misc:

Instrument: FID_G ALS Vial: 30
Dilution Factor: 1 Sample Multiplier: 1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.316	6.955	23922255	218.801	300	ug/ml
Aliphatic C12-C16	6.956	10.413	28002403	250.414	200	ug/ml
Aliphatic C16-C21	10.414	13.802	37290163	325.736	300	ug/ml
Aliphatic C21-C28	13.803	17.485	46989203	410.78	400	ug/ml
Aliphatic C28-C40	17.486	22.536	47679276	518.277	600	ug/ml
Aliphatic EPH	3.316	22.536	183883300	1720		ug/ml
ortho-Terphenyl (SURR)	12.092	12.092	4148176	32.15		ug/ml
1-chlorooctadecane (SURR)	13.535	13.535	3392723	33.67		ug/ml
Aliphatic C9-C28	3.316	17.485	136204024	1210	1200	ug/ml