

DATA PACKAGE

SUB - DATA

PROJECT NAME : HALOGENS

PARADIGM ENVIRONMENTAL SERVICES, INC.

179 Lake Avenue

Rochester, NY - 14608

Phone No: (585) 647-2530

ORDER ID : Q2433

ATTENTION : Quintin McCooey



Cover Page

Order ID : Q2433

Project ID : Halogens

Client : Paradigm Environmental Services, Inc.

Lab Sample Number

Q2433-01

Client Sample Number

OIL

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____



*Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>*

June 30, 2025

PM
ATG - NEWARK LAB
284 Sheffield Street
Mountainside, NJ 07092
TEL:
FAX:
RE: Q2433

Dear PM:

Order No.: 25062118

Alliance Technical Group - Akron received 1 sample(s) on 6/26/2025 for the analyses presented in the following report.

There were no problems with the analytical events associated with this report unless noted in the Case Narrative.

Quality control data is within laboratory defined or method specified acceptance limits except where noted.

If you have any questions regarding these tests results, please feel free to call the laboratory.

Sincerely,

A handwritten signature in black ink that reads "Jennifer M. Woolf". The signature is fluid and cursive, with the first name "Jennifer" and last name "Woolf" clearly distinguishable.

Jennifer Woolf

Project Manager

3310 Win St.
Cuyahoga Falls, Ohio 44223

Arkansas 88-0735, California 2943, Colorado, Connecticut PH-0828, Florida NELAC E87688, Idaho OH00923, Illinois 200061, Indiana C-OH-13, ISO/IEC 17025:2017 119125 L22-544, Kansas E-10347, Kentucky (Underground Storage Tank) 3, Kentucky 90146, Maryland 339, Michigan 9988, Minnesota 1780279, Nevada OH009232020-1, New Hampshire 2996, New Jersey OH006, New York 11777, North Carolina 39705 and 631, North Dakota R-201, Ohio DW, Ohio VAP CL0052, Oklahoma 2019-155, Oregon OH200001, Pennsylvania 68-01335, Rhode Island LA000317, South Carolina 92016001, Texas T104704466-19-16, Utah OH009232020-12, Virginia VELAP 10381, West Virginia 9957C



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

Case Narrative

WO#: 25062118
Date: 6/30/2025

CLIENT: ATG - NEWARK LAB

Project: Q2433

This report in its entirety consists of the following documents: Cover Letter, Case Narrative, Analytical Results, QC Summary Report, Applicable Accreditation Information, Chain-of-Custody, Cooler Receipt Form, and other applicable forms as necessary. All documents contain the Alliance Technical Group Work Order Number assigned to this report.

Alliance Technical Group holds the accreditations/certifications listed at the bottom of the cover letter that may or may not pertain to this report. Please refer to the "Accreditation Program Analytes Report" for accredited analytes list.

The information contained in this analytical report is the sole property of Alliance Technical Group and that of the customer. It cannot be reproduced in any form without the consent of Alliance Technical Group or the customer for which this report was issued. The results contained in this report are only representative of the samples received. Conditions can vary at different times and at different sampling conditions. Alliance Technical Group is not responsible for use or interpretation of the data included herein.

All results for solid samples are reported on an "as received" or "wet weight" basis unless indicated as "dry weight" using the "-dry" designation on the reporting units.

This report is believed to meet all of the requirements of the accrediting agency, where applicable. Any comments or problems with the analytical events associated with this report are noted below.

Original

These commonly used Qualifiers and Acronyms may or may not be present in this report.

Qualifiers

| | |
|--------------|---|
| U | The compound was analyzed for but was not detected above the MDL. |
| J | The reported value is greater than the Method Detection Limit but less than the Reporting Limit. |
| H | The hold time for sample preparation and/or analysis was exceeded. Not Clean Water Act compliant. |
| D | The result is reported from a dilution. |
| E | The result exceeded the linear range of the calibration or is estimated due to interference. |
| MC | The result is below the Minimum Compound Limit. |
| * | The result exceeds the Regulatory Limit or Maximum Contamination Limit. |
| m | Manual integration was used to determine the area response. |
| d | Manual integration in which peak was deleted |
| N | The result is presumptive based on a Mass Spectral library search assuming a 1:1 response. |
| P | The second column confirmation exceeded 25% difference. |
| C | The result has been confirmed by GC/MS. |
| X | The result was not confirmed when GC/MS Analysis was performed. |
| B | The analyte was detected in the Method Blank at a concentration greater than the RL. |
| MB+ | The analyte was detected in the Method Blank at a concentration greater than the MDL. |
| G | The ICB or CCB contained reportable amounts of analyte. |
| QC-/+ | The CCV recovery failed low (-) or high (+). |
| R/QDR | The RPD was outside of accepted recovery limits. |
| QL-/+ | The LCS or LCSD recovery failed low (-) or high (+). |
| QLR | The LCS/LCSD RPD was outside of accepted recovery limits. |
| QM-/+ | The MS or MSD recovery failed low (-) or high (+). |
| QMR | The MS/MSD RPD was outside of accepted recovery limits. |
| QV-/+ | The ICV recovery failed low (-) or high (+). |
| S | The spike result was outside of accepted recovery limits. |
| W | Samples were received outside temperature limits (0° – 6° C). Not Clean Water Act compliant. |
| Z | Deviation; A deviation from the method was performed; Please refer to the Case Narrative for additional information |

Acronyms

| | | | |
|-------------|-------------------------------------|---------------|--------------------------------------|
| ND | Not Detected | RL | Reporting Limit |
| QC | Quality Control | MDL | Method Detection Limit |
| MB | Method Blank | LOD | Level of Detection |
| LCS | Laboratory Control Sample | LOQ | Level of Quantitation |
| LCSD | Laboratory Control Sample Duplicate | PQL | Practical Quantitation Limit |
| QCS | Quality Control Sample | CRQL | Contract Required Quantitation Limit |
| DUP | Duplicate | PL | Permit Limit |
| MS | Matrix Spike | RegLvl | Regulatory Limit |
| MSD | Matrix Spike Duplicate | MCL | Maximum Contamination Limit |
| RPD | Relative Percent Different | MinCL | Minimum Compound Limit |
| ICV | Initial Calibration Verification | RA | Reanalysis |
| ICB | Initial Calibration Blank | RE | Reextraction |
| CCV | Continuing Calibration Verification | TIC | Tentatively Identified Compound |
| CCB | Continuing Calibration Blank | RT | Retention Time |
| RLC | Reporting Limit Check | CF | Calibration Factor |

This list of Qualifiers and Acronyms reflects the most commonly utilized Qualifiers and Acronyms for reporting. Please refer to the Analytical Notes in the Case Narrative for any Qualifiers or Acronyms that do not appear in this list or for additional information regarding the use of these Qualifiers on reported data.



*Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>*

Workorder
Sample Summary
WO#: **25062118**
30-Jun-25

CLIENT: ATG - NEWARK LAB
Project: Q2433

| Lab SampleID | Client Sample ID | Tag No | Date Collected | Date Received | Matrix |
|--------------|------------------|--------|-----------------------|-----------------------|--------|
| 25062118-001 | OIL | | 6/24/2025 10:00:00 AM | 6/26/2025 10:20:00 AM | Oil |



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

DATES REPORT

WO#: 25062118

30-Jun-25

Client: ATG - NEWARK LAB

Project: Q2433

| Sample ID | Client Sample ID | Collection Date | Matrix | Test Name | Leachate Date | Prep Date | Analysis Date |
|---------------|------------------|-----------------------|--------|--------------------------------------|---------------|-----------|----------------------|
| 25062118-001A | OIL | 6/24/2025 10:00:00 AM | Oil | Extractable Organic Halides (EOX) (9 | | | 6/28/2025 2:17:00 PM |

Original



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

WO#: 25062118
Date Reported: 6/30/2025
Company: ATG - NEWARK LAB
Address: 284 Sheffield Street
Mountainside NJ 07092
Received: 6/26/2025
Project#: Q2433

| Client ID# | Lab ID# | Collected | Analyte | Result | Units | Qual | Matrix | Method | DF | MDL | PQL | Run | Analyst |
|------------|---------|-----------|-----------------------------|--------|-------|------|--------|----------|----|-------|-------|-----------|---------|
| OIL | 001 | 6/24/2025 | Extractable Organic Halides | 110.0 | ppm | J | Oil | EPA 9023 | 1 | 20.00 | 200.0 | 6/28/2025 | CXS |



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

Accreditation Program Analytes Report

WO#: 25062118
30-Jun-25

Client: ATG - NEWARK LAB

State: NY

Project: Q2433

Program Name: NY_DW_WW_SC
M_NELAP

| Test Name | Matrix | Analyte | Status |
|--|--------|-----------------------------|--------|
| Extractable Organic Halides (EOX) (9023) | Oil | Extractable Organic Halides | A |



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

QC SUMMARY REPORT

WO#: 25062118

30-Jun-25

Client: ATG - NEWARK LAB

Project: Q2433

BatchID: R211576

| | | | | | | | | | | | |
|------------------------------|--------------------------|------------------------------|---------------------|---------------------------------|-----------------------|----------|-----------|-------------|------|----------|------|
| Sample ID: MB-R211576 | SampType: MBLK | TestCode: EOX_S(9023) | Units: mg/Kg | Prep Date: | RunNo: 211576 | | | | | | |
| Client ID: BatchQC | Batch ID: R211576 | TestNo: SW9023 | | Analysis Date: 6/28/2025 | SeqNo: 5655815 | | | | | | |
| Analyte | Result | PQL | SPK value | SPK Ref Val | %REC | LowLimit | HighLimit | RPD Ref Val | %RPD | RPDLimit | Qual |
| Extractable Organic Halides | ND | 40.0 | | | | | | | | | U |

| | | | | | | | | | | | |
|-------------------------------|--------------------------|--|-----------|-------------|---------------------------------|----------|-----------|-----------------------|------|----------|------|
| Sample ID: LCS-R211576 | SampType: LCS | TestCode: EOX_S(9023) Units: mg/Kg | | | Prep Date: | | | RunNo: 211576 | | | |
| Client ID: BatchQC | Batch ID: R211576 | TestNo: SW9023 | | | Analysis Date: 6/28/2025 | | | SeqNo: 5655816 | | | |
| Analyte | Result | PQL | SPK value | SPK Ref Val | %REC | LowLimit | HighLimit | RPD Ref Val | %RPD | RPDLimit | Qual |
| Extractable Organic Halides | 47.5 | 40.0 | 50.00 | 0 | 95.0 | 72 | 125 | | | | |

| | | | | | | | | | | | |
|-----------------------------------|--------------------------|------------------------------|---------------------|---------------------------------|-----------------------|----------|-----------|-------------|------|----------|------|
| Sample ID: 25061863-001AMS | SampType: MS | TestCode: EOX_S(9023) | Units: mg/Kg | Prep Date: | RunNo: 211576 | | | | | | |
| Client ID: BatchQC | Batch ID: R211576 | TestNo: SW9023 | | Analysis Date: 6/28/2025 | SeqNo: 5655819 | | | | | | |
| Analyte | Result | PQL | SPK value | SPK Ref Val | %REC | LowLimit | HighLimit | RPD Ref Val | %RPD | RPDLimit | Qual |
| Extractable Organic Halides | 530 | 40.0 | 500.0 | 31.00 | 99.8 | 78 | 136 | | | | |

| | | | | | | | | | | | |
|------------------------------------|--------------------------|------------------------------|---------------------|---------------------------------|-----------------------|----------|-----------|-------------|------|----------|------|
| Sample ID: 25061863-001AMSD | SampType: MSD | TestCode: EOX_S(9023) | Units: mg/Kg | Prep Date: | RunNo: 211576 | | | | | | |
| Client ID: BatchQC | Batch ID: R211576 | TestNo: SW9023 | | Analysis Date: 6/28/2025 | SeqNo: 5655820 | | | | | | |
| Analyte | Result | PQL | SPK value | SPK Ref Val | %REC | LowLimit | HighLimit | RPD Ref Val | %RPD | RPDLimit | Qual |
| Extractable Organic Halides | 510 | 40.0 | 500.0 | 31.00 | 95.8 | 78 | 136 | 530.0 | 3.85 | 20 | |

Qualifiers: H Holding times for preparation or analysis exceeded
ND Not Detected
U Samples with CalcVal < MDL

J Analyte detected below quantitation limits
PL Permit Limit
W Sample container temperature is out of limit as specified at testcode

M Manual Integration used to determine area response
RL Reporting Detection Limit

Original



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

QC SUMMARY REPORT

WO#: 25062118

30-Jun-25

Client: ATG - NEWARK LAB

Project: Q2433

BatchID: R211576

| | | | | | | | | | | | |
|------------------------------------|--------------------------|----------------------|------------------------------|-------------|---------------------------------|------------|-----------|-----------------------|----------------------|----------|------|
| Sample ID: 25061863-001AMSD | | SampType: MSD | TestCode: EOX_S(9023) | | Units: mg/Kg | Prep Date: | | | RunNo: 211576 | | |
| Client ID: BatchQC | Batch ID: R211576 | | TestNo: SW9023 | | Analysis Date: 6/28/2025 | | | SeqNo: 5655820 | | | |
| Analyte | Result | PQL | SPK value | SPK Ref Val | %REC | LowLimit | HighLimit | RPD Ref Val | %RPD | RPDLimit | Qual |

| | | | | | | | | | | | |
|------------------------------|--------------------------|------------------------------|---------------------------------|-----------------------|----------------------|----------|-----------|-------------|------|----------|------|
| Sample ID: MB-R211576 | SampType: MBLK | TestCode: EOX_S(9023) | Units: mg/Kg | Prep Date: | RunNo: 211576 | | | | | | |
| Client ID: BatchQC | Batch ID: R211576 | TestNo: SW9023 | Analysis Date: 6/28/2025 | SeqNo: 5655829 | | | | | | | |
| Analyte | Result | PQL | SPK value | SPK Ref Val | %REC | LowLimit | HighLimit | RPD Ref Val | %RPD | RPDLimit | Qual |
| Extractable Organic Halides | ND | 40.0 | | | | | | | | | U |

Qualifiers: H Holding times for preparation or analysis exceeded
ND Not Detected
U Samples with CalcVal < MDL

J Analyte detected below quantitation limits
PL Permit Limit
W Sample container temperature is out of limit as specified at testcode

M Manual Integration used to determine area response
RL Reporting Detection Limit

Original

25062118

CHAIN OF CUSTODY RECORD

| Sub Lab INFORMATION | CLIENT PROJECT INFORMATION | CLIENT BILLING INFORMATION |
|--|---|---|
| COMPANY : Alliance Technical Group - Akron | ORDER ID : Q2433 | BILL TO: CHEMTECH PO# : q2433 |
| ADDRESS : 3310 Win Street | PROJECT ID: Halogens | ADDRESS : 284, Sheffield Street |
| CITY: Cuyahoga Fal State : OH ZIP : 44223 | PROJECT MANAGER YAZMEEN | CITY: Mountainside State : NJ ZIP : 07092 |
| E-mail : jennifer.woolf@alliancetg.com | E-mail : yazmeen.gomez@alliancetg.com | ATTENTION : YAZMEE |
| PHONE : 330-253-8211 | PHONE : (908) 789 8900 FAX : (908) 789 8922 | PHONE : (908) 789 8900 FAX : (908) 789 8922 |

EDD : EXCEL NJCLEAN

Report : Level 1

Comment : COMP. STATE- NY


| ID | CLIENT SAMPLE IDENTIFICATION | SAMPLE MATRIX | ANALYSIS | Preservative | Method | SAMPLE COLLECTION | | # OF BOTTLES | TAT DAYS |
|----|---------------------------------|------------------|----------|----------------------|--------|-------------------|----------|-----------------|-------------|
| | | | | | | DATE | TIME | | |
| 01 | OIL | Water | TOX | Conc H2SO4 to pH < 2 | 9020 | 06/24/2025 | 10:00:00 | 1 | 10 |

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGES POSSESSION INCLUDING COURIER DELIVERY

| | | | | | |
|--------------------------|-----------|-----------------------|--|---|--|
| RELINQUISHED BY SAMPLER: | DATETIME: | RECEIVED BY: | Conditions of bottles or Coolers at receipt: | <input type="checkbox"/> Compliant <input type="checkbox"/> Non Compliant | Cooler Temp _____ Ice or Cooler? _____ |
| 1. | | 1. <i>[Signature]</i> | 6/24/25 | | |
| RELINQUISHED BY: | DATETIME: | RECEIVED BY: | | | |
| 2. | | 2. UPS 1020 | 5.8-0.1 = 5.7 | | |
| RELINQUISHED BY: | DATETIME: | RECEIVED BY: | Page 10 of 12 | <input type="checkbox"/> OVERNIGHT | Shipment Complete: |
| 3. | | 3. | Page 1 of 1 | <input type="checkbox"/> OVERNIGHT | <input type="checkbox"/> YES <input type="checkbox"/> NO |

Q2433

12 of 16



PARADIGM

| Turnaround Time | | Report Supplements | |
|---|--------------------------|---------------------------------|--------------------------|
| Availability contingent upon lab approval; additional fees may apply. | | | |
| Standard 5 day | <input type="checkbox"/> | None Required | <input type="checkbox"/> |
| 10 day | <input type="checkbox"/> | Batch QC | <input type="checkbox"/> |
| Rush 3 day | <input type="checkbox"/> | Category A | <input type="checkbox"/> |
| Rush 2 day | <input type="checkbox"/> | Category B | <input type="checkbox"/> |
| Rush 1 day | <input type="checkbox"/> | | |
| Other | <input type="checkbox"/> | Other | <input type="checkbox"/> |
| please indicate date needed: | <u>Standard</u> | please indicate package needed: | |

Total Cost:

P.I.F.

Sample Log-In Check List

Client Name: **CHE-NJ-07972**

Work Order Number: **25062118**

RcptNo: **1**

Logged by: **Spencer M. Hartwell** **6/26/2025 10:20:00 AM**

Spencer M. Hartwell

Completed By: **Spencer M. Hartwell** **6/26/2025 2:55:22 PM**

Spencer M. Hartwell

Reviewed By: **Jennifer Woolf** **6/26/2025 3:50:51 PM**

Jennifer M. Woolf

Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? UPS

Log In

3. Coolers are present? Yes ☒ No ☐ NA ☐
4. Shipping container/cooler in good condition? Yes ☒ No ☐
Custody seals intact on shipping container/cooler? Yes ☐ No ☐ Not Present ☒
No. Seal Date: Signed By:
5. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
6. Were all samples received at a temperature of >0° C to 6.0°C Yes ☒ No ☐ NA ☐
7. Sample(s) in proper container(s)? Yes ☒ No ☐
8. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
9. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐
10. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
11. Is the headspace in the VOA vials less than 1/4 inch or 6 mm? Yes ☐ No ☐ No VOA Vials ☒
12. Were any sample containers received broken? Yes ☐ No ☒
13. Does paperwork match bottle labels? Yes ☒ No ☐
(Note discrepancies on chain of custody)
14. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
15. Is it clear what analyses were requested? Yes ☒ No ☐
16. Were all holding times able to be met? Yes ☒ No ☐
(If no, notify customer for authorization.)

Special Handling (if applicable)

17. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified: Date:
By Whom: Via: ☐ eMail ☐ Phone ☐ Fax ☐ In Person
Regarding:
Client Instructions:

18. Additional remarks:
Headspace

Cooler Information

| Cooler No | Temp °C | Condition | Seal Intact | Seal No | Seal Date | Signed By |
|-----------|---------|-----------|-------------|---------|-----------|-----------|
| 1 | 5.7 | Good | Not Present | | | |

25062118

CHAIN OF CUSTODY RECORD

| Sub Lab INFORMATION | CLIENT PROJECT INFORMATION | CLIENT BILLING INFORMATION |
|--|---|---|
| COMPANY : Alliance Technical Group - Akron | ORDER ID : Q2433 | BILL TO: CHEMTECH PO# : q2433 |
| ADDRESS : 3310 Win Street | PROJECT ID: Halogens | ADDRESS : 284, Sheffield Street |
| CITY: Cuyahoga Fal State : OH ZIP : 44223 | PROJECT MANAGER YAZMEEN | CITY: Mountainside State : NJ ZIP : 07092 |
| E-mail : jennifer.woolf@alliantcg.com | E-mail : yazmeen.gomez@alliantcg.com | ATTENTION : YAZMEE |
| PHONE : 330-253-8211 | PHONE : (908) 789 8900 FAX : (908) 789 8922 | PHONE : (908) 789 8900 FAX : (908) 789 8922 |

EDD : EXCEL NJCLEAN


Report : Level 1

Comment : COMP. STATE- NY

| ID | CLIENT SAMPLE IDENTIFICATION | SAMPLE MATRIX | ANALYSIS | Preservative | Method | SAMPLE COLLECTION | | # OF BOTTLES | TAT DAYS |
|----|---------------------------------|------------------|----------|----------------------|--------|-------------------|----------|-----------------|-------------|
| | | | | | | DATE | TIME | | |
| 01 | OIL | Water | TOX | Conc H2SO4 to pH < 2 | 9020 | 06/24/2025 | 10:00:00 | 1 | 10 |

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGES POSSESSION INCLUDING COURIER DELIVERY

| | | | | | |
|--------------------------|-----------|-----------------------|--|---|--|
| RELINQUISHED BY SAMPLER: | DATETIME: | RECEIVED BY: | Conditions of bottles or Coolers at receipt: | <input type="checkbox"/> Compliant <input type="checkbox"/> Non Compliant | Cooler Temp _____ Ice or Cooler? _____ |
| 1. | | 1. <i>[Signature]</i> | 6/24/25 | | |
| RELINQUISHED BY: | DATETIME: | RECEIVED BY: | | | |
| 2. | | 2. UPS 1020 | 5.8-0.1 = 5.7 | | |
| RELINQUISHED BY: | DATETIME: | RECEIVED BY: | | <input type="checkbox"/> OVERNIGHT | Shipment Complete: |
| 3. | | 3. | | <input type="checkbox"/> OVERNIGHT | <input type="checkbox"/> YES <input type="checkbox"/> NO |



By signing this form, client agrees to Paradigm Terms and Conditions (reverse).

| Turnaround Time | | Report Submissions | |
|---|--------------------------|---------------------------------|--|
| Availability contingent upon lab approval; additional fees may apply. | | | |
| Standard 5 day | <input type="checkbox"/> | None Required | <input type="checkbox"/> None Required |
| 10 day | <input type="checkbox"/> | Batch QC | <input type="checkbox"/> Basic EDD |
| Rush 3 day | <input type="checkbox"/> | Category A | <input type="checkbox"/> NYSDEC EDD |
| Rush 2 day | <input type="checkbox"/> | Category B | <input type="checkbox"/> |
| Rush 1 day | <input type="checkbox"/> | | |
| Other | <input type="checkbox"/> | Other | <input type="checkbox"/> Other EDD |
| please indicate date needed: | <u>Standard</u> | please indicate package needed: | <u></u> |

| | |
|---------------------------------------|----------------------------|
| Sampled By <i>[Signature]</i> | Date/Time 6/24/25 16:00 |
| Relinquished By <i>[Signature]</i> | Date/Time 6/25/25 UPS |
| Received By 1020 | Date/Time 5.8-0.7 = 5.7 |
| Received @ Lab By | Date/Time |

Total Cost:

P.I.F.