

284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Fax: 908 789 8922

Report of Analysis

Client: CDM Smith

Project: South River WM Replacement

Client Sample ID: TP-100

Lab Sample ID: Q2436-08

Analytical Method: 8015D GRO

Sample Wt/Vol: 6 Units: g

Soil Aliquot Vol: uL

Extraction Type:

GPC Factor: PH:

Prep Method:

File ID/Qc Batch: Dilution:

Date Analyzed

Date Collected:

Date Received:

SDG No.:

Matrix:

% Solid:

Final Vol:

Injection Volume:

Test:

06/26/25

06/26/25

Q2436

SOIL

85.6

5

Prep Batch ID

Decanted:

mL

FB031958.D

06/27/25 17:01

FB062725

Gasoline Range Organics

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS GRO	GRO	8.00	U	8.00	44.0	ug/kg
SURROGATES 98-08-8	Alpha,Alpha,Alpha-Trifluoroto	o 15.1		50 - 150	76%	SPK: 20

Comments:

U = Not Detected

LOO = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit