

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF063025\
 Data File : BF142924.D
 Acq On : 30 Jun 2025 19:44
 Operator : RC/JU
 Sample : Q2436-04
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TP-86

Quant Time: Jul 01 01:24:26 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF061925.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jun 24 05:28:21 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.875	152	73916	20.000	ng	0.00
21) Naphthalene-d8	8.157	136	282423	20.000	ng	-0.01
39) Acenaphthene-d10	9.916	164	144734	20.000	ng	0.00
64) Phenanthrene-d10	11.404	188	227000	20.000	ng	0.00
76) Chrysene-d12	14.045	240	138055	20.000	ng	-0.01
86) Perylene-d12	15.539	264	164219	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.493	112	353067	79.527	ng	0.00
7) Phenol-d6	6.504	99	413711	78.985	ng	0.00
23) Nitrobenzene-d5	7.434	82	257855	50.079	ng	-0.01
42) 2,4,6-Tribromophenol	10.704	330	110106	73.926	ng	-0.01
45) 2-Fluorobiphenyl	9.233	172	511114	46.391	ng	-0.01
79) Terphenyl-d14	12.986	244	408851	40.919	ng	-0.01


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF063025\
Data File : BF142924.D
Acq On : 30 Jun 2025 19:44
Operator : RC/JU
Sample : Q2436-04
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TP-86

Quant Time: Jul 01 01:24:26 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF061925.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jun 24 05:28:21 2025
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.875 min Scan# 797
 Delta R.T. -0.006 min
 Lab File: BF142924.D
 Acq: 30 Jun 2025 19:44




Instrument :
 BNA_F
 ClientSampleId :
 TP-86


Tgt Ion:152 Resp: 73916
 Ion Ratio Lower Upper
 152 100
 150 158.8 127.2 190.8
 115 57.7 46.6 69.8



#5
 2-Fluorophenol
 Concen: 79.527 ng
 RT: 5.493 min Scan# 561
 Delta R.T. 0.001 min
 Lab File: BF142924.D
 Acq: 30 Jun 2025 19:44

Tgt Ion:112 Resp: 353067
 Ion Ratio Lower Upper
 112 100
 64 57.4 48.2 72.2
 63 30.1 25.7 38.5









#7
Phenol-d6
Concen: 78.985 ng
RT: 6.504 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF142924.D
Acq: 30 Jun 2025 19:44




Instrument :
BNA_F
ClientSampleId :
TP-86


Tgt Ion: 99 Resp: 413711
Ion Ratio Lower Upper
99 100
42 18.8 15.9 23.9
71 34.7 27.8 41.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.157 min Scan# 1014
Delta R.T. -0.012 min
Lab File: BF142924.D
Acq: 30 Jun 2025 19:44

Tgt Ion: 136 Resp: 282423
Ion Ratio Lower Upper
136 100
137 10.9 8.4 12.6
54 7.4 6.3 9.5
68 4.4 3.7 5.5





#23

Nitrobenzene-d5

Concen: 50.079 ng

RT: 7.434 min Scan# 89

Delta R.T. -0.011 min

Lab File: BF142924.D

Acq: 30 Jun 2025 19:44

Instrument :

BNA_F

ClientSampleId :

TP-86





Tgt Ion: 82 Resp: 257855

Ion Ratio Lower Upper

82 100

128 46.5 37.7 56.5

54 55.6 45.7 68.5



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.916 min Scan# 1313

Delta R.T. -0.006 min

Lab File: BF142924.D

Acq: 30 Jun 2025 19:44




Tgt Ion:164 Resp: 144734


Ion Ratio Lower Upper

164 100

162 101.4 81.8 122.8


160 44.0 36.0 54.0








#42
2,4,6-Tribromophenol
Concen: 73.926 ng
RT: 10.704 min Scan# 1447
Delta R.T. -0.012 min
Lab File: BF142924.D
Acq: 30 Jun 2025 19:44

Instrument :
BNA_F
ClientSampleId :
TP-86







Tgt Ion:330 Resp: 110106
Ion Ratio Lower Upper
330 100
332 96.6 75.0 112.6
141 32.3 25.3 37.9



#45
2-Fluorobiphenyl
Concen: 46.391 ng
RT: 9.233 min Scan# 1197
Delta R.T. -0.012 min
Lab File: BF142924.D
Acq: 30 Jun 2025 19:44

Tgt Ion:172 Resp: 511114
Ion Ratio Lower Upper
172 100
171 35.0 28.2 42.4
170 23.3 18.5 27.7









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.404 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF142924.D
Acq: 30 Jun 2025 19:44




Instrument :
BNA_F
ClientSampleId :
TP-86


Tgt Ion:188 Resp: 227000
Ion Ratio Lower Upper
188 100
94 7.6 6.7 10.1
80 7.9 6.9 10.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.045 min Scan# 2015
Delta R.T. -0.012 min
Lab File: BF142924.D
Acq: 30 Jun 2025 19:44


Tgt Ion:240 Resp: 138055
Ion Ratio Lower Upper
240 100
120 10.0 8.2 12.2
236 24.4 19.8 29.8








#79
 Terphenyl-d14
 Concen: 40.919 ng
 RT: 12.986 min Scan# 1835
 Delta R.T. -0.012 min
 Lab File: BF142924.D
 Acq: 30 Jun 2025 19:44

Instrument :
 BNA_F
 ClientSampleId :
 TP-86



Tgt Ion:244 Resp: 408851
 Ion Ratio Lower Upper
 244 100
 212 6.4 5.4 8.0
 122 10.1 8.2 12.2



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.539 min Scan# 2269
 Delta R.T. -0.006 min
 Lab File: BF142924.D
 Acq: 30 Jun 2025 19:44

Tgt Ion:264 Resp: 164219
 Ion Ratio Lower Upper
 264 100
 260 22.7 18.1 27.1
 265 21.7 16.6 25.0

