

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q2436

Client: CDM Smith

Analytical Method: SW8260D

Datafile : VY022854.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits High	RPD
VY0627SBS01	Dichlorodifluoromethane	20	20.3	ug/Kg	102			64	136	
	Chloromethane	20	21.4	ug/Kg	107			52	151	
	Vinyl chloride	20	19.1	ug/Kg	96			56	148	
	Bromomethane	20	22.9	ug/Kg	115			58	141	
	Chloroethane	20	19.8	ug/Kg	99			69	130	
	Trichlorofluoromethane	20	18.5	ug/Kg	93			69	134	
	1,1,2-Trichlorotrifluoroethane	20	20.6	ug/Kg	103			81	123	
	1,1-Dichloroethene	20	20.2	ug/Kg	101			79	121	
	Acetone	100	120	ug/Kg	120			40	171	
	Carbon disulfide	20	19.9	ug/Kg	100			59	130	
	Methyl tert-butyl Ether	20	19.0	ug/Kg	95			77	129	
	Methyl Acetate	20	15.2	ug/Kg	76			69	149	
	Methylene Chloride	20	23.3	ug/Kg	117			72	131	
	trans-1,2-Dichloroethene	20	19.9	ug/Kg	100			80	123	
	1,1-Dichloroethane	20	20.1	ug/Kg	101			82	123	
	Cyclohexane	20	20.1	ug/Kg	101			76	122	
	2-Butanone	100	94.9	ug/Kg	95			69	131	
	Carbon Tetrachloride	20	19.7	ug/Kg	99			76	129	
	cis-1,2-Dichloroethene	20	19.8	ug/Kg	99			82	123	
	Bromochloromethane	20	19.8	ug/Kg	99			80	127	
	Chloroform	20	19.9	ug/Kg	100			82	125	
	1,1,1-Trichloroethane	20	20.1	ug/Kg	101			80	126	
	Methylcyclohexane	20	20.1	ug/Kg	101			77	123	
	Benzene	20	19.9	ug/Kg	100			84	121	
	1,2-Dichloroethane	20	19.0	ug/Kg	95			81	126	
	Trichloroethene	20	19.9	ug/Kg	100			83	122	
	1,2-Dichloropropane	20	19.7	ug/Kg	99			83	122	
	Bromodichloromethane	20	19.2	ug/Kg	96			82	123	
	4-Methyl-2-Pentanone	100	85.5	ug/Kg	86			70	135	
	Toluene	20	19.7	ug/Kg	99			83	122	
	t-1,3-Dichloropropene	20	18.6	ug/Kg	93			78	124	
	cis-1,3-Dichloropropene	20	19.9	ug/Kg	100			81	122	
	1,1,2-Trichloroethane	20	18.7	ug/Kg	94			82	125	
	2-Hexanone	100	89.6	ug/Kg	90			66	138	
	Dibromochloromethane	20	18.6	ug/Kg	93			79	125	
	1,2-Dibromoethane	20	18.4	ug/Kg	92			80	125	
	Tetrachloroethene	20	20.1	ug/Kg	101			83	125	
	Chlorobenzene	20	20.1	ug/Kg	101			84	122	
	Ethyl Benzene	20	20.5	ug/Kg	103			82	124	
	m/p-Xylenes	40	40.3	ug/Kg	101			83	124	
	o-Xylene	20	20.0	ug/Kg	100			83	123	
	Styrene	20	19.4	ug/Kg	97			82	124	
	Bromoform	20	17.8	ug/Kg	89			75	127	
	Isopropylbenzene	20	21.3	ug/Kg	106			82	124	
	1,1,2,2-Tetrachloroethane	20	19.1	ug/Kg	96			77	127	
	1,3-Dichlorobenzene	20	20.1	ug/Kg	101			83	122	
	1,4-Dichlorobenzene	20	20.0	ug/Kg	100			84	121	
	1,2-Dichlorobenzene	20	19.5	ug/Kg	98			83	124	

Laboratory Control Sample/Laboratory Control Sample Duplicate Summary

SW-846

SDG No.: Q2436

Client: CDM Smith

Analytical Method: SW8260D

Datafile : VY022854.D

Lab Sample ID	Parameter	Spike	Result	Unit	Rec	RPD	Qual	Low	Limits	RPD
									High	
VY0627SBS01	1,2-Dibromo-3-Chloropropane	20	17.5	ug/Kg	88			66	134	
	1,2,4-Trichlorobenzene	20	18.7	ug/Kg	94			78	127	
	1,2,3-Trichlorobenzene	20	18.3	ug/Kg	92			70	137	