

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_G\Data\FG070225\
Data File : FG016214.D
Signal(s) : FID1A.ch
Acq On : 02 Jul 2025 22:35
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_G\Method\FG061325.M
Title :

Signal : FID1A.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.679	4.635	4.732	BB	638403	6394144	95.55%	9.106%
2	6.861	6.817	6.907	BB	650498	6493254	97.03%	9.247%
3	8.702	8.662	8.746	BB	618205	6501986	97.16%	9.260%
4	10.322	10.283	10.365	BB	586795	6542450	97.77%	9.318%
5	11.777	11.733	11.823	BB	587255	6672900	99.72%	9.503%
6	13.098	13.046	13.148	BB	559234	6691829	100.00%	9.530%
7	14.305	14.268	14.358	VB	530413	6485316	96.91%	9.236%
8	15.211	15.163	15.243	BV	428778	5696888	85.13%	8.113%
9	15.418	15.380	15.464	VB	498852	6404324	95.70%	9.121%
10	16.445	16.373	16.486	BB	470960	6264055	93.61%	8.921%
11	17.401	17.318	17.439	BB	450347	6069263	90.70%	8.644%
Sum of corrected areas:						70216407		

FG061325.M Thu Jul 03 01:52:40 2025