

# Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_B\Data\FB063025\

Data File : FB031972.D

Signal(s) : FID2B.CH

Acq On : 30 Jun 2025 13:26

Sample : BSF0630S2

Misc : 5.00G/5.00 ML DI WATER

ALS Vial : 13 Sample Multiplier: 1

Integration File: Calibration.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_B\Method\FB062325.M

Title :

Signal : FID2B.CH

| peak<br># | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-----------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1         | 4.717       | 4.554        | 4.868      | BV       | 9279           | 669612       | 66.85%         | 12.467%       |
| 2         | 7.431       | 7.220        | 7.649      | PV       | 9481           | 818756       | 81.74%         | 15.244%       |
| 3         | 7.762       | 7.649        | 7.829      | VV       | 4489           | 245436       | 24.50%         | 4.570%        |
| 4         | 7.900       | 7.829        | 8.181      | VV       | 6253           | 337726       | 33.72%         | 6.288%        |
| 5         | 8.802       | 8.637        | 9.071      | PV       | 5367           | 306409       | 30.59%         | 5.705%        |
| 6         | 10.630      | 10.488       | 10.935     | BV       | 20363          | 1001648      | 100.00%        | 18.649%       |
| 7         | 13.066      | 12.954       | 13.127     | BV       | 6529           | 294696       | 29.42%         | 5.487%        |
| 8         | 13.199      | 13.127       | 13.474     | VB       | 12889          | 618189       | 61.72%         | 11.509%       |
| 9         | 13.927      | 13.561       | 14.061     | BV       | 12262          | 585854       | 58.49%         | 10.907%       |
| 10        | 16.202      | 16.060       | 16.361     | BV       | 11314          | 492804       | 49.20%         | 9.175%        |

Sum of corrected areas: 5371131

FB062325.M Tue Jul 01 01:40:05 2025