

COMPOUND DETECTION SUMMARY

CLIENT SAMPLE NO.

PB168706BS

Lab Name: Alliance

Contract: CAMP02

Lab Code: ACE

SDG NO.: Q2458

Lab Sample ID: PB168706BS

Date(s) Analyzed: 07/09/2025 07/09/2025

Instrument ID (1): ECD_S

Instrument ID (2): ECD_S

GC Column: (1): RTX-CLP

ID: 0.32 (mm)

GC Column:(2): RTX-CLP2

ID: 0.32 (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%RPD
			FROM	TO		
2,4,5-T	1	9.65	9.60	9.70	183	9.1
	2	10.36	10.31	10.41	167	
2,4,5-TP(Silvex)	1	9.36	9.31	9.41	176	5.2
	2	9.93	9.88	9.98	167	
2,4-D	1	8.47	8.42	8.52	184	18.4
	2	9.03	8.98	9.08	153	
2,4-DB	1	10.23	10.18	10.28	192	17.6
	2	10.93	10.88	10.98	161	
DICHLORPROP	1	8.24	8.19	8.29	163	2.5
	2	8.69	8.64	8.74	159	
Dinoseb	1	11.45	11.40	11.50	170	9.2
	2	11.31	11.26	11.36	155	
DICAMBA	1	7.53	7.48	7.58	171	6
	2	7.97	7.92	8.02	161	

COMPOUND DETECTION SUMMARY

CLIENT SAMPLE NO.

PB168717BS

Lab Name: Alliance

Contract: CAMP02

Lab Code: ACE

SDG NO.: Q2458

Lab Sample ID: PB168717BS

Date(s) Analyzed: 07/08/2025 07/08/2025

Instrument ID (1): ECD_S

Instrument ID (2): ECD_S

GC Column: (1): RTX-CLP

ID: 0.32 (mm)

GC Column:(2): RTX-CLP2

ID: 0.32 (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%RPD
			FROM	TO		
DICHLORPROP	1	8.24	8.19	8.29	4.90	4.2
	2	8.69	8.64	8.74	4.70	
2,4-D	1	8.47	8.42	8.52	5.20	12.2
	2	9.03	8.98	9.08	4.60	
2,4,5-TP(Silvex)	1	9.36	9.31	9.41	5.30	5.8
	2	9.93	9.88	9.98	5.00	
2,4,5-T	1	9.65	9.60	9.70	5.70	11.1
	2	10.36	10.31	10.41	5.10	
2,4-DB	1	10.23	10.18	10.28	6.00	20.2
	2	10.93	10.88	10.98	4.90	
Dinoseb	1	11.45	11.40	11.50	5.10	10.3
	2	11.31	11.26	11.36	4.60	
DICAMBA	1	7.53	7.48	7.58	5.10	4
	2	7.97	7.92	8.02	4.90	

COMPOUND DETECTION SUMMARY

CLIENT SAMPLE NO.

PB168717BSD

Lab Name: Alliance

Contract: CAMP02

Lab Code: ACE

SDG NO.: Q2458

Lab Sample ID: PB168717BSD

Date(s) Analyzed: 07/08/2025 07/08/2025

Instrument ID (1): ECD_S

Instrument ID (2): ECD_S

GC Column: (1): RTX-CLP

ID: 0.32 (mm)

GC Column:(2): RTX-CLP2

ID: 0.32 (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%RPD
			FROM	TO		
DICHLORPROP	1	8.24	8.19	8.29	4.90	4.2
	2	8.69	8.64	8.74	4.70	
2,4-D	1	8.47	8.42	8.52	5.90	18.5
	2	9.03	8.98	9.08	4.90	
2,4,5-TP(Silvex)	1	9.36	9.31	9.41	5.30	5.8
	2	9.93	9.88	9.98	5.00	
2,4,5-T	1	9.66	9.61	9.71	5.60	9.3
	2	10.36	10.31	10.41	5.10	
2,4-DB	1	10.24	10.19	10.29	6.00	20.2
	2	10.93	10.88	10.98	4.90	
Dinoseb	1	11.45	11.40	11.50	5.10	8.2
	2	11.31	11.26	11.36	4.70	
DICAMBA	1	7.53	7.48	7.58	5.00	2
	2	7.97	7.92	8.02	4.90	

COMPOUND DETECTION SUMMARY

CLIENT SAMPLE NO.

TP-76MS

Lab Name: Alliance

Contract: CAMP02

Lab Code: ACE

SDG NO.: Q2458

Lab Sample ID: Q2458-01MS

Date(s) Analyzed: 07/08/2025 07/08/2025

Instrument ID (1): ECD_S

Instrument ID (2): ECD_S

GC Column: (1): RTX-CLP

ID: 0.32 (mm)

GC Column:(2): RTX-CLP2

ID: 0.32 (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%RPD
			FROM	TO		
DICAMBA	1	7.53	7.48	7.58	86.9	2.4
	2	7.97	7.92	8.02	84.8	
DICHLORPROP	1	8.24	8.19	8.29	95.6	7.5
	2	8.69	8.64	8.74	103	
2,4-D	1	8.47	8.42	8.52	138	37.5
	2	9.03	8.98	9.08	94.4	
2,4,5-TP(Silvex)	1	9.36	9.31	9.41	95.3	2.1
	2	9.93	9.88	9.98	97.3	
2,4,5-T	1	9.65	9.60	9.70	99.8	9.2
	2	10.36	10.31	10.41	91.0	
2,4-DB	1	10.23	10.18	10.28	97.1	13.2
	2	10.93	10.88	10.98	85.1	

COMPOUND DETECTION SUMMARY

CLIENT SAMPLE NO.

TP-76MSD

Lab Name: Alliance

Contract: CAMP02

Lab Code: ACE

SDG NO.: Q2458

Lab Sample ID: Q2458-01MSD

Date(s) Analyzed: 07/08/2025 07/08/2025

Instrument ID (1): ECD_S

Instrument ID (2): ECD_S

GC Column: (1): RTX-CLP

ID: 0.32 (mm)

GC Column:(2): RTX-CLP2

ID: 0.32 (mm)

ANALYTE	COL	RT	RT WINDOW		CONCENTRATION	%RPD
			FROM	TO		
2,4-D	1	8.47	8.42	8.52	139	37.2
	2	9.03	8.98	9.08	95.4	
2,4,5-TP(Silvex)	1	9.36	9.31	9.41	95.9	0.9
	2	9.94	9.89	9.99	96.8	
2,4,5-T	1	9.66	9.61	9.71	101	11.1
	2	10.36	10.31	10.41	90.4	
2,4-DB	1	10.23	10.18	10.28	95.5	3.4
	2	10.93	10.88	10.98	98.8	
DICHLORPROP	1	8.24	8.19	8.29	95.0	4.4
	2	8.69	8.64	8.74	99.3	
DICAMBA	1	7.53	7.48	7.58	88.8	2.9
	2	7.97	7.92	8.02	86.3	