

## Report of Analysis

Client:	CDM Smith		Date Collected:		
Project:	South River WM Replacement		Date Received:		
Client Sample ID:	PB168717BS		SDG No.:	Q2458	
Lab Sample ID:	PB168717BS		Matrix:	WATER	
Analytical Method:	8151A		% Solid:	0	Decanted:
Sample Wt/Vol:	1000	Units: mL	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	Herbicide	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3510C				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PS030952.D	1	07/03/25 08:57	07/08/25 14:20	PB168717

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
<b>TARGETS</b>						
1918-00-9	DICAMBA	5.10		0.65	2.00	ug/L
120-36-5	DICHLORPROP	4.90		0.76	2.00	ug/L
94-75-7	2,4-D	5.20		0.92	2.00	ug/L
93-72-1	2,4,5-TP (Silvex)	5.30		0.78	2.00	ug/L
93-76-5	2,4,5-T	5.70		0.71	2.00	ug/L
94-82-6	2,4-DB	6.00		0.65	2.00	ug/L
88-85-7	DINOSEB	5.10		0.89	2.00	ug/L
<b>SURROGATES</b>						
19719-28-9	2,4-DCAA	534		61 - 136	107%	SPK: 500

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit