

## Report of Analysis

Client:	CDM Smith	Date Collected:	06/27/25
Project:	South River WM Replacement	Date Received:	06/27/25
Client Sample ID:	TP-68	SDG No.:	Q2458
Lab Sample ID:	Q2458-03	Matrix:	SOIL
Analytical Method:	8082A	% Solid:	92.3
Sample Wt/Vol:	30.01	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Test:	PCB
GPC Factor :	1.0	Injection Volume :	
Prep Method :	SW3541B		

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PO111940.D	1	07/01/25 08:30	07/01/25 18:12	PB168671

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
<b>TARGETS</b>						
12674-11-2	Aroclor-1016	4.30	U	4.30	18.4	ug/kg
11104-28-2	Aroclor-1221	4.40	U	4.40	18.4	ug/kg
11141-16-5	Aroclor-1232	4.00	U	4.00	18.4	ug/kg
53469-21-9	Aroclor-1242	4.30	U	4.30	18.4	ug/kg
12672-29-6	Aroclor-1248	6.40	U	6.40	18.4	ug/kg
11097-69-1	Aroclor-1254	3.50	U	3.50	18.4	ug/kg
37324-23-5	Aroclor-1262	5.40	U	5.40	18.4	ug/kg
11100-14-4	Aroclor-1268	3.90	U	3.90	18.4	ug/kg
11096-82-5	Aroclor-1260	3.50	U	3.50	18.4	ug/kg
<b>SURROGATES</b>						
877-09-8	Tetrachloro-m-xylene	18.5		32 - 144	92%	SPK: 20
2051-24-3	Decachlorobiphenyl	12.3		32 - 175	62%	SPK: 20

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit