

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF070225\
 Data File : BF142975.D
 Acq On : 02 Jul 2025 17:19
 Operator : RC/JU
 Sample : Q2458-09
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TP-59

Quant Time: Jul 02 17:45:06 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF061925.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jun 24 05:28:21 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.869	152	57945	20.000	ng	-0.01
21) Naphthalene-d8	8.157	136	223063	20.000	ng	-0.01
39) Acenaphthene-d10	9.910	164	120808	20.000	ng	-0.01
64) Phenanthrene-d10	11.404	188	212211	20.000	ng	0.00
76) Chrysene-d12	14.051	240	120436	20.000	ng	0.00
86) Perylene-d12	15.539	264	122074	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.487	112	269251	77.363	ng	0.00
7) Phenol-d6	6.498	99	322341	78.503	ng	-0.01
23) Nitrobenzene-d5	7.434	82	194996	47.949	ng	-0.01
42) 2,4,6-Tribromophenol	10.704	330	103320	83.108	ng	-0.01
45) 2-Fluorobiphenyl	9.233	172	447320	48.642	ng	-0.01
79) Terphenyl-d14	12.986	244	440678	50.557	ng	-0.01


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF070225\
Data File : BF142975.D
Acq On : 02 Jul 2025 17:19
Operator : RC/JU
Sample : Q2458-09
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TP-59

Quant Time: Jul 02 17:45:06 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF061925.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jun 24 05:28:21 2025
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.869 min Scan# 797
 Delta R.T. -0.012 min
 Lab File: BF142975.D
 Acq: 02 Jul 2025 17:19




Instrument :
 BNA_F
 ClientSampleId :
 TP-59


Tgt Ion:152 Resp: 57945
 Ion Ratio Lower Upper
 152 100
 150 156.5 127.2 190.8
 115 60.8 46.6 69.8



#5
 2-Fluorophenol
 Concen: 77.363 ng
 RT: 5.487 min Scan# 560
 Delta R.T. -0.005 min
 Lab File: BF142975.D
 Acq: 02 Jul 2025 17:19

Tgt Ion:112 Resp: 269251
 Ion Ratio Lower Upper
 112 100
 64 56.9 48.2 72.2
 63 30.6 25.7 38.5









#7
Phenol-d6
Concen: 78.503 ng
RT: 6.498 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF142975.D
Acq: 02 Jul 2025 17:19




Instrument :
BNA_F
ClientSampleId :
TP-59


Tgt Ion: 99 Resp: 322341
Ion Ratio Lower Upper
99 100
42 19.2 15.9 23.9
71 35.6 27.8 41.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.157 min Scan# 1014
Delta R.T. -0.012 min
Lab File: BF142975.D
Acq: 02 Jul 2025 17:19

Tgt Ion: 136 Resp: 223063
Ion Ratio Lower Upper
136 100
137 10.7 8.4 12.6
54 7.2 6.3 9.5
68 4.2 3.7 5.5





#23

Nitrobenzene-d5

Concen: 47.949 ng

RT: 7.434 min Scan# 891

Delta R.T. -0.011 min

Lab File: BF142975.D

Acq: 02 Jul 2025 17:19

Instrument :

BNA_F

ClientSampleId :

TP-59





Tgt Ion: 82 Resp: 194996

Ion Ratio Lower Upper

82 100

128 47.6 37.7 56.5

54 55.6 45.7 68.5



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.910 min Scan# 1312

Delta R.T. -0.012 min

Lab File: BF142975.D

Acq: 02 Jul 2025 17:19




Tgt Ion:164 Resp: 120808


Ion Ratio Lower Upper

164 100

162 100.9 81.8 122.8

160 43.2 36.0 54.0









#42
2,4,6-Tribromophenol
Concen: 83.108 ng
RT: 10.704 min Scan# 1449
Delta R.T. -0.012 min
Lab File: BF142975.D
Acq: 02 Jul 2025 17:19




Instrument :
BNA_F
ClientSampleId :
TP-59


Tgt Ion:330 Resp: 103320
Ion Ratio Lower Upper
330 100
332 97.0 75.0 112.6
141 32.1 25.3 37.9



#45
2-Fluorobiphenyl
Concen: 48.642 ng
RT: 9.233 min Scan# 1197
Delta R.T. -0.012 min
Lab File: BF142975.D
Acq: 02 Jul 2025 17:19

Tgt Ion:172 Resp: 447320
Ion Ratio Lower Upper
172 100
171 34.6 28.2 42.4
170 23.0 18.5 27.7









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.404 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF142975.D
Acq: 02 Jul 2025 17:19




Instrument :
BNA_F
ClientSampleId :
TP-59


Tgt Ion:188 Resp: 212211
Ion Ratio Lower Upper
188 100
94 7.5 6.7 10.1
80 8.0 6.9 10.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.051 min Scan# 2016
Delta R.T. -0.006 min
Lab File: BF142975.D
Acq: 02 Jul 2025 17:19

Tgt Ion:240 Resp: 120436
Ion Ratio Lower Upper
240 100
120 9.7 8.2 12.2
236 24.8 19.8 29.8









#79
 Terphenyl-d14
 Concen: 50.557 ng
 RT: 12.986 min Scan# 1835
 Delta R.T. -0.012 min
 Lab File: BF142975.D
 Acq: 02 Jul 2025 17:19

Instrument :
 BNA_F
 ClientSampleId :
 TP-59

Tgt Ion:244 Resp: 440678
 Ion Ratio Lower Upper
 244 100
 212 6.4 5.4 8.0
 122 10.5 8.2 12.2



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.539 min Scan# 2269
 Delta R.T. -0.006 min
 Lab File: BF142975.D
 Acq: 02 Jul 2025 17:19

Tgt Ion:264 Resp: 122074
 Ion Ratio Lower Upper
 264 100
 260 22.3 18.1 27.1
 265 21.6 16.6 25.0

