

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_Y\Data\VY070325\  
 Data File : VY022930.D  
 Acq On : 03 Jul 2025 09:57  
 Operator : SY/MD  
 Sample : VY0703SBL01  
 Misc : 5.00g/5.0mL/MSVOA\_Y/SOIL  
 ALS Vial : 3 Sample Multiplier: 1

Instrument :  
 MSVOA\_Y  
 ClientSampleId :  
 VY0703SBL01

Quant Time: Jul 04 03:15:02 2025  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_Y\methods\82Y062325S.M  
 Quant Title : SW846 8260  
 QLast Update : Tue Jun 24 08:29:52 2025  
 Response via : Initial Calibration

| Compound                   | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|----------------------------|--------|------|----------|--------|-------|----------|
| -----                      |        |      |          |        |       |          |
| Internal Standards         |        |      |          |        |       |          |
| 1) Pentafluorobenzene      | 7.707  | 168  | 297416   | 50.000 | ug/l  | 0.00     |
| 34) 1,4-Difluorobenzene    | 8.615  | 114  | 558302   | 50.000 | ug/l  | 0.00     |
| 63) Chlorobenzene-d5       | 11.414 | 117  | 553906   | 50.000 | ug/l  | 0.00     |
| 72) 1,4-Dichlorobenzene-d4 | 13.346 | 152  | 230762   | 50.000 | ug/l  | 0.00     |

|                             |        |       |          |          |      |          |
|-----------------------------|--------|-------|----------|----------|------|----------|
| System Monitoring Compounds |        |       |          |          |      |          |
| 33) 1,2-Dichloroethane-d4   | 8.061  | 65    | 174829   | 52.668   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 50 - 163 | Recovery | =    | 105.340% |
| 35) Dibromofluoromethane    | 7.634  | 113   | 179026   | 52.727   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 54 - 147 | Recovery | =    | 105.460% |
| 50) Toluene-d8              | 10.109 | 98    | 701592   | 52.073   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 58 - 134 | Recovery | =    | 104.140% |
| 62) 4-Bromofluorobenzene    | 12.401 | 95    | 239365   | 55.266   | ug/l | 0.00     |
| Spiked Amount               | 50.000 | Range | 30 - 143 | Recovery | =    | 110.540% |


| Target Compounds | Qvalue |
|------------------|--------|
| -----            |        |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_Y\Data\VY070325\  
Data File : VY022930.D  
Acq On : 03 Jul 2025 09:57  
Operator : SY/MD  
Sample : VY0703SBL01  
Misc : 5.00g/5.0mL/MSVOA\_Y/SOIL  
ALS Vial : 3 Sample Multiplier: 1

Instrument :  
MSVOA\_Y  
ClientSampleId :  
VY0703SBL01

Quant Time: Jul 04 03:15:02 2025  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_Y\methods\82Y062325S.M  
Quant Title : SW846 8260  
QLast Update : Tue Jun 24 08:29:52 2025  
Response via : Initial Calibration









#1  
Pentafluorobenzene  
Concen: 50.000 ug/l  
RT: 7.707 min Scan# 91  
Delta R.T. -0.006 min  
Lab File: VY022930.D  
Acq: 03 Jul 2025 09:57




Instrument :  
MSVOA\_Y  
ClientSampleId :  
VY0703SBL01


Tgt Ion:168 Resp: 297416  
Ion Ratio Lower Upper  
168 100  
99 57.1 44.3 66.5



#33  
1,2-Dichloroethane-d4  
Concen: 52.668 ug/l  
RT: 8.061 min Scan# 1040  
Delta R.T. -0.006 min  
Lab File: VY022930.D  
Acq: 03 Jul 2025 09:57

Tgt Ion: 65 Resp: 174829  
Ion Ratio Lower Upper  
65 100  
67 52.5 0.0 103.4





#34

1,4-Difluorobenzene

Concen: 50.000 ug/l

RT: 8.615 min Scan# 1131

Delta R.T. -0.000 min

Lab File: VY022930.D

Acq: 03 Jul 2025 09:57

Instrument :

MSVOA\_Y

ClientSampleId :

VY0703SBL01





Tgt Ion:114 Resp: 558302

Ion Ratio Lower Upper

114 100

63 20.4 0.0 40.8

88 15.0 0.0 27.8



#35

Dibromofluoromethane

Concen: 52.727 ug/l

RT: 7.634 min Scan# 970

Delta R.T. -0.006 min

Lab File: VY022930.D

Acq: 03 Jul 2025 09:57




Tgt Ion:113 Resp: 179026


Ion Ratio Lower Upper

113 100

111 103.5 81.1 121.7

192 18.7 14.2 21.2









#50  
Toluene-d8  
Concen: 52.073 ug/l  
RT: 10.109 min Scan# 1376  
Delta R.T. -0.000 min  
Lab File: VY022930.D  
Acq: 03 Jul 2025 09:57




Instrument :  
MSVOA\_Y  
ClientSampleId :  
VY0703SBL01


Tgt Ion: 98 Resp: 701592  
Ion Ratio Lower Upper  
98 100  
100 63.6 51.4 77.0



#62  
4-Bromofluorobenzene  
Concen: 55.266 ug/l  
RT: 12.401 min Scan# 1752  
Delta R.T. -0.006 min  
Lab File: VY022930.D  
Acq: 03 Jul 2025 09:57

Tgt Ion: 95 Resp: 239365  
Ion Ratio Lower Upper  
95 100  
174 83.6 0.0 170.0  
176 80.1 0.0 166.2





#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.414 min Scan# 11

Delta R.T. -0.006 min

Lab File: VY022930.D

Acq: 03 Jul 2025 09:57

Instrument :

MSVOA\_Y

ClientSampleId :

VY0703SBL01





Tgt Ion:117 Resp: 553906

Ion Ratio Lower Upper

117 100

82 58.7 44.6 66.8

119 32.7 25.4 38.0



#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.346 min Scan# 1907

Delta R.T. -0.000 min

Lab File: VY022930.D

Acq: 03 Jul 2025 09:57

Tgt Ion:152 Resp: 230762

Ion Ratio Lower Upper

152 100

115 58.7 28.9 86.7

150 158.8 0.0 349.6

