

Report of Analysis

Client:	CDM Smith	Date Collected:	06/27/25
Project:	South River WM Replacement	Date Received:	06/27/25
Client Sample ID:	TP-62	SDG No.:	Q2458
Lab Sample ID:	Q2458-07	Matrix:	SOIL
Analytical Method:	8260D	% Solid:	91.1
Sample Wt/Vol:	7.5 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY022914.D	1	07/02/25 15:56	VY070225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
75-71-8	Dichlorodifluoromethane	0.83	U	0.83	3.70	ug/Kg
74-87-3	Chloromethane	0.83	U	0.83	3.70	ug/Kg
75-01-4	Vinyl Chloride	0.58	U	0.58	3.70	ug/Kg
74-83-9	Bromomethane	0.78	U	0.78	3.70	ug/Kg
75-00-3	Chloroethane	0.92	U	0.92	3.70	ug/Kg
75-69-4	Trichlorofluoromethane	0.89	U	0.89	3.70	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	0.78	U	0.78	3.70	ug/Kg
75-35-4	1,1-Dichloroethene	0.73	U	0.73	3.70	ug/Kg
67-64-1	Acetone	3.50	U	3.50	18.3	ug/Kg
75-15-0	Carbon Disulfide	0.78	U	0.78	3.70	ug/Kg
1634-04-4	Methyl tert-butyl Ether	0.53	U	0.53	3.70	ug/Kg
79-20-9	Methyl Acetate	1.10	U	1.10	3.70	ug/Kg
75-09-2	Methylene Chloride	2.60	U	2.60	7.30	ug/Kg
156-60-5	trans-1,2-Dichloroethene	0.63	U	0.63	3.70	ug/Kg
75-34-3	1,1-Dichloroethane	0.59	U	0.59	3.70	ug/Kg
110-82-7	Cyclohexane	0.58	U	0.58	3.70	ug/Kg
78-93-3	2-Butanone	4.80	U	4.80	18.3	ug/Kg
56-23-5	Carbon Tetrachloride	0.71	U	0.71	3.70	ug/Kg
156-59-2	cis-1,2-Dichloroethene	0.55	U	0.55	3.70	ug/Kg
74-97-5	Bromochloromethane	0.84	U	0.84	3.70	ug/Kg
67-66-3	Chloroform	0.61	U	0.61	3.70	ug/Kg
71-55-6	1,1,1-Trichloroethane	0.68	U	0.68	3.70	ug/Kg
108-87-2	Methylcyclohexane	0.67	U	0.67	3.70	ug/Kg
71-43-2	Benzene	0.58	U	0.58	3.70	ug/Kg
107-06-2	1,2-Dichloroethane	0.58	U	0.58	3.70	ug/Kg
79-01-6	Trichloroethene	0.59	U	0.59	3.70	ug/Kg
78-87-5	1,2-Dichloropropane	0.67	U	0.67	3.70	ug/Kg
75-27-4	Bromodichloromethane	0.57	U	0.57	3.70	ug/Kg
108-10-1	4-Methyl-2-Pentanone	2.60	U	2.60	18.3	ug/Kg
108-88-3	Toluene	0.57	U	0.57	3.70	ug/Kg

Report of Analysis

Client:	CDM Smith		Date Collected:	06/27/25	
Project:	South River WM Replacement		Date Received:	06/27/25	
Client Sample ID:	TP-62		SDG No.:	Q2458	
Lab Sample ID:	Q2458-07		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	91.1	
Sample Wt/Vol:	7.5	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY022914.D	1	07/02/25 15:56	VY070225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	0.48	U	0.48	3.70	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	0.45	U	0.45	3.70	ug/Kg
79-00-5	1,1,2-Trichloroethane	0.67	U	0.67	3.70	ug/Kg
591-78-6	2-Hexanone	2.70	U	2.70	18.3	ug/Kg
124-48-1	Dibromochloromethane	0.64	U	0.64	3.70	ug/Kg
106-93-4	1,2-Dibromoethane	0.64	U	0.64	3.70	ug/Kg
127-18-4	Tetrachloroethene	0.77	U	0.77	3.70	ug/Kg
108-90-7	Chlorobenzene	0.67	U	0.67	3.70	ug/Kg
100-41-4	Ethyl Benzene	0.49	U	0.49	3.70	ug/Kg
179601-23-1	m/p-Xylenes	0.91	U	0.91	7.30	ug/Kg
95-47-6	o-Xylene	0.60	U	0.60	3.70	ug/Kg
100-42-5	Styrene	0.52	U	0.52	3.70	ug/Kg
75-25-2	Bromoform	0.63	U	0.63	3.70	ug/Kg
98-82-8	Isopropylbenzene	0.57	U	0.57	3.70	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	0.89	U	0.89	3.70	ug/Kg
541-73-1	1,3-Dichlorobenzene	1.30	U	1.30	3.70	ug/Kg
106-46-7	1,4-Dichlorobenzene	1.10	U	1.10	3.70	ug/Kg
95-50-1	1,2-Dichlorobenzene	1.10	U	1.10	3.70	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	1.30	U	1.30	3.70	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	2.20	U	2.20	3.70	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	2.30	U	2.30	3.70	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	58.2		63 - 155	116%	SPK: 50
1868-53-7	Dibromofluoromethane	52.8		70 - 134	106%	SPK: 50
2037-26-5	Toluene-d8	50.7		74 - 123	101%	SPK: 50
460-00-4	4-Bromofluorobenzene	58.2		17 - 146	116%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	277000	7.707			
540-36-3	1,4-Difluorobenzene	536000	8.616			
3114-55-4	Chlorobenzene-d5	553000	11.414			
3855-82-1	1,4-Dichlorobenzene-d4	247000	13.347			

Report of Analysis

Client:	CDM Smith	Date Collected:	06/27/25
Project:	South River WM Replacement	Date Received:	06/27/25
Client Sample ID:	TP-62	SDG No.:	Q2458
Lab Sample ID:	Q2458-07	Matrix:	SOIL
Analytical Method:	8260D	% Solid:	91.1
Sample Wt/Vol:	7.5 Units: g	Final Vol:	5000 uL
Soil Aliquot Vol:	uL	Test:	VOC-TCLVOA-10
GC Column:	RXI-624 ID : 0.25	Level :	LOW
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY022914.D	1	07/02/25 15:56	VY070225

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products