

## LAB CHRONICLE

|                 |                    |                   |                                        |
|-----------------|--------------------|-------------------|----------------------------------------|
| <b>OrderID:</b> | Q2458              | <b>OrderDate:</b> | 6/27/2025 4:22:00 PM                   |
| <b>Client:</b>  | CDM Smith          | <b>Project:</b>   | South River WM Replacement             |
| <b>Contact:</b> | Marcie Ann Encinas | <b>Location:</b>  | D51,VOA Ref. #2 Soil,VOA Ref. #3 Water |

| LabID           | ClientID           | Matrix       | Test          | Method   | Sample Date     | Prep Date | Anal Date | Received        |
|-----------------|--------------------|--------------|---------------|----------|-----------------|-----------|-----------|-----------------|
| <b>Q2458-01</b> | <b>TP-76</b>       | <b>SOIL</b>  | VOC-TCLVOA-10 | 8260D    | <b>06/26/25</b> |           | 06/30/25  | <b>06/27/25</b> |
| <b>Q2458-02</b> | <b>TP-55</b>       | <b>SOIL</b>  | VOC-TCLVOA-10 | 8260D    | <b>06/26/25</b> |           | 06/30/25  | <b>06/27/25</b> |
| <b>Q2458-03</b> | <b>TP-68</b>       | <b>SOIL</b>  | VOC-TCLVOA-10 | 8260D    | <b>06/27/25</b> |           | 07/01/25  | <b>06/27/25</b> |
| <b>Q2458-04</b> | <b>TP-67</b>       | <b>SOIL</b>  | VOC-TCLVOA-10 | 8260D    | <b>06/27/25</b> |           | 07/02/25  | <b>06/27/25</b> |
| <b>Q2458-05</b> | <b>TP-66</b>       | <b>SOIL</b>  | VOC-TCLVOA-10 | 8260D    | <b>06/27/25</b> |           | 07/01/25  | <b>06/27/25</b> |
| <b>Q2458-06</b> | <b>TP-60</b>       | <b>SOIL</b>  | VOC-TCLVOA-10 | 8260D    | <b>06/27/25</b> |           | 07/02/25  | <b>06/27/25</b> |
| <b>Q2458-07</b> | <b>TP-62</b>       | <b>SOIL</b>  | VOC-TCLVOA-10 | 8260D    | <b>06/27/25</b> |           | 07/02/25  | <b>06/27/25</b> |
| <b>Q2458-08</b> | <b>TP-63</b>       | <b>SOIL</b>  | VOC-TCLVOA-10 | 8260D    | <b>06/27/25</b> |           | 07/02/25  | <b>06/27/25</b> |
| <b>Q2458-09</b> | <b>TP-59</b>       | <b>SOIL</b>  | VOC-TCLVOA-10 | 8260D    | <b>06/27/25</b> |           | 07/03/25  | <b>06/27/25</b> |
| <b>Q2458-10</b> | <b>FB-06272025</b> | <b>Water</b> | VOC-TCLVOA-10 | 8260-Low | <b>06/27/25</b> |           | 07/03/25  | <b>06/27/25</b> |