



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

## **CASE NARRATIVE**

### **ENTACT**

**Project Name: 540 Degraw St, Brooklyn, NY - E9309**

**Project # N/A**

**Order ID # Q2463**

**Test Name: Mercury, Metals Group4**

### **A. Number of Samples and Date of Receipt:**

1 Water sample was received on 06/30/2025.

### **B. Parameters:**

According to the Chain of Custody document, the following analyses were requested:

BOD5, Flash Point, Mercury, Metals Group4, PCB, SVOCMS Group4, TSS and

VOCMS Group4. This data package contains results for Mercury, Metals Group4.

### **C. Analytical Techniques:**

The analysis of Metals Group4 was based on method 6010D, digestion based on method

3010 (waters). The analysis and digestion of Mercury was based on method 7470A.

### **D. QA/ QC Samples:**

The Holding Times were met for all analysis.

The Blank Spike met requirements for all parameters.

The Duplicate analysis met criteria for all parameters.

The Matrix Spike analysis met criteria for all parameters.

The Matrix Spike Duplicate analysis met criteria for all parameters.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

The Serial Dilution met the acceptable requirements.

### **E. Additional Comments:**

---

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature\_\_\_\_\_