

284 Sheffield Street, Mountainside, New Jersey 07092, Phone: 908 789 8900,

Fax: 908 789 8922

## **Report of Analysis**

Client: PSEG Date Collected: 06/30/25 14:00

Project: PSEG 120 main st -Paterson Date Received: 06/30/25

Client Sample ID: WC-1 SDG No.: Q2469

Lab Sample ID: Q2469-04 Matrix: SOIL

% Solid: 100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.
Corrosivity	9.07	Н	1	0	0	pН		07/01/25 09:10	9045D
Ignitability	NO		1	0	0	oC		07/01/25 14:15	1030
Reactive Cyanide	0.050	U	1	0.0084	0.050	mg/Kg	07/01/25 14:35	07/02/25 10:16	9012B
Reactive Sulfide	3.16	J	1	0.20	10.0	mg/Kg	07/03/25 14:00	07/03/25 16:30	9034

Comments: pH result reported at temperature 24.3 °C

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

D = Dilution

Q = indicates LCS control criteria did not meet requirements

H = Sample Analysis Out Of Hold Time

J = Estimated Value

B = Analyte Found in Associated Method Blank

\* = indicates the duplicate analysis is not within control limits.

E = Indicates the reported value is estimated because of the presence of interference.

OR = Over Range

N =Spiked sample recovery not within control limits