

## Prep Standard - Chemical Standard Summary

**Order ID :** Q2473

**Test :** Corrosivity,Cyanide,Ignitability,Percent Solids,Reactive Cyanide,Reactive Sulfide

**Prepbatch ID :** PB168681,PB168682,PB168686,

**Sequence ID/Qc Batch ID:** LB136351,LB136353,LB136358,LB136360,LB136372,

**Standard ID :**

WP111294,WP112643,WP112826,WP112827,WP112900,WP112995,WP113086,WP113319,WP113769,WP113770,WP113771,WP113772,WP113773,WP113774,WP113775,WP113776,WP113777,WP113778,

**Chemical ID :**

M6041,M6151,W2668,W2926,W3012,W3019,W3071,W3093,W3105,W3112,W3113,W3139,W3149,W3152,W3161,W3173,W3178,W3191,W3200,W3203,W3213,W3214,W3220,

[illegible]

| <u>Recipe ID</u> | <u>NAME</u>   | <u>NO.</u>               | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u>          | <u>PipetteID</u> | <u>Supervised By</u>       |
|------------------|---|--------------------------|------------------|------------------------|--------------------|-------------------------|------------------|----------------------------|
| 539              | CN BUFFER   | <a href="#">WP112643</a> | 04/09/2025       | 10/09/2025             | Niha Farheen Shaik | WETCHEM_SCALE_5 (WCS-5) | None             | Iwona Zarych<br>04/09/2025 |
| <u>FROM</u>      | 138.00000gram of W2668 + 862.00000ml of W3112 = Final Quantity: 1000.000 ml |                          |                  |                        |                    |                         |                  |                            |

## Wet Chemistry STANDARD PREPARATION LOG

| <u>Recipe ID</u> | <u>NAME</u>              | <u>NO.</u>               | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|--------------------------|--------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------|
| 1714             | Sulfuric Acid, 50% (v/v) | <a href="#">WP112826</a> | 04/25/2025       | 10/25/2025             | Rubina Mughal      | None           | None             | Iwona Zarych         |
|                  |                          |                          |                  |                        |                    |                |                  | 04/25/2025           |

**FROM** 1000.00000ml of M6041 + 1000.00000ml of W3112 = Final Quantity: 2000.000 ml

| <u>Recipe ID</u> | <u>NAME</u>                                 | <u>NO.</u>               | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u>                   | <u>PipetteID</u> | <u>Supervised By</u> |
|------------------|---|--------------------------|------------------|------------------------|--------------------|----------------------------------|------------------|----------------------|
| 3214             | Magnesium Chloride For Cyanide 2.5M(51%W/V) | <a href="#">WP112827</a> | 04/25/2025       | 10/25/2025             | Rubina Mughal      | WETCHEM_S<br>CALE_8 (WC<br>SC-7) | None             | Iwona Zarych         |
|                  |   |                          |                  |                        |                    |                                  |                  | 04/25/2025           |

**FROM** 500.00000ml of W3112 + 510.00000gram of W3152 = Final Quantity: 1000.000 ml



| <u>Recipe ID</u> | <u>NAME</u>   | <u>NO.</u>               | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u>                   | <u>PipetteID</u>   | <u>Supervised By</u>           |
|------------------|---|--------------------------|------------------|------------------------|--------------------|----------------------------------|--------------------|--------------------------------|
| 607              | PYRIDINE-BARBITURIC ACID  | <a href="#">WP112900</a> | 05/01/2025       | 08/18/2025             | Rubina Mughal      | WETCHEM_S<br>CALE_8 (WC<br>SC-7) | Glass<br>Pipette-A | Iwona Zarych<br><br>05/01/2025 |
| <u>FROM</u>      | 145.00000ml of W3112 + 15.00000gram of W3203 + 15.00000ml of M6151 + 75.00000ml of W3019 = Final Quantity: 250.000 ml |                          |                  |                        |                    |                                  |                    |                                |

| <u>Recipe ID</u> | <u>NAME</u>   | <u>NO.</u>               | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u>          | <u>Supervised By</u>         |
|------------------|---|--------------------------|------------------|------------------------|--------------------|----------------|---------------------------|------------------------------|
| 3371             | Cyanide LCS Spike Solution, 5PPM  | <a href="#">WP112995</a> | 05/07/2025       | 07/07/2025             | Iwona Zarych       | None           | WETCHEM_PIPETTE_3<br>(WC) | Jignesh Parikh<br>05/07/2025 |
| <u>FROM</u>      | 1.00000ml of W3173 + 199.00000ml of WP111294 = Final Quantity: 200.000 ml |                          |                  |                        |                    |                |                           |                              |



| <u>Recipe ID</u>   | <u>NAME</u>       | <u>NO.</u>               | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u>          | <u>PipetteID</u> | <u>Supervised By</u>       |
|--|-------------------|--------------------------|------------------|------------------------|--------------------|-------------------------|------------------|----------------------------|
| 160  | 0.5M ZINC ACETATE | <a href="#">WP113086</a> | 05/15/2025       | 08/18/2025             | Rubina Mughal      | WETCHEM_SCALE_8 (WCS-7) | None             | Iwona Zarych<br>05/15/2025 |
| <b><u>FROM</u></b> 0.88900L of W3112 + 1.00000ml of M6151 + 110.00000gram of W2926 = Final Quantity: 1000.000 ml |                   |                          |                  |                        |                    |                         |                  |                            |

| <u>Recipe ID</u>  | <u>NAME</u>                           | <u>NO.</u>               | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u>  | <u>Supervised By</u> |
|---|---------------------------------------|--------------------------|------------------|------------------------|--------------------|----------------|-------------------|----------------------|
| 3850  | Cyanide MS-MSD spiking solution, 5PPM | <a href="#">WP113319</a> | 06/02/2025       | 07/07/2025             | Rubina Mughal      | None           | WETCHEM_PIPETTE_3 | Iwona Zarych         |
| <b><u>FROM</u></b>  |                                       | (WC)                     |                  |                        |                    |                |                   |                      |
| 1.00000ml of W3214 + 199.00000ml of WP111294 = Final Quantity: 200.000 ml |                                       |                          |                  |                        |                    |                |                   |                      |



| <u>Recipe ID</u>   | <u>NAME</u>                            | <u>NO.</u>               | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u>  | <u>Supervised By</u> |
|--|--|--------------------------|------------------|------------------------|--------------------|----------------|-------------------|----------------------|
| 3456   | Cyanide Intermediate Working Std, 5PPM | <a href="#">WP113769</a> | 07/02/2025       | 07/03/2025             | Rubina Mughal      | None           | WETCHEM_PIPETTE_3 | Iwona Zarych         |
| <p>(WC)</p> <p><b>FROM</b> 0.25000ml of W3214 + 49.75000ml of WP111294 = Final Quantity: 50.000 ml</p> |  |                          |                  |                        |                    |                |                   |                      |

| <u>Recipe ID</u>  | <u>NAME</u>                  | <u>NO.</u>               | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u>          | <u>Supervised By</u>       |
|---|------------------------------|--------------------------|------------------|------------------------|--------------------|----------------|---------------------------|----------------------------|
| 4   | Calibration standard 500 ppb | <a href="#">WP113770</a> | 07/02/2025       | 07/03/2025             | Rubina Mughal      | None           | WETCHEM_PIPETTE_3<br>(WC) | Iwona Zarych<br>07/02/2025 |
| <b><u>FROM</u></b> 45.00000ml of WP111294 + 5.00000ml of WP113769 = Final Quantity: 50.000 ml |                              |                          |                  |                        |                    |                |                           |                            |



| <u>Recipe ID</u>  | <u>NAME</u>                         | <u>NO.</u>               | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u>  | <u>Supervised By</u> |
|---|-------------------------------------|--------------------------|------------------|------------------------|--------------------|----------------|-------------------|----------------------|
| 3761  | Calibration-CCV CN Standard 250 ppb | <a href="#">WP113771</a> | 07/02/2025       | 07/03/2025             | Rubina Mughal      | None           | WETCHEM_PIPETTE_3 | Iwona Zarych         |
| <p>(WC)</p> <p><b>FROM</b> 2.50000ml of WP113769 + 47.50000ml of WP111294 = Final Quantity: 50.000 ml</p> |                                     |                          |                  |                        |                    |                |                   |                      |

| <u>Recipe ID</u> | <u>NAME</u>  | <u>NO.</u>               | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u>  | <u>Supervised By</u>       |
|------------------|--|--------------------------|------------------|------------------------|--------------------|----------------|-------------------|----------------------------|
| 6                | Calibration Standard 100 ppb   | <a href="#">WP113772</a> | 07/02/2025       | 07/03/2025             | Rubina Mughal      | None           | WETCHEM_PIPETTE_3 | Iwona Zarych<br>07/02/2025 |
| <u>FROM</u>      | 1.00000ml of WP113769 + 49.00000ml of WP111294 = Final Quantity: 50.000 ml |                          |                  |                        |                    |                |                   |                            |



| <u>Recipe ID</u>  | <u>NAME</u>                 | <u>NO.</u>               | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u>  | <u>Supervised By</u> |
|---|-----------------------------|--------------------------|------------------|------------------------|--------------------|----------------|-------------------|----------------------|
| 7   | Calibration Standard 50 ppb | <a href="#">WP113773</a> | 07/02/2025       | 07/03/2025             | Rubina Mughal      | None           | WETCHEM_PIPETTE_3 | Iwona Zarych         |
| <p>(WC)</p> <p><b>FROM</b> 0.50000ml of WP113769 + 49.50000ml of WP111294 = Final Quantity: 50.000 ml</p> |                             |                          |                  |                        |                    |                |                   |                      |

| <u>Recipe ID</u>  | <u>NAME</u>                 | <u>NO.</u>               | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u>  | <u>Supervised By</u> |
|---|-----------------------------|--------------------------|------------------|------------------------|--------------------|----------------|-------------------|----------------------|
| 8   | Calibration Standard 10 ppb | <a href="#">WP113774</a> | 07/02/2025       | 07/03/2025             | Rubina Mughal      | None           | WETCHEM_PIPETTE_3 | Iwona Zarych         |
| <p><b>FROM</b> 1.00000ml of WP113770 + 49.00000ml of WP111294 = Final Quantity: 50.000 ml</p> |                             |                          |                  |                        |                    |                |                   |                      |





| <u>Recipe ID</u>  | <u>NAME</u>                | <u>NO.</u>               | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u>  | <u>Supervised By</u> |
|---|----------------------------|--------------------------|------------------|------------------------|--------------------|----------------|-------------------|----------------------|
| 9   | Calibration Standard 5 ppb | <a href="#">WP113775</a> | 07/02/2025       | 07/03/2025             | Rubina Mughal      | None           | WETCHEM_PIPETTE_3 | Iwona Zarych         |
| <b>FROM</b> 0.50000ml of WP113770 + 49.50000ml of WP111294 = Final Quantity: 50.000 ml<br><div></div> |                            |                          |                  |                        |                    |                |                   |                      |

| <u>Recipe ID</u>  | <u>NAME</u>              | <u>NO.</u>               | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u> | <u>Supervised By</u>       |
|---|--------------------------|--------------------------|------------------|------------------------|--------------------|----------------|------------------|----------------------------|
| 167   | 0 ppb CN calibration std | <a href="#">WP113776</a> | 07/02/2025       | 07/03/2025             | Rubina Mughal      | None           | None             | Iwona Zarych<br>07/02/2025 |
| <b><u>FROM</u></b> 50.00000ml of WP111294 = Final Quantity: 50.000 ml |                          |                          |                  |                        |                    |                |                  |                            |



| <u>Recipe ID</u>   | <u>NAME</u>          | <u>NO.</u>               | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u> | <u>PipetteID</u>       | <u>Supervised By</u>       |
|--|----------------------|--------------------------|------------------|------------------------|--------------------|----------------|------------------------|----------------------------|
| 2168   | RCN ICV STD, 100 PPB | <a href="#">WP113777</a> | 07/02/2025       | 07/03/2025             | Rubina Mughal      | None           | WETCHEM_FIPETTE_3 (WC) | Iwona Zarych<br>07/02/2025 |
| <b>FROM</b> 1.00000ml of WP112995 + 49.00000ml of WP111294 = Final Quantity: 50.000 ml |                      |                          |                  |                        |                    |                |                        |                            |

| <u>Recipe ID</u>   | <u>NAME</u>                   | <u>NO.</u>               | <u>Prep Date</u> | <u>Expiration Date</u> | <u>Prepared By</u> | <u>ScaleID</u>            | <u>PipetteID</u> | <u>Supervised By</u>       |
|--|-------------------------------|--------------------------|------------------|------------------------|--------------------|---------------------------|------------------|----------------------------|
| 1582   | Chloramine T solution, 0.014M | <a href="#">WP113778</a> | 07/02/2025       | 07/03/2025             | Rubina Mughal      | WETCHEM_SCALE_5 (WC SC-5) | Glass Pipette-A  | Iwona Zarych<br>07/02/2025 |
| <b>FROM</b> 0.08000gram of W3139 + 20.00000ml of W3112 = Final Quantity: 20.000 ml |                               |                          |                  |                        |                    |                           |                  |                            |

## CHEMICAL RECEIPT LOG BOOK

| Supplier         | ItemCode / ItemName                                     | Lot #      | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|------------------|---|------------|-----------------|-------------------------|-----------------------------|----------------|
| Seidler Chemical | BA-9673-33 / Sulfuric Acid, Instra-Analyzed (cs/6c2.5L) | 23D2462010 | 03/20/2028      | 08/16/2024 / mohan      | 08/16/2024 / mohan          | M6041          |

| Supplier         | ItemCode / ItemName   | Lot #      | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|------------------|---|------------|-----------------|-------------------------|-----------------------------|----------------|
| Seidler Chemical | BA-9530-33 / Hydrochloric Acid, Instra-Analyzed (cs/6x2.5L) | 22G2862015 | 08/18/2025      | 02/18/2025 / Sagar      | 01/15/2025 / Sagar          | M6151          |

| Supplier                    | ItemCode / ItemName   | Lot #      | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|-----------------------------|---|------------|-----------------|-------------------------|-----------------------------|----------------|
| PCI Scientific Supply, Inc. | J3818-5 / SODIUM PHOSPHATE, MONOBAS/HYD, CRYST, ACS, 2.5 KG | 0000225799 | 12/03/2025      | 04/05/2021 / Alexander  | 02/10/2020 / apatel         | W2668          |

| Supplier                    | ItemCode / ItemName                             | Lot #  | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|-----------------------------|---|--------|-----------------|-------------------------|-----------------------------|----------------|
| PCI Scientific Supply, Inc. | J4296-1 / ZINC ACETATE, DIHYD, CRYST, ACS, 500G | 383058 | 07/05/2027      | 07/05/2022 / ketankumar | 07/05/2022 / ketankumar     | W2926          |

| Supplier | ItemCode / ItemName | Lot #    | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|----------|---------------------|----------|-----------------|-------------------------|-----------------------------|----------------|
| EPA      | / ICV-CN            | ICV6-400 | 12/31/2025      | 01/08/2025 / lwona      | 02/20/2020 / lwona          | W3012          |

| Supplier      | ItemCode / ItemName     | Lot #    | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|---------------|-------------------------|----------|-----------------|-------------------------|-----------------------------|----------------|
| SIGMA ALDRICH | 270970-1L / Pyridine 1L | SHBQ2113 | 04/03/2028      | 04/03/2023 / lwona      | 04/03/2023 / lwona          | W3019          |

## CHEMICAL RECEIPT LOG BOOK

| Supplier                    | ItemCode / ItemName                     | Lot #   | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|-----------------------------|---|---------|-----------------|-------------------------|-----------------------------|----------------|
| PCI Scientific Supply, Inc. | AL14455-3 / buffer solution pH 7 yellow | 4308H30 | 07/31/2025      | 01/02/2024 / JIGNESH    | 12/06/2023 / Iwona          | W3071          |

| Supplier                    | ItemCode / ItemName                     | Lot #    | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|-----------------------------|---|----------|-----------------|-------------------------|-----------------------------|----------------|
| PCI Scientific Supply, Inc. | 566002 / BUFFER PH 7.00 GREEN 1PINT PK6 | 44001f99 | 12/31/2025      | 04/03/2024 / jignesh    | 04/02/2024 / jignesh        | W3093          |

| Supplier                    | ItemCode / ItemName                           | Lot #   | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|-----------------------------|---|---------|-----------------|-------------------------|-----------------------------|----------------|
| PCI Scientific Supply, Inc. | AL69870-8 / SODIUM THIOSULFATE,0.025N,4LIT RE | 4403S13 | 09/30/2025      | 04/22/2024 / Iwona      | 04/22/2024 / Iwona          | W3105          |

| Supplier         | ItemCode / ItemName | Lot #               | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|------------------|---------------------|---------------------|-----------------|-------------------------|-----------------------------|----------------|
| Seidler Chemical | DIW / DI Water      | Daily Lab-Certified | 07/03/2029      | 07/03/2024 / Iwona      | 07/03/2024 / Iwona          | W3112          |

| Supplier                    | ItemCode / ItemName                        | Lot #      | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|-----------------------------|--|------------|-----------------|-------------------------|-----------------------------|----------------|
| PCI Scientific Supply, Inc. | PC19510-7 / Sodium Hydroxide Pellets 12 Kg | 23B1556310 | 12/31/2025      | 07/08/2024 / Iwona      | 07/08/2024 / Iwona          | W3113          |

| Supplier                    | ItemCode / ItemName                 | Lot #    | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|-----------------------------|-------------------------------------|----------|-----------------|-------------------------|-----------------------------|----------------|
| PCI Scientific Supply, Inc. | JTE494-6 / CHLORAMINE-T BAKER 250GM | 10239484 | 09/09/2029      | 09/09/2024 / Iwona      | 09/09/2024 / Iwona          | W3139          |

## CHEMICAL RECEIPT LOG BOOK

| Supplier                    | ItemCode / ItemName             | Lot #   | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|-----------------------------|---------------------------------|---------|-----------------|-------------------------|-----------------------------|----------------|
| PCI Scientific Supply, Inc. | AL70850-8 / Starch Solution, 4L | 4408P62 | 08/31/2026      | 10/16/2024 / Iwona      | 10/16/2024 / Iwona          | W3149          |

| Supplier                    | ItemCode / ItemName                                  | Lot #           | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|-----------------------------|--|-----------------|-----------------|-------------------------|-----------------------------|----------------|
| PCI Scientific Supply, Inc. | 01237-10KG / Magnesium Chloride Hexahydrate ACS 10KG | 002126-2019-201 | 11/25/2029      | 11/25/2024 / Iwona      | 11/25/2024 / Iwona          | W3152          |

| Supplier                    | ItemCode / ItemName                      | Lot #   | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|-----------------------------|--|---------|-----------------|-------------------------|-----------------------------|----------------|
| PCI Scientific Supply, Inc. | AL13850-1 / Buffer Solution, PH2 (500ml) | 2411E26 | 10/31/2026      | 12/09/2024 / Iwona      | 12/09/2024 / Iwona          | W3161          |

| Supplier                    | ItemCode / ItemName                                  | Lot #    | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|-----------------------------|--|----------|-----------------|-------------------------|-----------------------------|----------------|
| PCI Scientific Supply, Inc. | LC135457 / Cyanide Standard, 1000 PPM, Second Source | 45010168 | 07/17/2025      | 01/24/2025 / Iwona      | 01/24/2025 / Iwona          | W3173          |

| Supplier                    | ItemCode / ItemName              | Lot #   | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|-----------------------------|----------------------------------|---------|-----------------|-------------------------|-----------------------------|----------------|
| PCI Scientific Supply, Inc. | AL14055-3 / PH 4 BUFFER SOLUTION | 2411A93 | 10/30/2026      | 04/01/2025 / JIGNESH    | 01/27/2025 / jignesh        | W3178          |

| Supplier                    | ItemCode / ItemName                     | Lot #   | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|-----------------------------|---|---------|-----------------|-------------------------|-----------------------------|----------------|
| PCI Scientific Supply, Inc. | 1601-1 / PH 10.01 BUFFER,COLOR CD 475ML | 2410F80 | 03/31/2026      | 04/01/2025 / JIGNESH    | 03/13/2025 / jignesh        | W3191          |

## CHEMICAL RECEIPT LOG BOOK

| Supplier                     | ItemCode / ItemName       | Lot #   | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|------------------------------|---------------------------|---------|-----------------|-------------------------|-----------------------------|----------------|
| RICCA<br>CHEMICAL<br>COMPANY | 1615-16 / pH 12.00 Buffer | 2504F20 | 09/30/2026      | 04/11/2025 /<br>lwona   | 04/11/2025 /<br>lwona       | W3200          |

| Supplier                       | ItemCode / ItemName                       | Lot #     | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------------|---|-----------|-----------------|-------------------------|-----------------------------|----------------|
| PCI Scientific<br>Supply, Inc. | EM-BX0035-3 / Barbituric<br>Acid, 100 gms | WXBF3271V | 05/16/2029      | 04/21/2025 /<br>lwona   | 04/21/2025 /<br>lwona       | W3203          |

| Supplier                       | ItemCode / ItemName                     | Lot #      | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------------|---|------------|-----------------|-------------------------|-----------------------------|----------------|
| PCI Scientific<br>Supply, Inc. | AL35830-4 / IODINE<br>SOLUTION .025N 1L | MK25A21527 | 01/20/2029      | 05/21/2025 /<br>lwona   | 05/21/2025 /<br>lwona       | W3213          |

| Supplier                       | ItemCode / ItemName                   | Lot #   | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------------|---------------------------------------|---------|-----------------|-------------------------|-----------------------------|----------------|
| PCI Scientific<br>Supply, Inc. | RC2543-4 / CYANIDE<br>STD 1000PPM 4OZ | 1505H73 | 11/30/2025      | 05/21/2025 /<br>lwona   | 05/21/2025 /<br>lwona       | W3214          |

| Supplier                       | ItemCode / ItemName                              | Lot #    | Expiration Date | Date Opened / Opened By | Received Date / Received By | Chemtech Lot # |
|--------------------------------|--|----------|-----------------|-------------------------|-----------------------------|----------------|
| PCI Scientific<br>Supply, Inc. | EMD-FX0410-5 /<br>FORMALDEHYDE<br>SOLUTION 450ML | MKCW7614 | 12/31/2026      | 06/26/2025 /<br>lwona   | 06/26/2025 /<br>lwona       | W3220          |


W3071  
Rec 12/6/23

## Certificate of Analysis 12

Buffer, Reference Standard, pH 7.00 ± 0.01 at 25°C (Color Coded Yellow)

Lot Number: 4308H30

Product Number: 1551

Manufacture Date: AUG 09, 2023

Expiration Date: JUL 2025

The certified value for this product is confirmed in independent testing by a second qualified chemist.

The NIST traceable pH value is certified to ±0.01 at 25 °C only. All other pH values at their corresponding temperatures are accurate to ± 0.05.

|    |      |      |      |      |      |      |      |      |      |      |      |
|----|------|------|------|------|------|------|------|------|------|------|------|
| °C | 0    | 5    | 10   | 15   | 20   | 25   | 30   | 35   | 40   | 45   | 50   |
| pH | 7.12 | 7.09 | 7.06 | 7.04 | 7.02 | 7.00 | 6.99 | 6.98 | 6.98 | 6.97 | 6.97 |

| Name                           | CAS#        | Grade           |
|--------------------------------|-------------|-----------------|
| Water                          | 7732-18-5   | ACS/ASTM/USP/EP |
| Sodium Phosphate Dibasic       | 7558-79-4   | ACS             |
| Potassium Dihydrogen Phosphate | 7778-77-0   | ACS             |
| Preservative                   | Proprietary |                 |
| Yellow Dye                     | Proprietary |                 |
| Sodium Hydroxide               | 1310-73-2   | Reagent         |

| Test       | Specification | Result |
|------------|---------------|--------|
| Appearance | Yellow liquid | Passed |

\*Not a certified value.

| Test                                  | Certified Value | Uncertainty | NIST SRM#               |
|---------------------------------------|-----------------|-------------|-------------------------|
| pH at 25°C (Method: SQCP027, SQCP033) | 7.002           | 0.02        | 186-I-g, 186-II-g, 191d |

| Specification               | Reference       |
|-----------------------------|-----------------|
| Commercial Buffer Solutions | ASTM (D 1293 B) |
| Buffer A                    | ASTM (D 5464)   |
| Buffer A                    | ASTM (D 5128)   |

pH measurements were performed in our Batesville, IN laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.02) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

| Part Number | Size / Package Type | Shelf Life (Unopened Container) |
|-------------|---------------------|---------------------------------|
| 1551-2.5    | 10 L Cubitainer®    | 24 months                       |
| 1551-5      | 20 L Cubitainer®    | 24 months                       |

Recommended Storage: 15°C - 30°C (59°F - 86°F)



Paul Brandon (08/09/2023)

Production Manager

This document is designed to comply with ISO Guide 31 "Reference Materials --  
Contents of Certificates and Labels."

**This product was tested in an ISO 17025 Accredited Laboratory**

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.



W3019  
rec 4/3/23

3050 Spruce Street, Saint Louis, MO 63103, USA

Website: [www.sigmaaldrich.com](http://www.sigmaaldrich.com)Email USA: [techserv@sial.com](mailto:techserv@sial.com)Outside USA: [eurtechserv@sial.com](mailto:eurtechserv@sial.com)

## Certificate of Analysis

Product Name:

Pyridine - anhydrous, 99.8%

Product Number:

270970

Batch Number:

SHBQ2113

Brand:

SIAL

CAS Number:

110-86-1

MDL Number:

MFCD00011732

Formula:

C<sub>5</sub>H<sub>5</sub>N

Formula Weight:

79.10 g/mol

Quality Release Date:

15 DEC 2022



| Test                    | Specification         | Result     |
|-------------------------|-----------------------|------------|
| Appearance (Color)      | Colorless             | Colorless  |
| Appearance (Form)       | Liquid                | Liquid     |
| Infrared Spectrum       | Conforms to Structure | Conforms   |
| Purity (GC)             | ≥ 99.75 %             | 99.99 %    |
| Water (by Karl Fischer) | ≤ 0.003 %             | 0.002 %    |
| Residue on Evaporation  | ≤ 0.0005 %            | < 0.0001 % |

  
Larry Coers, Director

Quality Control

Sheboygan Falls, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at [Sigma-Aldrich.com](http://Sigma-Aldrich.com). For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.





R: 02/20/20  
53

Instructions for QATS Reference Material: *Inorganic ICV Solutions*

For ICP-MS use: dilute the ICV1 concentrate 50-fold with 1% (v/v) nitric acid; pipet 2 mL of the concentrate into a 100 mL volumetric flask and dilute to volume with 1% (v/v) nitric acid.

**ICV5-0415**

For the cold vapor analysis of mercury by AA: dilute the ICV5 concentrate 100-fold with 2% (v/v) nitric acid; pipet 1 mL of the concentrate into a 100 mL volumetric flask and dilute to volume with 2% (v/v) nitric acid. The ICV5 concentrate is prepared in 0.05% (w/v)  $K_2Cr_2O_7$  and 5% (v/v) nitric acid.

**ICV6-0400**

For the analysis of cyanide: dilute the ICV6 concentrate 100-fold with Type II water; pipet 1 mL of the concentrate into a 100 mL volumetric flask and dilute to volume with Type II water. Distill this solution along with the samples before analysis. The cyanide concentrate is prepared from  $K_3Fe(CN)_6$ , Type II water, and 0.1 % sodium hydroxide, and will decompose rapidly if exposed to light.

**NOTE:** USE TYPE II WATER AND HIGH-PURITY ACIDS FOR ALL DILUTIONS.

**(D) CERTIFIED CONCENTRATIONS OF QATS ICV1, ICV5, AND ICV6 SOLUTIONS**

| ICV1-1014 |  |  |
|-----------|--|--|
| Element   | Concentration (µg/L)<br>(after 10-fold dilution) | Concentration (µg/L)<br>(after 50-fold dilution) |
| Al        | 2520   | 504  |
| Sb        | 1010   | 202  |
| As        | 997  | 199  |
| Ba        | 518  | 104  |
| Be        | 514  | 103  |
| Cd        | 514  | 103  |
| Ca        | 10000  | 2000   |
| Cr        | 517  | 103  |
| Co        | 521  | 104  |
| Cu        | 505  | 101  |
| Fe        | 10100  | 2020   |
| Pb        | 1030   | 206  |
| Mg        | 5990   | 1198   |
| Mn        | 524  | 105  |
| Ni        | 525  | 105  |
| K         | 9940   | 1988   |
| Se        | 1030   | 206  |
| Ag        | 252  | 50   |
| Na        | 10100  | 2020   |
| Tl        | 1040   | 208  |
| V         | 504  | 101  |
| Zn        | 1010   | 202  |

| ICV5-0415 |   | ICV6-0400       |   |
|-----------|---|-----------------|---|
| Element   | Concentration (µg/L)<br>(after 100-fold dilution) | Analyte         | Concentration (µg/L)<br>(after 100-fold dilution) |
| Hg        | 4.0   | CN <sup>-</sup> | 99  |

W3011  
W3012  
W3013  
W3014  
W3015

Sulfuric Acid  
BAKER INSTRA-ANALYZED® Reagent  
For Trace Metal Analysis  
Low Selenium

avantor™



M 6041-4b  
MS

Material No.: 9673-33  
Batch No.: 23D2462010  
Manufactured Date: 2023-03-22  
Retest Date: 2028-03-20  
Revision No.: 0

## Certificate of Analysis

| Test   | Specification | Result      |
|--|---------------|-------------|
| ACS – Assay (H <sub>2</sub> SO <sub>4</sub> )                | 95.0 – 98.0 % | 96.1 %      |
| Appearance   | Passes Test   | Passes Test |
| ACS – Color (APHA)   | ≤ 10          | 5           |
| ACS – Residue after Ignition                                 | ≤ 3 ppm       | < 1 ppm     |
| ACS – Substances Reducing Permanganate (as SO <sub>2</sub> ) | ≤ 2 ppm       | < 2 ppm     |
| Ammonium (NH <sub>4</sub> )                                  | ≤ 1 ppm       | 1 ppm       |
| Chloride (Cl)  | ≤ 0.1 ppm     | < 0.1 ppm   |
| Nitrate (NO <sub>3</sub> )                                   | ≤ 0.2 ppm     | < 0.1 ppm   |
| Phosphate (PO <sub>4</sub> )                                 | ≤ 0.5 ppm     | < 0.1 ppm   |
| Trace Impurities – Aluminum (Al)                             | ≤ 30.0 ppb    | < 5.0 ppb   |
| Arsenic and Antimony (as As)                                 | ≤ 4.0 ppb     | < 2.0 ppb   |
| Trace Impurities – Boron (B)                                 | ≤ 10.0 ppb    | 8.5 ppb     |
| Trace Impurities – Cadmium (Cd)                              | ≤ 2.0 ppb     | < 0.3 ppb   |
| Trace Impurities – Chromium (Cr)                             | ≤ 6.0 ppb     | < 0.4 ppb   |
| Trace Impurities – Cobalt (Co)                               | ≤ 0.5 ppb     | < 0.3 ppb   |
| Trace Impurities – Copper (Cu)                               | ≤ 1.0 ppb     | < 0.1 ppb   |
| Trace Impurities – Gold (Au)                                 | ≤ 10.0 ppb    | 0.5 ppb     |
| Heavy Metals (as Pb)   | ≤ 500.0 ppb   | < 100.0 ppb |
| Trace Impurities – Iron (Fe)                                 | ≤ 50.0 ppb    | 1.3 ppb     |
| Trace Impurities – Lead (Pb)                                 | ≤ 0.5 ppb     | < 0.5 ppb   |
| Trace Impurities – Magnesium (Mg)                            | ≤ 7.0 ppb     | 0.8 ppb     |
| Trace Impurities – Manganese (Mn)                            | ≤ 1.0 ppb     | < 0.4 ppb   |
| Trace Impurities – Mercury (Hg)                              | ≤ 0.5 ppb     | < 0.1 ppb   |
| Trace Impurities – Nickel (Ni)                               | ≤ 2.0 ppb     | 0.3 ppb     |
| Trace Impurities – Potassium (K)                             | ≤ 500.0 ppb   | < 2.0 ppb   |
| Trace Impurities – Selenium (Se)                             | ≤ 50.0 ppb    | < 0.1 ppb   |
| Trace Impurities – Silicon (Si)                              | ≤ 100.0 ppb   | 31.5 ppb    |
| Trace Impurities – Silver (Ag)                               | ≤ 1.0 ppb     | < 0.3 ppb   |

>>> Continued on page 2 >>>

Sulfuric Acid  
BAKER INSTRA-ANALYZED® Reagent  
For Trace Metal Analysis  
Low Selenium

 **avantor™**




Material No.: 9673-33  
Batch No.: 23D2462010

| Test                              | Specification    | Result    |
|-----------------------------------|------------------|-----------|
| Trace Impurities – Sodium (Na)    | $\leq 500.0$ ppb | 5.4 ppb   |
| Trace Impurities – Strontium (Sr) | $\leq 5.0$ ppb   | < 0.2 ppb |
| Trace Impurities – Tin (Sn)       | $\leq 5.0$ ppb   | < 0.8 ppb |
| Trace Impurities – Zinc (Zn)      | $\leq 5.0$ ppb   | 0.4 ppb   |

For Laboratory, Research, or Manufacturing Use

Country of Origin: USA  
Packaging Site: Phillipsburg Mfg Ctr & DC

  
Jamie Ethier  
Vice President Global Quality

Hydrochloric Acid, 36.5–38.0%  
BAKER INSTRA-ANALYZED® Reagent  
For Trace Metal Analysis

 **avantortm**



M6151

R → 11/15/25

Material No.: 9530-33  
Batch No.: 22G2862015  
Manufactured Date: 2022-06-15  
Retest Date: 2027-06-14  
Revision No.: 0

## Certificate of Analysis

| Test                                      | Specification | Result      |
|---|---------------|-------------|
| ACS – Assay (as HCl) (by acid–base titrn) | 36.5 – 38.0 % | 37.9 %      |
| ACS – Color (APHA)                        | ≤ 10          | 5           |
| ACS – Residue after Ignition              | ≤ 3 ppm       | < 1 ppm     |
| ACS – Specific Gravity at 60°/60°F        | 1.185 – 1.192 | 1.191       |
| ACS – Bromide (Br)                        | ≤ 0.005 %     | < 0.005 %   |
| ACS – Extractable Organic Substances      | ≤ 5 ppm       | < 1 ppm     |
| ACS – Free Chlorine (as Cl <sub>2</sub> ) | ≤ 0.5 ppm     | < 0.5 ppm   |
| Phosphate (PO <sub>4</sub> )              | ≤ 0.05 ppm    | < 0.03 ppm  |
| Sulfate (SO <sub>4</sub> )                | ≤ 0.5 ppm     | < 0.3 ppm   |
| Sulfite (SO <sub>3</sub> )                | ≤ 0.8 ppm     | 0.3 ppm     |
| Ammonium (NH <sub>4</sub> )               | ≤ 3 ppm       | < 1 ppm     |
| Trace Impurities – Arsenic (As)           | ≤ 0.010 ppm   | < 0.003 ppm |
| Trace Impurities – Aluminum (Al)          | ≤ 10.0 ppb    | 1.3 ppb     |
| Arsenic and Antimony (as As)              | ≤ 5.0 ppb     | < 3.0 ppb   |
| Trace Impurities – Barium (Ba)            | ≤ 1.0 ppb     | 0.2 ppb     |
| Trace Impurities – Beryllium (Be)         | ≤ 1.0 ppb     | < 0.2 ppb   |
| Trace Impurities – Bismuth (Bi)           | ≤ 10.0 ppb    | < 1.0 ppb   |
| Trace Impurities – Boron (B)              | ≤ 20.0 ppb    | < 5.0 ppb   |
| Trace Impurities – Cadmium (Cd)           | ≤ 1.0 ppb     | < 0.3 ppb   |
| Trace Impurities – Calcium (Ca)           | ≤ 50.0 ppb    | 163.0 ppb   |
| Trace Impurities – Chromium (Cr)          | ≤ 1.0 ppb     | 0.7 ppb     |
| Trace Impurities – Cobalt (Co)            | ≤ 1.0 ppb     | < 0.3 ppb   |
| Trace Impurities – Copper (Cu)            | ≤ 1.0 ppb     | < 0.1 ppb   |
| Trace Impurities – Gallium (Ga)           | ≤ 1.0 ppb     | < 0.2 ppb   |
| Trace Impurities – Germanium (Ge)         | ≤ 3.0 ppb     | < 2.0 ppb   |
| Trace Impurities – Gold (Au)              | ≤ 4.0 ppb     | 0.6 ppb     |
| Heavy Metals (as Pb)                      | ≤ 100 ppb     | < 50 ppb    |
| Trace Impurities – Iron (Fe)              | ≤ 15 ppb      | 6 ppb       |

>>> Continued on page 2 >>>

Hydrochloric Acid, 36.5–38.0%  
BAKER INSTRA-ANALYZED® Reagent  
For Trace Metal Analysis

 **avantorsm**



Material No.: 9530-33  
Batch No.: 22G2862015

| Test   | Specification | Result     |
|--|---------------|------------|
| Trace Impurities – Lead (Pb)                           | ≤ 1.0 ppb     | < 0.5 ppb  |
| Trace Impurities – Lithium (Li)                        | ≤ 1.0 ppb     | < 0.2 ppb  |
| Trace Impurities – Magnesium (Mg)                      | ≤ 10.0 ppb    | 2.9 ppb    |
| Trace Impurities – Manganese (Mn)                      | ≤ 1.0 ppb     | < 0.4 ppb  |
| Trace Impurities – Mercury (Hg)                        | ≤ 0.5 ppb     | 0.1 ppb    |
| Trace Impurities – Molybdenum (Mo)                     | ≤ 10.0 ppb    | < 3.0 ppb  |
| Trace Impurities – Nickel (Ni)                         | ≤ 4.0 ppb     | < 0.3 ppb  |
| Trace Impurities – Niobium (Nb)                        | ≤ 1.0 ppb     | 0.8 ppb    |
| Trace Impurities – Potassium (K)                       | ≤ 9.0 ppb     | < 2.0 ppb  |
| Trace Impurities – Selenium (Se), For Information Only |               | < 1.0 ppb  |
| Trace Impurities – Silicon (Si)                        | ≤ 100.0 ppb   | < 10.0 ppb |
| Trace Impurities – Silver (Ag)                         | ≤ 1.0 ppb     | 0.5 ppb    |
| Trace Impurities – Sodium (Na)                         | ≤ 100.0 ppb   | 2.3 ppb    |
| Trace Impurities – Strontium (Sr)                      | ≤ 1.0 ppb     | < 0.2 ppb  |
| Trace Impurities – Tantalum (Ta)                       | ≤ 1.0 ppb     | 1.6 ppb    |
| Trace Impurities – Thallium (Tl)                       | ≤ 5.0 ppb     | < 2.0 ppb  |
| Trace Impurities – Tin (Sn)                            | ≤ 5.0 ppb     | 4.0 ppb    |
| Trace Impurities – Titanium (Ti)                       | ≤ 1.0 ppb     | 1.5 ppb    |
| Trace Impurities – Vanadium (V)                        | ≤ 1.0 ppb     | < 0.2 ppb  |
| Trace Impurities – Zinc (Zn)                           | ≤ 5.0 ppb     | 0.8 ppb    |
| Trace Impurities – Zirconium (Zr)                      | ≤ 1.0 ppb     | 0.3 ppb    |

>>> Continued on page 3 >>>

Hydrochloric Acid, 36.5–38.0%  
BAKER INSTRA–ANALYZED® Reagent  
For Trace Metal Analysis

 **avantor**™




Material No.: 9530-33  
Batch No.: 22G2862015

| Test | Specification | Result |
|------|---------------|--------|
|------|---------------|--------|

For Laboratory, Research, or Manufacturing Use  
Product Information (not specifications):  
Appearance (clear, fuming liquid)  
Meets ACS Specifications  
Storage Condition: Store below 25 °C.

Country of Origin: USA  
Packaging Site: Phillipsburg Mfg Ctr & DC

  
Jamie Ethier  
Vice President Global Quality

Sodium Phosphate, Monobasic, Monohydrate,  
Crystal  
BAKER ANALYZED® A.C.S. Reagent

(sodium dihydrogen phosphate, monohydrate)



Material No.: 3818-05  
Batch No.: 0000225799  
Manufactured Date: 2018/12/05  
Retest Date: 2025/12/03  
Revision No: 1

## Certificate of Analysis

Meets ACS Reagent Chemical Requirements,

| Test   | Specification  | Result    |
|--|----------------|-----------|
| Assay ( $\text{NaH}_2\text{PO}_4 \cdot \text{H}_2\text{O}$ ) | 98.0 – 102.0 % | 99.5      |
| pH of 5% Solution at 25°C                                    | 4.1 – 4.5      | 4.3       |
| Insoluble Matter   | $\leq 0.01$ %  | $< 0.01$  |
| Chloride (Cl)  | $\leq 5$ ppm   | $< 5$     |
| ACS – Sulfate ( $\text{SO}_4$ )                              | $\leq 0.003$ % | $< 0.003$ |
| Calcium (Ca)   | $\leq 0.005$ % | $< 0.005$ |
| Potassium (K)  | $\leq 0.01$ %  | $< 0.01$  |
| Heavy Metals (as Pb)   | $\leq 0.001$ % | $< 0.001$ |
| Trace Impurities – Iron (Fe)                                 | $\leq 0.001$ % | $< 0.001$ |

For Laboratory, Research or Manufacturing Use  
Meets Reagent Specifications for testing USP/NF monographs

Country of Origin: IN  
Packaging Site: Paris Mfg Ctr & DC

  
Jamie Ethier  
Vice President Global Quality

For questions on this Certificate of Analysis please contact Technical Services at 855.282.6867 or +1.610.386.1700  
Avantor Performance Materials, LLC  
100 Matsonford Rd, Suite 200, Radnor, PA 19087. U.S.A. Phone: 610.386.1700




## Certificate of Analysis

Product Name:


Zinc acetate dihydrate - ACS reagent,  $\geq 98\%$ 

Product Number: 383058  
Batch Number: MKCQ9159  
Brand: SIGALD  
CAS Number: 5970-45-6  
MDL Number: MFCD00066961  
Formula:  $C_4H_6O_4Zn \cdot 2H_2O$   
Formula Weight: 219.51 g/mol  
Quality Release Date: 06 JAN 2022



W2926  
Open 7/5/22  
received  
on 7/5/22

| Test                       | Specification                 | Result             |
|----------------------------|-------------------------------|--------------------|
| Appearance (Color)         | White                         | White              |
| Appearance (Form)          | Powder or Crystal or Chunk(s) | Powder             |
| Infrared Spectrum          | Conforms to Structure         | Conforms           |
| Insoluble Matter           | $\leq 0.005 \%$               | 0.003 %            |
| Calcium (Ca)               | $\leq 0.005 \%$               | 0.003 %            |
| Chloride (Cl)              | $\leq 5 \text{ ppm}$          | $< 5 \text{ ppm}$  |
| Iron (Fe)                  | $\leq 5 \text{ ppm}$          | $< 5 \text{ ppm}$  |
| Potassium (K)              | $\leq 0.01 \%$                | 0.00 %             |
| Magnesium (Mg)             | $\leq 0.005 \%$               | 0.003 %            |
| Sodium (Na)                | $\leq 0.05 \%$                | 0.03 %             |
| Lead (Pb)                  | $\leq 0.002 \%$               | $< 0.001 \%$       |
| pH                         | 6.0 - 7.0                     | 6.1                |
| Sulfate (SO <sub>4</sub> ) | $\leq 0.005 \%$               | $< 0.005 \%$       |
| Complexometric EDTA        | 98.0 - 101.0 %                | 100.3 %            |
| Meets ACS Requirements     | Meets Requirements            | Meets Requirements |

  
Larry Coers, Director  
Quality Control  
Milwaukee, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at [Sigma-Aldrich.com](http://Sigma-Aldrich.com). For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.



**RICCA CHEMICAL COMPANY®**

1490 Lammers Pike

Batesville, IN 47006

<http://www.riccachemical.com>

1-888-GO-RICCA

customerservice@riccachemical.com

# Certificate of Analysis

W3093  
094121  
04/03/2024  
16

**Buffer, Reference Standard, pH 7.00 ± 0.01 at 25°C (Color Coded Yellow)****Lot Number:** 4401F99**Product Number:** 1551**Manufacture Date:** JAN 08, 2024**Expiration Date:** DEC 2025

The certified value for this product is confirmed in independent testing by a second qualified chemist.

The NIST traceable pH value is certified to ±0.01 at 25 °C only. All other pH values at their corresponding temperatures are accurate to ± 0.05.

|    |      |      |      |      |      |      |      |      |      |      |      |
|----|------|------|------|------|------|------|------|------|------|------|------|
| °C | 0    | 5    | 10   | 15   | 20   | 25   | 30   | 35   | 40   | 45   | 50   |
| pH | 7.12 | 7.09 | 7.06 | 7.04 | 7.02 | 7.00 | 6.99 | 6.98 | 6.98 | 6.97 | 6.97 |

| Name                           | CAS#        | Grade           |
|--------------------------------|-------------|-----------------|
| Water                          | 7732-18-5   | ACS/ASTM/USP/EP |
| Sodium Phosphate Dibasic       | 7558-79-4   | ACS             |
| Potassium Dihydrogen Phosphate | 7778-77-0   | ACS             |
| Preservative                   | Proprietary |                 |
| Yellow Dye                     | Proprietary |                 |
| Sodium Hydroxide               | 1310-73-2   |                 |

| Test       | Specification | Result |
|------------|---------------|--------|
| Appearance | Yellow liquid | Passed |

\*Not a certified value.

| Test                                  | Certified Value | Uncertainty | NIST SRM#               |
|---------------------------------------|-----------------|-------------|-------------------------|
| pH at 25°C (Method: SQCP027, SQCP033) | 7.004           | 0.02        | 186-I-g, 186-II-g, 191d |

| Specification               | Reference       |
|-----------------------------|-----------------|
| Commercial Buffer Solutions | ASTM (D 1293 B) |
| Buffer A                    | ASTM (D 5464)   |
| Buffer A                    | ASTM (D 5128)   |

pH measurements were performed in our Batesville, IN laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.02) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

| Part Number | Size / Package Type | Shelf Life (Unopened Container) |
|-------------|---------------------|---------------------------------|
| 1551-1      | 4 L natural poly    | 24 months                       |
| 1551-1CT    | 4 L Cubitainer®     | 24 months                       |
| 1551-2.5    | 10 L Cubitainer®    | 24 months                       |
| 1551-5      | 20 L Cubitainer®    | 24 months                       |

**Recommended Storage:** 15°C - 30°C (59°F - 86°F)



Paul Brandon (01/08/2024)

Production Manager

This document is designed to comply with ISO Guide 31 "Reference Materials --  
Contents of Certificates and Labels."

**This product was tested in an ISO 17025 Accredited Laboratory**

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

# Certificate of Analysis

## Sodium Thiosulfate, 0.0250 Normal (N/40)

**Lot Number:** 4403S13

**Product Number:** 7900

**Manufacture Date:** MAR 29, 2024

**Expiration Date:** SEP 2025

This product is specially formulated to increase its stability. A preservative is added to prevent bacterial contamination. However, all Sodium Thiosulfate solutions are subject to slow chemical deterioration and should be restandardized periodically.

| Name                            | CAS#        | Grade           |
|---------------------------------|-------------|-----------------|
| Water                           | 7732-18-5   | ACS/ASTM/USP/EP |
| Sodium Thiosulfate Pentahydrate | 10102-17-7  | ACS             |
| Organic Preservative            | Proprietary |                 |
| Sodium Carbonate                | 497-19-8    | ACS             |

| Test                                | Specification             | Result            | NIST SRM# |
|-------------------------------------|---------------------------|-------------------|-----------|
| Appearance                          | Colorless liquid          | Passed            |           |
| Assay (vs. Potassium Iodate/Starch) | 0.02499-0.02501 N at 20°C | 0.02501 N at 20°C | 136       |

| Specification                                  | Reference           |
|--|---------------------|
| Standard Sodium Thiosulfate Solution, 0.0250 N | APHA (4500-S2- F)   |
| Standard Sodium Thiosulfate Titrant            | APHA (4500-O D)     |
| Standard Sodium Thiosulfate Titrant            | APHA (4500-O E)     |
| Standard Sodium Thiosulfate Titrant            | APHA (4500-O F)     |
| Standard Sodium Thiosulfate Titrant, 0.025 N   | APHA (4500-CI B)    |
| Standard Sodium Thiosulfate Titrant            | APHA (4500-O C)     |
| Standard Sodium Thiosulfate Titrant, 0.025 M   | APHA (5530 C)       |
| Standard Sodium Thiosulfate Solution (0.025 N) | EPA (SW-846) (9031) |
| Standard Sodium Thiosulfate solution (0.025 N) | EPA (SW-846) (9034) |

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

| Part Number | Size / Package Type | Shelf Life (Unopened Container) |
|-------------|---------------------|---------------------------------|
| 7900-1      | 4 L natural poly    | 18 months                       |
| 7900-16     | 500 mL natural poly | 18 months                       |
| 7900-1CT    | 4 L Cubitainer®     | 18 months                       |
| 7900-32     | 1 L natural poly    | 18 months                       |

**Recommended Storage:** 15°C - 30°C (59°F - 86°F)



Paul Brandon (03/29/2024)

Production Manager

This document is designed to comply with ISO Guide 31 "Reference Materials --  
Contents of Certificates and Labels."

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.



# Certificate of Analysis



## Sodium Hydroxide (Pellets)

**Material:** 0583  
**Grade:** ACS GRADE  
**Batch Number:** 23B1556310

Chemical Formula: NaOH  
Molecular Weight: 40  
CAS #: 1310-73-2  
Appearance:

Manufacture Date: 12/14/2022  
Expiration Date: 12/31/2025

Storage: Room Temperature

Pellets

| TEST               | SPECIFICATION | ANALYSIS | DISPOSITION |
|--------------------|---------------|----------|-------------|
| Calcium            | <= 0.005 %    | <0.005 % | PASS        |
| Chloride           | <= 0.005 %    | 0.002 %  | PASS        |
| Heavy Metals       | <= 0.002 %    | <0.002 % | PASS        |
| Iron               | <= 0.001 %    | <0.001 % | PASS        |
| Magnesium          | <= 0.002 %    | <0.002 % | PASS        |
| Mercury            | <= 0.1 ppm    | <0.1 ppm | PASS        |
| Nickel             | <= 0.001 %    | <0.001 % | PASS        |
| Nitrogen Compounds | <= 0.001 %    | <0.001 % | PASS        |
| Phosphate          | <= 0.001 %    | <0.001 % | PASS        |
| Potassium          | <= 0.02 %     | <0.02 %  | PASS        |
| Purity             | >= 97.0 %     | 99.2 %   | PASS        |
| Sodium Carbonate   | <= 1.0 %      | 0.5 %    | PASS        |
| Sulfate            | <= 0.003 %    | <0.003 % | PASS        |

Internal ID #: 710

### Signature

We certify that this batch conforms to the specifications listed.

This document has been electronically produced and is valid without a signature.

Leona Edwardson, Quality Control Sr. Manager - Solon  
VWR Chemicals, LLC.  
28600 Fountain Parkway, Solon OH 44139 USA

### Additional Information

Analysis may have been rounded to significant digits in specification limits.

Product meets analytical specifications of the grades listed.



## Sodium Hydroxide (Pellets)

**Material:** 0583  
**Grade:** ACS GRADE  
**Batch Number:** 23B1556310

Chemical Formula: NaOH  
Molecular Weight: 40  
CAS #: 1310-73-2  
Appearance:

Manufacture Date: 12/14/2022  
Expiration Date: 12/31/2025

Storage: Room Temperature

Pellets

Spec Set: 0583ACS

Internal ID #: 710

### Signature

We certify that this batch conforms to the specifications listed.

This document has been electronically produced and is valid without a signature.

Leona Edwardson, Quality Control Sr. Manager - Solon  
VWR Chemicals, LLC.  
28600 Fountain Parkway, Solon OH 44139 USA

### Additional Information

Analysis may have been rounded to significant digits in specification limits.

Product meets analytical specifications of the grades listed.

W3139 Received on 9/9/24 by IZ

Product No.: A12044  
Product: Chloramine-T trihydrate, 98%  
Lot No.: 10239484

|                               |              |
|-------------------------------|--------------|
| Appearance:                   | White powder |
| Melting Point:                | 166°C(dec)   |
| Assay (Iodometric titration): | 100.5%       |
| Identification (FTIR):        | Conforms     |

Order our products online [thermofisher.com/chemicals](https://thermofisher.com/chemicals)

**This document has been electronically generated and does not require a signature.**

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.





# Certificate of Analysis

## Starch Indicator, 0.5% (w/v), Mercury Free, for Iodometric Titrations

Lot Number: 4408P62

Product Number: 8000

Manufacture Date: AUG 28, 2024

Expiration Date: AUG 2026

This product is Mercury-free.

| Name            | CAS#      | Grade           |
|-----------------|-----------|-----------------|
| Water           | 7732-18-5 | ACS/ASTM/USP/EP |
| Starch, soluble | 9005-84-9 | ACS             |
| Salicylic Acid  | 69-72-7   | ACS             |

| Test                | Specification                                     | Result |
|---------------------|---|--------|
| Appearance          | White translucent liquid                          | Passed |
| Suitability for Use | Colorless (Iodine absent) - Blue (Iodine present) | Passed |

| Specification             | Reference           |
|---------------------------|---------------------|
| Starch Solution           | APHA (4500-S2- F)   |
| Starch Indicator Solution | APHA (4500-CI B)    |
| Starch Indicator          | APHA (4500-SO32- B) |
| Starch indicator solution | APHA (2350 B)       |
| Starch indicator solution | APHA (2350 E)       |
| Starch Solution           | APHA (510 B)        |
| Starch Solution           | APHA (5530 C)       |
| Starch Indicator          | APHA (4500-CI C)    |
| Starch Indicator          | EPA (345.1)         |

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

| Part Number | Size / Package Type | Shelf Life (Unopened Container) |
|-------------|---------------------|---------------------------------|
| 8000-1      | 4 L natural poly    | 24 months                       |
| 8000-16     | 500 mL natural poly | 24 months                       |
| 8000-32     | 1 L natural poly    | 24 months                       |

**Recommended Storage:** 15°C - 30°C (59°F - 86°F)

A handwritten signature in blue ink that reads "Paul Brandon". The signature is fluid and cursive, with the first name "Paul" and last name "Brandon" clearly distinguishable.

Paul Brandon (08/28/2024)  
Production Manager

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

# *Chem-Impex International, Inc.*

---

**Tel: (630) 766-2112****E-mail: sales@chemimpex.com****Shipping and Correspondence:**

935 Dillon Drive

Wood Dale, IL 60191

**Fax: (630) 766-2218****Web site: www.chemimpex.com****Manufacturing site:**

825 Dillon Drive

Wood Dale, IL 60191

---

## *Certificate of Analysis*

|                         |                                       |
|-------------------------|---------------------------------------|
| <b>Catalogue Number</b> | 01237                                 |
| <b>Lot Number</b>       | 002126-2019-201                       |
| <b>Product</b>          | <b>Magnesium chloride hexahydrate</b> |

Magnesium chloride•6H<sub>2</sub>O

|                          |                                      |
|--------------------------|--------------------------------------|
| <b>CAS Number</b>        | 7791-18-6                            |
| <b>Molecular Formula</b> | MgCl <sub>2</sub> •6H <sub>2</sub> O |

|                         |       |
|-------------------------|-------|
| <b>Molecular Weight</b> | 203.3 |
|-------------------------|-------|

---

|                           |   |
|---------------------------|---|
| <b>Appearance</b>         | White crystals  |
| <b>Solubility</b>         | 167 g in 100 mL water   |
| <b>Melting Point</b>      | ~ 115 °C  |
| <b>Heavy Metals</b>       | 4.393 ppm   |
| <b>Anion</b>              | Nitrate (NO <sub>3</sub> ) : < 0.001%<br>Phosphate (PO <sub>4</sub> ) : < 5 ppm<br>Sulfate (SO <sub>4</sub> ) : < 0.002%  |
| <b>Cation</b>             | Ammonium (NH <sub>4</sub> ) : < 0.002%<br>Barium (Ba) : 0.005%<br>Calcium (Ca) : 0.01%<br>Iron (Fe) : 4.5 ppm<br>Manganese (Mn) : 0.624 ppm<br>Potassium (K) : 0.004%<br>Sodium (Na) : 0.000003%<br>Strontium (Sr) : 0.005% |
| <b>Insoluble material</b> | 0.0021%   |
| <b>Assay by titration</b> | 100.83%   |
| <b>Grade</b>              | ACS reagent   |
| <b>Storage</b>            | Store at RT   |

## ***Certificate of Analysis***

**Catalog Number: 01237**

**Lot Number: 002126-2019-201**

---

**Remarks**

See material safety data sheet for additional information

For laboratory use only

**The foregoing is a copy of the Certificate of Analysis as provided by our supplier**

A handwritten signature in black ink, appearing to read 'Bala Kumar', with a stylized flourish at the end.

**Bala Kumar**  
**Quality Control Manager**



# Certificate of Analysis

**Buffer, Reference Standard, pH 2.00 ± 0.01 at 25°C****Lot Number:** 2411E26**Product Number:** 1493**Manufacture Date:** NOV 11, 2024**Expiration Date:** OCT 2026

The certified value for this product is confirmed in independent testing by a second qualified chemist.

The NIST traceable pH value is certified to ±0.01 at 25 °C only. All other pH values at their corresponding temperatures are accurate to ± 0.05.

|    |      |      |      |      |      |      |      |      |      |
|----|------|------|------|------|------|------|------|------|------|
| °C | 10   | 15   | 20   | 25   | 30   | 35   | 40   | 45   | 50   |
| pH | 1.93 | 1.98 | 1.98 | 2.00 | 2.01 | 2.03 | 2.03 | 2.04 | 2.04 |

| Name               | CAS#      | Grade           |
|--------------------|-----------|-----------------|
| Water              | 7732-18-5 | ACS/ASTM/USP/EP |
| Potassium Chloride | 7447-40-7 | ACS             |
| Hydrochloric Acid  | 7647-01-0 | ACS             |

| Test       | Specification    | Result |
|------------|------------------|--------|
| Appearance | Colorless liquid | Passed |

\*Not a certified value.

| Test                                  | Certified Value | Uncertainty | NIST SRM#               |
|---------------------------------------|-----------------|-------------|-------------------------|
| pH at 25°C (Method: SQCP027, SQCP033) | 1.994           | 0.02        | 185i, 186-I-g, 186-II-g |

pH measurements were performed in our Pocomoke City, MD laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.01) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

| Part Number | Size / Package Type | Shelf Life (Unopened Container) |
|-------------|---------------------|---------------------------------|
| 1493-1      | 4 L natural poly    | 24 months                       |
| 1493-16     | 500 mL natural poly | 24 months                       |
| 1493-1CT    | 4 L Cubitainer®     | 24 months                       |
| 1493-2.5    | 10 L Cubitainer®    | 24 months                       |
| 1493-32     | 1 L natural poly    | 24 months                       |

**Recommended Storage:** 15°C - 30°C (59°F - 86°F)



Jose Pena (11/11/2024)  
Operations Manager

**This product was tested in an ISO 17025 Accredited Laboratory**

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.



Part of TCP Analytical Group

Jackson's Pointe Commerce Park- Building 1000  
1010 Jackson's Pointe Court, Zelienople, PA 16063

## Certificate of Analysis

### Cyanide Standard 1000 ppm (1ml = 1mg CN)

Product Code: **LC13545**

Manufacture Date: January 16, 2025

Lot Number: **45010168**

Expiration Date: July 17, 2025

| Test                  | Specification      | Result         |
|-----------------------|--------------------|----------------|
| Appearance (clarity)  | clear solution     | clear solution |
| Appearance (color)    | colorless          | colorless      |
| Concentration (CN)    | 0.990 - 1.010mg/mL | 1.000mg/mL     |
| Concentration (CN)    | 990 - 1,010ppm     | 1,000ppm       |
| Traceable to NIST SRM | Report             | 999b           |

**Intended Use** - Product is intended for use in manufacturing procedures and laboratory procedures and protocols.

**Storage Information** - Unless noted on the product label, store the product under normal lab conditions in its tightly closed, original container. Do not pipet directly from the container or return unused portions to the container.

**Instructions for Handling and Use** - Please refer to the associated product label and Safety Data Sheet (SDS) for information regarding safety and handling of this product.

**Preparation** - All products are manufactured and tested according to established, documented procedures and methodology. Production documentation records manufacturing data, raw material traceability and testing history on a per lot basis. Balances, thermometers, and glassware are calibrated before first use and on a regular schedule with references traceable to NIST

\*The suffix of the product code may differ from what is on your product label. The suffix will designate the size and be associated with a numeric digit(s). Visit [LabChem.com](http://LabChem.com) for more information\*

| Suffix | 1         | 2         | 3/3S/36/36S                           | 4/4C | 5   | 6   | 7     | 8   | 9    | 20      | 44   | 200  | 246    | 486    |
|--------|-----------|-----------|---------------------------------------|------|-----|-----|-------|-----|------|---------|------|------|--------|--------|
| Size   | 500mL org | 1L or 1kg | 2.5L/2.5L Coated/6x2.5L/6x2.5L Coated | 4L   | 20L | 10L | 125mL | 25g | 100g | 20x20mL | 4x4L | 200L | 24x6mL | 48x6mL |

*Michael Monteleone*

Michael Monteleone  
Chemistry Supervisor - Quality Control  
2025011610:36:11bsturges-0-0

ISO9001:2015 Registration #0306-01

**RICCA CHEMICAL COMPANY®**

1841 Broad Street  
Pocomoke City, MD 21851  
<http://www.riccachemical.com>  
1-888-GO-RICCA  
[customerservice@riccachemical.com](mailto:customerservice@riccachemical.com)

# Certificate of Analysis

W31758 58

Buffer, Reference Standard, pH 4.00 ± 0.01 at 25°C (Color Coded Red)

Lot Number: 2411A93

Product Number: 1501

Manufacture Date: NOV 04, 2024

Expiration Date: OCT 2026

The certified value for this product is confirmed in independent testing by a second qualified chemist.  
The NIST Traceable pH value is certified to ±0.01 at 25 °C only. All other pH values at their corresponding temperatures are accurate to ± 0.05.

|    |      |      |      |      |      |      |      |      |      |      |      |
|----|------|------|------|------|------|------|------|------|------|------|------|
| °C | 0    | 5    | 10   | 15   | 20   | 25   | 30   | 35   | 40   | 45   | 50   |
| pH | 4.00 | 4.00 | 4.00 | 4.00 | 4.00 | 4.00 | 4.01 | 4.02 | 4.03 | 4.04 | 4.06 |

| Name                     | CAS#        | Grade           |
|--------------------------|-------------|-----------------|
| Water                    | 7732-18-5   | ACS/ASTM/USP/EP |
| Potassium Acid Phthalate | 877-24-7    | Buffer          |
| Preservative             | Proprietary | Commercial      |
| Red Dye                  | Proprietary | Purified        |

| Test       | Specification | Result |
|------------|---------------|--------|
| Appearance | Red liquid    | Passed |

\*Not a certified value.

| Test                                  | Certified Value | Uncertainty | NIST SRM#               |
|---------------------------------------|-----------------|-------------|-------------------------|
| pH at 25°C (Method: SQCP027, SQCP033) | 4.008           | 0.02        | 185i, 186-I-g, 186-II-g |

| Specification               | Reference       |
|-----------------------------|-----------------|
| Commercial Buffer Solutions |                 |
| Buffer B                    | ASTM (D 1293 B) |
| Buffer B                    | ASTM (D 5464)   |
| Buffer B                    | ASTM (D 5128)   |

pH measurements were performed in our Pocomoke City, MD laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.01) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

| Part Number | Size / Package Type | Shelf Life (Unopened Container) |
|-------------|---------------------|---------------------------------|
| 1501-16     | 500 mL natural poly | 24 months                       |
| 1501-2.5    | 10 L Cubitainer®    | 24 months                       |
| 1501-5      | 20 L Cubitainer®    | 24 months                       |

Recommended Storage: 15°C - 30°C (59°F - 86°F)





RICCA CHEMICAL COMPANY®

1841 Broad Street  
Pocomoke City, MD 21851  
<http://www.riccachemical.com>  
1-888-GO-RICCA  
[customerservice@riccachemical.com](mailto:customerservice@riccachemical.com)

Certificate of Analysis

Buffer, Reference Standard, pH 10.00 ± 0.01 at 25°C (Color Coded Blue)

Lot Number: 2410F80

Product Number: 1601

Manufacture Date: OCT 09, 2024

Expiration Date: MAR 2026

The certified value for this product is confirmed in independent testing by a second qualified chemist.  
The NIST traceable pH value is certified to ±0.01 at 25 °C only. All other pH values at their corresponding temperatures are accurate to ± 0.05.

| °C | 0     | 5     | 10    | 15    | 20    | 25    | 30   | 35   | 40   | 50   |
|----|-------|-------|-------|-------|-------|-------|------|------|------|------|
| pH | 10.31 | 10.23 | 10.17 | 10.11 | 10.05 | 10.00 | 9.95 | 9.91 | 9.87 | 9.81 |

| Name               | CAS#        | Grade           |
|--------------------|-------------|-----------------|
| Water              | 7732-18-5   | ACS/ASTM/USP/EP |
| Sodium Carbonate   | 497-19-8    | ACS             |
| Sodium Bicarbonate | 144-55-8    | ACS             |
| Sodium Hydroxide   | 1310-73-2   | Reagent         |
| Preservative       | Proprietary |                 |
| Blue Dye           | Proprietary |                 |

| Test       | Specification | Result |
|------------|---------------|--------|
| Appearance | Blue liquid   | Passed |

| Test                                  | Certified Value | Uncertainty | NIST SRM#               |
|---------------------------------------|-----------------|-------------|-------------------------|
| pH at 25°C (Method: SQCP027, SQCP033) | 10.009          | 0.02        | 186-I-g, 186-II-g, 191d |

| Specification               | Reference       |
|-----------------------------|-----------------|
| Commercial Buffer Solutions |                 |
| Buffer C                    | ASTM (D 1293 B) |
| Buffer C                    | ASTM (D 5464)   |
|                             | ASTM (D 5128)   |

pH measurements were performed in our Pocomoke City, MD laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.01) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

| Part Number | Size / Package Type | Shelf Life (Unopened Container) |
|-------------|---------------------|---------------------------------|
| 1601-1      | 4 L natural poly    | 18 months                       |
| 1601-16     | 500 mL natural poly | 18 months                       |
| 1601-1CT    | 4 L Cubitainer®     | 18 months                       |
| 1601-2.5    | 10 L Cubitainer®    | 18 months                       |
| 1601-32     | 1 L natural poly    | 18 months                       |
| 1601-5      | 20 L Cubitainer®    | 18 months                       |

Version: 1.3

Lot Number: 2410F80

Product Number: 1601

Page 1 of 2



# Certificate of Analysis

**Buffer, Reference Standard, pH 12.00 ± 0.01 at 25°C****Lot Number:** 2504F20**Product Number:** 1615**Manufacture Date:** APR 08, 2025**Expiration Date:** SEP 2026

The certified value for this product is confirmed in independent testing by a second qualified chemist.

|    |       |       |       |       |       |       |
|----|-------|-------|-------|-------|-------|-------|
| °C | 15    | 20    | 25    | 30    | 35    | 40    |
| pH | 12.35 | 12.17 | 11.99 | 11.78 | 11.62 | 11.46 |

| Name               | CAS#      | Grade              |
|--------------------|-----------|--------------------|
| Water              | 7732-18-5 | ACS/ASTM/USP/EP    |
| Potassium Chloride | 7447-40-7 | ACS                |
| Sodium Hydroxide   | 1310-73-2 | Reagent (from ACS) |

| Test       | Specification    | Result |
|------------|------------------|--------|
| Appearance | Colorless liquid | Passed |

\*Not a certified value.

| Test                                  | Certified Value | Uncertainty | NIST SRM#               |
|---------------------------------------|-----------------|-------------|-------------------------|
| pH at 25°C (Method: SQCP027, SQCP033) | 12.009          | 0.02        | 186-I-g, 186-II-g, 191d |

pH measurements were performed in our Pocomoke City, MD laboratory under ISO/IEC 17025 accreditation (ANAB Certificate L2387.01) and are certified traceable to National Institute of Standards and Technology (NIST) Standard Reference Material as indicated above via an unbroken chain of comparisons. The uncertainty is calculated from the uncertainty of the measurement variation from sample to sample, the uncertainty in the NIST Standard Reference Material, and the uncertainty of the measurement process. The uncertainty is multiplied by k=2, corresponding to 95% coverage in a normal distribution. Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

| Part Number | Size / Package Type | Shelf Life (Unopened Container) |
|-------------|---------------------|---------------------------------|
| 1615-1      | 4 L natural poly    | 18 months                       |
| 1615-16     | 500 mL clear PET-G  | 18 months                       |
| 1615-5      | 20 L Cubitainer®    | 18 months                       |

**Recommended Storage:** 15°C - 30°C (59°F - 86°F)



Jose Pena (04/08/2025)  
Operations Manager

**This product was tested in an ISO 17025 Accredited Laboratory**


This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

## Certificate of Analysis

Product Name:

Barbituric acid - ReagentPlus®, 99%

Product Number: 185698  
Batch Number: WXBf3271V  
Brand: SIAL  
CAS Number: 67-52-7  
Formula: C<sub>4</sub>H<sub>4</sub>N<sub>2</sub>O<sub>3</sub>  
Formula Weight: 128.09 g/mol  
Quality Release Date: 16 MAY 2024



| Test                       | Specification         | Result   |
|----------------------------|-----------------------|----------|
| Appearance (Colour)        | White to Off-White    | White    |
| Appearance (Form)          | Powder                | Powder   |
| Infrared spectrum          | Conforms to Structure | Conforms |
| Purity (Titration by NaOH) | 98.5 - 101.5 %        | 100.4 %  |
| GC (area %)                | ≥ 98 %                | 100 %    |
| VPCT                       |                       |          |



Kang Chen  
Quality Manager  
Wuxi, China CN

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at [Sigma-Aldrich.com](http://Sigma-Aldrich.com). For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.





|                           |                        |
|---------------------------|------------------------|
| Material                  | BDHVBDH7206-1          |
| Material Description      | IODINE SOLUTION 0.025N |
| Lot                       | 25A2461008             |
| Expires end of            | 2029-Jan-20            |
| Molecular mass            | 0                      |
| Last Quality Control      | 2025-Jan-24            |
| Date of manufacture       | 2025-Jan-21            |
| Made in                   | United States          |
| Manufacturer Source Batch | MK25A21527             |

Additional information

| Characteristics                 | Specifications  | Measured values |
|---------------------------------|-----------------|-----------------|
| Prepared to formulation on file | Confirmed       | Confirmed       |
| Appearance                      | Passes Test     | Passes Test     |
| Normality, N                    | 0.0200 - 0.0300 | 0.0268          |

Signature

We certify that this batch conforms to the specifications listed above.

This document has been produced electronically and is valid without a signature.

Michelle Bales - Sr. Manager Quality Assurance  
 Avantor Performance Materials, LLC

For Professional use in Laboratory or Manufacturing. Not for use as an Active Pharmaceutical Ingredient or Food or Animal Feed. Suitability and intended use of the product remains the responsibility of the user.

VWR International LLC, Radnor Corporate Center, Building One, Suite 200, 100 Matsonford Road, Radnor, PA 19087, USA.

VWR International bv, Haasrode Research Park Zone 2020, Geldenaaksebaan 464, 3001 Leuven, Belgium

BDHVBDH72 25A2461008 Page 1 / 1

# Certificate of Analysis

## Cyanide Standard, 1000 ppm CN<sup>-</sup>

**Lot Number:** 1505H73

**Product Number:** 2543

**Manufacture Date:** MAY 08, 2025

**Expiration Date:** NOV 2025

This standard is prepared using accurate volumetric techniques from material that has been assayed against Silver Nitrate solution certified traceable to NIST Standard Reference Material 999. The certified value reported is the prepared value based upon the method of preparation of the material. The uncertainty in the prepared value is the combined uncertainty based on the stability of the assayed Potassium Cyanide, and the uncertainty in the mass and volume measurements.

Use 0.16% (w/v) (0.04 N) Sodium Hydroxide or 0.225 % (w/v) (0.04 N) Potassium Hydroxide to make dilutions of this standard. Restandardize weekly if extreme accuracy is required.

| Name              | CAS#      | Grade              |
|-------------------|-----------|--------------------|
| Water             | 7732-18-5 | ACS/ASTM/USP/EP    |
| Potassium Cyanide | 151-50-8  | ACS                |
| Sodium Hydroxide  | 1310-73-2 | Reagent (from ACS) |

| Test                       | Specification    | Result   |
|----------------------------|------------------|----------|
| Appearance                 | Colorless liquid | Passed   |
| Cyanide (CN <sup>-</sup> ) | 995-1005 ppm     | 1000 ppm |

| Specification  | Reference              |
|--|------------------------|
| Stock Standard Cyanide Solution                                  | APHA (4500-CN- F)      |
| Stock Cyanide Solution   | APHA (4500-CN- E)      |
| Stock Cyanide Solution   | APHA (4500-CN- K)      |
| Stock Cyanide Solution   | APHA (4500-CN- H)      |
| Cyanide Reference Solution (1000 mg/L)                           | EPA (SW-846) (7.3.3.2) |
| Cyanide Calibration Stock Solution (1,000 mg/L CN <sup>-</sup> ) | EPA (SW-846) (9213)    |
| Stock Cyanide Solution   | EPA (335.3)            |
| Stock Cyanide Solution   | EPA (335.2)            |
| Cyanide Solution Stock   | ASTM (D 4282)          |
| Simple Cyanide Solution, Stock (1.0 g/L CN <sup>-</sup> )        | ASTM (D 4374)          |

Volumetric glassware complies with Class A tolerance requirements of ASTM E 288 and NIST Circular 434; it is calibrated before first use and recalibrated regularly in accordance with ASTM E 542 and NIST Procedure NBSIR 74-461. Balances are calibrated regularly with weights certified traceable to the NIST national mass standard. Thermometers and temperature probes are calibrated before first use and recalibrated regularly with a thermometer traceable to NIST standards. All products are prepared according to master documents that assure manufacture according to validated methods. Batch records document raw material traceability and production and testing history for each lot manufactured.

| Part Number | Size / Package Type | Shelf Life (Unopened Container) |
|-------------|---------------------|---------------------------------|
| 2543-16     | 500 mL amber poly   | 6 months                        |
| 2543-32     | 1 L amber poly      | 6 months                        |
| 2543-4      | 120 mL amber poly   | 6 months                        |

**Recommended Storage:** 2°C - 8°C (36°F - 46°F)



Ernest Mahan (05/08/2025)  
Plant Manager

This test report shall not be reproduced, except in full, without the written approval of Ricca Chemical Company.

## Certificate of Analysis

Product Name:

Formaldehyde solution - ACS reagent, 37 wt. % in H<sub>2</sub>O, contains 10-15% Methanol as stabilizer (to prevent polymerization)

Product Number: 252549


Batch Number: MKCW7614

Brand: SIAL

MDL Number: MFCD00003274

Quality Release Date: 05 DEC 2024

Recommended Retest Date: DEC 2026



| Test  | Specification             | Result     |
|---|---------------------------|------------|
| Appearance (Color)                          | Colorless                 | Colorless  |
| Appearance (Form)                           | Liquid                    | Liquid     |
| Infrared Spectrum                           | Conforms to Structure     | Conforms   |
| Titration by H <sub>2</sub> SO <sub>4</sub> | 36.5 - 38.0 %             | 36.6 %     |
| Residue on ignition (Ash)                   | ≤ 0.005 %                 | 0.004 %    |
| Color Test                                  | ≤ 10 APHA                 | 5 APHA     |
| Chloride (Cl)                               | ≤ 5 ppm                   | < 5 ppm    |
| Iron (Fe)                                   | ≤ 5 ppm                   | < 1 ppm    |
| Heavy Metals                                | ≤ 5 ppm                   | 2 ppm      |
| by ICP-OES                                  |                           |            |
| Sulfate (SO <sub>4</sub> )                  | < = 0.002%                | < = 0.002% |
| Titrateable Acid (meq/g)                    | ≤ 0.006                   | < 0.006    |
| Note  | Confirmed                 | Conforms   |
| Stabilized with 10% to 15% Methanol         |                           |            |
| Meets ACS Requirements                      | Current ACS Specification | Conforms   |
| Recommended Retest Period                   | -----                     | -----      |
| 2 Years                                     |                           |            |

Larry Coers, Director  
Quality Control  
Milwaukee, WI US

Sigma-Aldrich warrants, that at the time of the quality release or subsequent retest date this product conformed to the information contained in this publication. The current Specification sheet may be available at Sigma-Aldrich.com. For further inquiries, please contact Technical Service. Purchaser must determine the suitability of the product for its particular use. See reverse side of invoice or packing slip for additional terms and conditions of sale.

