

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW063025\
 Data File : VW031736.D
 Acq On : 30 Jun 2025 15:23
 Operator : SY/MD
 Sample : VSTDICV050
 Misc : 5.00g/5mL/MSVOA_W/SOIL
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 ICVVW063025

Quant Time: Jul 01 03:38:31 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W063025S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jul 01 03:35:17 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	102	0.00
2 T	Dichlorodifluoromethane	0.341	0.349	-2.3	115	0.00
3 P	Chloromethane	0.411	0.421	-2.4	114	0.00
4 C	Vinyl Chloride	0.540	0.564	-4.4#	112	0.00
5 T	Bromomethane	0.421	0.414	1.7	106	0.00
6 T	Chloroethane	0.367	0.372	-1.4	109	0.00
7 T	Trichlorofluoromethane	0.490	0.450	8.2	98	0.00
8 T	Diethyl Ether	0.372	0.374	-0.5	107	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.544	0.556	-2.2	111	-0.01
10 T	Methyl Iodide	0.839	0.858	-2.3	107	0.00
11 T	Tert butyl alcohol	0.044	0.049	-11.4	106	0.00
12 CM	1,1-Dichloroethene	0.596	0.608	-2.0#	112	0.00
13 T	Acrolein	0.080	0.076	5.0	93	0.00
14 T	Allyl chloride	0.914	0.978	-7.0	111	0.00
15 T	Acrylonitrile	0.183	0.193	-5.5	103	0.00
16 T	Acetone	0.177	0.182	-2.8	114	0.00
17 T	Carbon Disulfide	1.594	1.629	-2.2	108	0.00
18 T	Methyl Acetate	0.507	0.484	4.5	93	0.00
19 T	Methyl tert-butyl Ether	1.011	1.091	-7.9	108	0.00
20 T	Methylene Chloride	0.814	0.726	10.8	107	0.00
21 T	trans-1,2-Dichloroethene	0.633	0.657	-3.8	109	0.00
22 T	Diisopropyl ether	1.783	1.905	-6.8	108	-0.01
23 T	Vinyl Acetate	1.218	1.363	-11.9	111	0.00
24 P	1,1-Dichloroethane	1.156	1.206	-4.3	110	0.00
25 T	2-Butanone	0.231	0.259	-12.1	106	0.00
26 T	2,2-Dichloropropane	0.674	0.691	-2.5	107	-0.01
27 T	cis-1,2-Dichloroethene	0.728	0.767	-5.4	109	0.00
28 T	Bromochloromethane	0.510	0.517	-1.4	104	0.00
29 T	Tetrahydrofuran	0.158	0.172	-8.9	105	0.00
30 C	Chloroform	1.228	1.273	-3.7#	108	0.00
31 T	Cyclohexane	1.022	1.028	-0.6	112	0.00
32 T	1,1,1-Trichloroethane	0.946	0.992	-4.9	109	-0.01
33 S	1,2-Dichloroethane-d4	0.718	0.716	0.3	102	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	100	0.00
35 S	Dibromofluoromethane	0.326	0.320	1.8	99	0.00
36 T	1,1-Dichloropropene	0.472	0.512	-8.5	112	0.00
37 T	Ethyl Acetate	0.298	0.335	-12.4	111	-0.01
38 T	Carbon Tetrachloride	0.481	0.521	-8.3	113	0.00
39 T	Methylcyclohexane	0.587	0.645	-9.9	114	0.00
40 TM	Benzene	1.397	1.483	-6.2	108	0.00
41 T	Methacrylonitrile	0.160	0.189	-18.1	109	0.00
42 TM	1,2-Dichloroethane	0.472	0.497	-5.3	107	0.00
43 T	Isopropyl Acetate	0.513	0.579	-12.9	108	0.00
44 TM	Trichloroethene	0.349	0.365	-4.6	106	0.00
45 C	1,2-Dichloropropane	0.338	0.352	-4.1#	106	0.00
46 T	Dibromomethane	0.218	0.229	-5.0	105	0.00
47 T	Bromodichloromethane	0.511	0.550	-7.6	108	0.00
48 T	Methyl methacrylate	0.252	0.294	-16.7	113	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW063025\
 Data File : VW031736.D
 Acq On : 30 Jun 2025 15:23
 Operator : SY/MD
 Sample : VSTDICV050
 Misc : 5.00g/5mL/MSVOA_W/SOIL
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 ICVVW063025

Quant Time: Jul 01 03:38:31 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W063025S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jul 01 03:35:17 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.003	0.003	0.0	106	0.00
50 S	Toluene-d8	1.214	1.228	-1.2	102	0.00
51 T	4-Methyl-2-Pentanone	0.295	0.330	-11.9	105	0.00
52 CM	Toluene	0.894	0.975	-9.1#	111	0.00
53 T	t-1,3-Dichloropropene	0.480	0.538	-12.1	108	0.00
54 T	cis-1,3-Dichloropropene	0.544	0.600	-10.3	109	0.00
55 T	1,1,2-Trichloroethane	0.286	0.307	-7.3	108	0.00
56 T	Ethyl methacrylate	0.387	0.451	-16.5	110	0.00
57 T	1,3-Dichloropropane	0.501	0.521	-4.0	106	0.00
58 T	2-Chloroethyl Vinyl ether	0.213	0.240	-12.7	107	0.00
59 T	2-Hexanone	0.200	0.226	-13.0	103	0.00
60 T	Dibromochloromethane	0.341	0.369	-8.2	105	0.00
61 T	1,2-Dibromoethane	0.286	0.305	-6.6	106	0.00
62 S	4-Bromofluorobenzene	0.447	0.467	-4.5	105	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	97	0.00
64 T	Tetrachloroethene	0.327	0.343	-4.9	106	0.00
65 PM	Chlorobenzene	1.103	1.201	-8.9	110	0.00
66 T	1,1,1,2-Tetrachloroethane	0.352	0.402	-14.2	111	0.00
67 C	Ethyl Benzene	1.913	2.149	-12.3#	110	0.00
68 T	m/p-Xylenes	0.735	0.838	-14.0	112	0.00
69 T	o-Xylene	0.681	0.779	-14.4	111	0.00
70 T	Styrene	1.177	1.332	-13.2	107	0.00
71 P	Bromoform	0.210	0.245	-16.7	109	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	99	0.00
73 T	Isopropylbenzene	3.803	4.153	-9.2	110	0.00
74 T	N-amyl acetate	1.025	1.204	-17.5	112	0.00
75 P	1,1,2,2-Tetrachloroethane	0.844	0.913	-8.2	107	0.00
76 T	1,2,3-Trichloropropane	0.646	0.687	-6.3	104	0.00
77 T	Bromobenzene	0.848	0.953	-12.4	121	0.00
78 T	n-propylbenzene	4.554	5.039	-10.6	112	0.00
79 T	2-Chlorotoluene	2.743	2.990	-9.0	110	0.00
80 T	1,3,5-Trimethylbenzene	3.148	3.542	-12.5	111	0.00
81 T	trans-1,4-Dichloro-2-butene	0.277	0.318	-14.8	108	0.00
82 T	4-Chlorotoluene	2.879	3.063	-6.4	107	0.00
83 T	tert-Butylbenzene	2.697	2.912	-8.0	110	0.00
84 T	1,2,4-Trimethylbenzene	3.190	3.497	-9.6	111	0.00
85 T	sec-Butylbenzene	4.048	4.489	-10.9	111	0.00
86 T	p-Isopropyltoluene	3.336	3.709	-11.2	112	0.00
87 T	1,3-Dichlorobenzene	1.701	1.863	-9.5	112	0.00
88 T	1,4-Dichlorobenzene	1.741	1.838	-5.6	107	0.00
89 T	n-Butylbenzene	3.241	3.659	-12.9	114	0.00
90 T	Hexachloroethane	0.602	0.675	-12.1	113	0.00
91 T	1,2-Dichlorobenzene	1.555	1.688	-8.6	106	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.165	0.179	-8.5	106	0.00
93 T	1,2,4-Trichlorobenzene	0.959	1.107	-15.4	117	0.00
94 T	Hexachlorobutadiene	0.463	0.535	-15.6	128	0.00
95 T	Naphthalene	2.351	2.676	-13.8	110	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW063025\
Data File : VW031736.D
Acq On : 30 Jun 2025 15:23
Operator : SY/MD
Sample : VSTDICV050
Misc : 5.00g/5mL/MSVOA_W/SOIL
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
ICVWVW063025

Quant Time: Jul 01 03:38:31 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W063025S.M
Quant Title : SW846 8260
QLast Update : Tue Jul 01 03:35:17 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.881	1.011	-14.8	116	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6