

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071025\
 Data File : VW031791.D
 Acq On : 10 Jul 2025 08:47
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5mL/MSVOA_W/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Jul 11 02:14:34 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W063025S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jul 01 03:35:17 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	109	0.00
2 T	Dichlorodifluoromethane	0.341	0.332	2.6	117	0.01
3 P	Chloromethane	0.411	0.420	-2.2	122	0.00
4 C	Vinyl Chloride	0.540	0.564	-4.4#	120	0.00
5 T	Bromomethane	0.421	0.402	4.5	111	0.00
6 T	Chloroethane	0.367	0.366	0.3	115	0.00
7 T	Trichlorofluoromethane	0.490	0.492	-0.4	115	0.00
8 T	Diethyl Ether	0.372	0.374	-0.5	115	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.544	0.551	-1.3	118	0.00
10 T	Methyl Iodide	0.839	0.829	1.2	111	0.00
11 T	Tert butyl alcohol	0.044	0.042	4.5	98	0.00
12 CM	1,1-Dichloroethene	0.596	0.602	-1.0#	118	0.00
13 T	Acrolein	0.080	0.045	43.8#	59	0.00
14 T	Allyl chloride	0.914	0.956	-4.6	117	0.00
15 T	Acrylonitrile	0.183	0.179	2.2	102	0.00
16 T	Acetone	0.177	0.174	1.7	117	0.00
17 T	Carbon Disulfide	1.594	1.572	1.4	112	0.00
18 T	Methyl Acetate	0.507	0.519	-2.4	107	0.00
19 T	Methyl tert-butyl Ether	1.011	1.104	-9.2	117	0.00
20 T	Methylene Chloride	0.814	0.823	-1.1	130	0.00
21 T	trans-1,2-Dichloroethene	0.633	0.640	-1.1	114	0.00
22 T	Diisopropyl ether	1.783	1.990	-11.6	121	0.00
23 T	Vinyl Acetate	1.218	1.302	-6.9	113	0.00
24 P	1,1-Dichloroethane	1.156	1.209	-4.6	118	0.00
25 T	2-Butanone	0.231	0.241	-4.3	106	0.00
26 T	2,2-Dichloropropane	0.674	0.689	-2.2	115	0.00
27 T	cis-1,2-Dichloroethene	0.728	0.766	-5.2	117	0.00
28 T	Bromochloromethane	0.510	0.525	-2.9	114	0.00
29 T	Tetrahydrofuran	0.158	0.160	-1.3	104	0.00
30 C	Chloroform	1.228	1.273	-3.7#	115	0.00
31 T	Cyclohexane	1.022	1.029	-0.7	120	0.00
32 T	1,1,1-Trichloroethane	0.946	0.972	-2.7	115	0.00
33 S	1,2-Dichloroethane-d4	0.718	0.700	2.5	107	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	107	0.00
35 S	Dibromofluoromethane	0.326	0.329	-0.9	108	0.00
36 T	1,1-Dichloropropene	0.472	0.507	-7.4	119	0.00
37 T	Ethyl Acetate	0.298	0.293	1.7	103	0.00
38 T	Carbon Tetrachloride	0.481	0.507	-5.4	117	0.00
39 T	Methylcyclohexane	0.587	0.637	-8.5	120	0.00
40 TM	Benzene	1.397	1.483	-6.2	115	0.00
41 T	Methacrylonitrile	0.160	0.172	-7.5	105	0.00
42 TM	1,2-Dichloroethane	0.472	0.498	-5.5	114	0.00
43 T	Isopropyl Acetate	0.513	0.545	-6.2	109	0.00
44 TM	Trichloroethene	0.349	0.349	0.0	108	0.00
45 C	1,2-Dichloropropane	0.338	0.363	-7.4#	117	0.00
46 T	Dibromomethane	0.218	0.231	-6.0	113	0.00
47 T	Bromodichloromethane	0.511	0.559	-9.4	117	0.00
48 T	Methyl methacrylate	0.252	0.265	-5.2	108	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071025\
 Data File : VW031791.D
 Acq On : 10 Jul 2025 08:47
 Operator : SY/MD
 Sample : VSTDCCC050
 Misc : 5.00g/5mL/MSVOA_W/SOIL
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Jul 11 02:14:34 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W063025S.M
 Quant Title : SW846 8260
 QLast Update : Tue Jul 01 03:35:17 2025
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
49 T	1,4-Dioxane	0.003	0.003	0.0	113	0.00
50 S	Toluene-d8	1.214	1.231	-1.4	109	0.00
51 T	4-Methyl-2-Pentanone	0.295	0.312	-5.8	107	0.00
52 CM	Toluene	0.894	0.967	-8.2#	118	0.00
53 T	t-1,3-Dichloropropene	0.480	0.540	-12.5	116	0.00
54 T	cis-1,3-Dichloropropene	0.544	0.610	-12.1	119	0.00
55 T	1,1,2-Trichloroethane	0.286	0.303	-5.9	113	0.00
56 T	Ethyl methacrylate	0.387	0.443	-14.5	115	0.00
57 T	1,3-Dichloropropane	0.501	0.544	-8.6	118	0.00
58 T	2-Chloroethyl Vinyl ether	0.213	0.197	7.5	93	0.00
59 T	2-Hexanone	0.200	0.219	-9.5	107	0.00
60 T	Dibromochloromethane	0.341	0.365	-7.0	110	0.00
61 T	1,2-Dibromoethane	0.286	0.301	-5.2	111	0.00
62 S	4-Bromofluorobenzene	0.447	0.459	-2.7	109	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	102	0.00
64 T	Tetrachloroethene	0.327	0.330	-0.9	108	0.00
65 PM	Chlorobenzene	1.103	1.194	-8.3	115	0.00
66 T	1,1,1,2-Tetrachloroethane	0.352	0.385	-9.4	113	0.00
67 C	Ethyl Benzene	1.913	2.125	-11.1#	116	0.00
68 T	m/p-Xylenes	0.735	0.834	-13.5	118	0.00
69 T	o-Xylene	0.681	0.781	-14.7	117	0.00
70 T	Styrene	1.177	1.307	-11.0	111	0.00
71 P	Bromoform	0.210	0.217	-3.3	102	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	100	0.00
73 T	Isopropylbenzene	3.803	4.324	-13.7	116	0.00
74 T	N-amyl acetate	1.025	1.230	-20.0	115	0.00
75 P	1,1,2,2-Tetrachloroethane	0.844	0.925	-9.6	109	0.00
76 T	1,2,3-Trichloropropane	0.646	0.683	-5.7	104	0.00
77 T	Bromobenzene	0.848	0.935	-10.3	119	0.00
78 T	n-propylbenzene	4.554	5.291	-16.2	118	0.00
79 T	2-Chlorotoluene	2.743	3.127	-14.0	116	0.00
80 T	1,3,5-Trimethylbenzene	3.148	3.642	-15.7	115	0.00
81 T	trans-1,4-Dichloro-2-butene	0.277	0.315	-13.7	108	0.00
82 T	4-Chlorotoluene	2.879	3.226	-12.1	114	0.00
83 T	tert-Butylbenzene	2.697	3.113	-15.4	119	0.00
84 T	1,2,4-Trimethylbenzene	3.190	3.655	-14.6	117	0.00
85 T	sec-Butylbenzene	4.048	4.694	-16.0	117	0.00
86 T	p-Isopropyltoluene	3.336	3.917	-17.4	119	0.00
87 T	1,3-Dichlorobenzene	1.701	1.790	-5.2	109	0.00
88 T	1,4-Dichlorobenzene	1.741	1.807	-3.8	106	0.00
89 T	n-Butylbenzene	3.241	3.741	-15.4	117	0.00
90 T	Hexachloroethane	0.602	0.659	-9.5	111	0.00
91 T	1,2-Dichlorobenzene	1.555	1.645	-5.8	104	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.165	0.173	-4.8	104	0.00
93 T	1,2,4-Trichlorobenzene	0.959	1.053	-9.8	113	0.00
94 T	Hexachlorobutadiene	0.463	0.510	-10.2	123	0.00
95 T	Naphthalene	2.351	2.637	-12.2	110	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW071025\
Data File : VW031791.D
Acq On : 10 Jul 2025 08:47
Operator : SY/MD
Sample : VSTDCCC050
Misc : 5.00g/5mL/MSVOA_W/SOIL
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_W
LabSampleId :
VSTDCCC050

Quant Time: Jul 11 02:14:34 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W063025S.M
Quant Title : SW846 8260
QLast Update : Tue Jul 01 03:35:17 2025
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 25% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
96 T	1,2,3-Trichlorobenzene	0.881	0.966	-9.6	112	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6