

DATA PACKAGE

SUB - DATA

PROJECT NAME : CC2-16 ANALYTICAL

ENVIRONMENTAL RESTORATION, LLC

110 Granby Street

Bloomfield, CT - 06002

Phone No: 516-502-6327

ORDER ID : Q2483

ATTENTION : Ryan Simpson



Cover Page

Order ID : Q2483

Project ID : CC2-16 Analytical

Client : Environmental Restoration, LLC

Lab Sample Number

Q2483-01
Q2483-02
Q2483-03
Q2483-04
Q2483-05
Q2483-06
Q2483-07
Q2483-08
Q2483-09
Q2483-10

Client Sample Number

CC0627-AL
CC0627-CLOXPL
CC0625-OXBL
CC0627-AOXL
CC0625-NL
CC0267-OXPL
CC0627-OXL
CC0627-CLOXAL
CC0627-BL
CC0627-SFBL

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature :

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 10:02 am, Jul 18, 2025

Date: 7/17/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012



*Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>*

July 17, 2025

Yazmeen Gomez
Chemtech
284 Sheffield Street
Mountainside, NJ 07092
TEL:
FAX:
RE: Q2483

Dear Yazmeen Gomez:

Order No.: 25070463

Alliance Technical Group - Akron received 10 sample(s) on 7/3/2025 for the analyses presented in the following report.

There were no problems with the analytical events associated with this report unless noted in the Case Narrative.

Quality control data is within laboratory defined or method specified acceptance limits except where noted.

If you have any questions regarding these tests results, please feel free to call the laboratory.

Sincerely,

A handwritten signature in black ink, appearing to read "Jennifer Woolf".

Jennifer Woolf

Project Manager

3310 Win St.
Cuyahoga Falls, Ohio 44223

Arkansas 88-0735, California 2943, Colorado, Connecticut PH-0828, Florida NELAC E87688, Idaho OH00923, Illinois 200061, Indiana C-OH-13, ISO/IEC 17025:2017 119125 L22-544, Kansas E-10347, Kentucky (Underground Storage Tank) 3, Kentucky 90146, Maryland 339, Michigan 9988, Minnesota 1780279, Nevada OH009232020-1, New Hampshire 2996, New Jersey OH006, New York 11777, North Carolina 39705 and 631, North Dakota R-201, Ohio DW, Ohio VAP CL0052, Oklahoma 2019-155, Oregon OH200001, Pennsylvania 68-01335, Rhode Island LA000317, South Carolina 92016001, Texas T104704466-19-16, Utah OH009232020-12, Virginia VELAP 10381, West Virginia 9957C



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

Case Narrative

WO#: 25070463
Date: 7/17/2025

CLIENT: Chemtech
Project: Q2483

WorkOrder Narrative:

25070463: This report in its entirety consists of the following documents: Cover Letter, Case Narrative, Analytical Results, QC Summary Report, Applicable Accreditation Information, Chain-of-Custody, Cooler Receipt Form, and other applicable forms as necessary. All documents contain the Alliance Technical Group Work Order Number assigned to this report.

Alliance Technical Group holds the accreditations/certifications listed at the bottom of the cover letter that may or may not pertain to this report. Please refer to the "Accreditation Program Analytes Report" for accredited analytes list.

The information contained in this analytical report is the sole property of Alliance Technical Group and that of the customer. It cannot be reproduced in any form without the consent of Alliance Technical Group or the customer for which this report was issued. The results contained in this report are only representative of the samples received. Conditions can vary at different times and at different sampling conditions. Alliance Technical Group is not responsible for use or interpretation of the data included herein.

All results for solid samples are reported on an "as received" or "wet weight" basis unless indicated as "dry weight" using the "-dry" designation on the reporting units.

This report is believed to meet all of the requirements of the accrediting agency, where applicable. Any comments or problems with the analytical events associated with this report are noted below.

WorkOrder Comments:

Sample analyzed by SW846: 9023 EOX due to matrix; Results reported on "as received" basis.

Original

These commonly used Qualifiers and Acronyms may or may not be present in this report.

Qualifiers

U	The compound was analyzed for but was not detected above the MDL.
J	The reported value is greater than the Method Detection Limit but less than the Reporting Limit.
H	The hold time for sample preparation and/or analysis was exceeded. Not Clean Water Act compliant.
D	The result is reported from a dilution.
E	The result exceeded the linear range of the calibration or is estimated due to interference.
MC	The result is below the Minimum Compound Limit.
*	The result exceeds the Regulatory Limit or Maximum Contamination Limit.
m	Manual integration was used to determine the area response.
d	Manual integration in which peak was deleted
N	The result is presumptive based on a Mass Spectral library search assuming a 1:1 response.
P	The second column confirmation exceeded 25% difference.
C	The result has been confirmed by GC/MS.
X	The result was not confirmed when GC/MS Analysis was performed.
B	The analyte was detected in the Method Blank at a concentration greater than the RL.
MB+	The analyte was detected in the Method Blank at a concentration greater than the MDL.
G	The ICB or CCB contained reportable amounts of analyte.
QC-/+	The CCV recovery failed low (-) or high (+).
R/QDR	The RPD was outside of accepted recovery limits.
QL-/+	The LCS or LCSD recovery failed low (-) or high (+).
QLR	The LCS/LCSD RPD was outside of accepted recovery limits.
QM-/+	The MS or MSD recovery failed low (-) or high (+).
QMR	The MS/MSD RPD was outside of accepted recovery limits.
QV-/+	The ICV recovery failed low (-) or high (+).
S	The spike result was outside of accepted recovery limits.
W	Samples were received outside temperature limits (0° – 6° C). Not Clean Water Act compliant.
Z	Deviation; A deviation from the method was performed; Please refer to the Case Narrative for additional information

Acronyms

ND	Not Detected	RL	Reporting Limit
QC	Quality Control	MDL	Method Detection Limit
MB	Method Blank	LOD	Level of Detection
LCS	Laboratory Control Sample	LOQ	Level of Quantitation
LCSD	Laboratory Control Sample Duplicate	PQL	Practical Quantitation Limit
QCS	Quality Control Sample	CRQL	Contract Required Quantitation Limit
DUP	Duplicate	PL	Permit Limit
MS	Matrix Spike	RegLvl	Regulatory Limit
MSD	Matrix Spike Duplicate	MCL	Maximum Contamination Limit
RPD	Relative Percent Different	MinCL	Minimum Compound Limit
ICV	Initial Calibration Verification	RA	Reanalysis
ICB	Initial Calibration Blank	RE	Reextraction
CCV	Continuing Calibration Verification	TIC	Tentatively Identified Compound
CCB	Continuing Calibration Blank	RT	Retention Time
RLC	Reporting Limit Check	CF	Calibration Factor

This list of Qualifiers and Acronyms reflects the most commonly utilized Qualifiers and Acronyms for reporting. Please refer to the Analytical Notes in the Case Narrative for any Qualifiers or Acronyms that do not appear in this list or for additional information regarding the use of these Qualifiers on reported data.



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

Workorder
Sample Summary
WO#: **25070463**
17-Jul-25

CLIENT: Chemtech
Project: Q2483

Lab SampleID	Client Sample ID	Tag No	Date Collected	Date Received	Matrix
25070463-001	CC0627-AL		6/27/2025 10:19:00 AM	7/3/2025 10:25:00 AM	Oil
25070463-002	CC0627-CLOXPL		6/27/2025 10:21:00 AM	7/3/2025 10:25:00 AM	Oil
25070463-003	CC0625-OXBL		6/27/2025 10:23:00 AM	7/3/2025 10:25:00 AM	Oil
25070463-004	CC0627-AOXL		6/27/2025 10:25:00 AM	7/3/2025 10:25:00 AM	Oil
25070463-005	CC0625-NL		6/27/2025 10:27:00 AM	7/3/2025 10:25:00 AM	Oil
25070463-006	CC0267-OXPL		6/27/2025 10:29:00 AM	7/3/2025 10:25:00 AM	Oil
25070463-007	CC0627-OXL		6/27/2025 10:31:00 AM	7/3/2025 10:25:00 AM	Oil
25070463-008	CC0627-CLOXAL		6/27/2025 10:33:00 AM	7/3/2025 10:25:00 AM	Oil
25070463-009	CC0627-BL		6/27/2025 10:35:00 AM	7/3/2025 10:25:00 AM	Oil
25070463-010	CC0627-SFBL		6/27/2025 10:37:00 AM	7/3/2025 10:25:00 AM	Oil



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

DATES REPORT

WO#: 25070463

17-Jul-25

Client: Chemtech

Project: Q2483

Sample ID	Client Sample ID	Collection Date	Matrix	Test Name	Leachate Date	Prep Date	Analysis Date
25070463-001A	CC0627-AL	6/27/2025 10:19:00 AM	Oil	Extractable Organic Halides (EOX) (9)			7/16/2025 9:00:00 AM
25070463-002A	CC0627-CLOXPL	6/27/2025 10:21:00 AM		Extractable Organic Halides (EOX) (9)			7/16/2025 9:00:00 AM
25070463-003A	CC0625-OXBL	6/27/2025 10:23:00 AM		Extractable Organic Halides (EOX) (9)			7/16/2025 9:00:00 AM
25070463-004A	CC0627-AOXL	6/27/2025 10:25:00 AM		Extractable Organic Halides (EOX) (9)			7/16/2025 9:00:00 AM
25070463-005A	CC0625-NL	6/27/2025 10:27:00 AM		Extractable Organic Halides (EOX) (9)			7/16/2025 9:00:00 AM
25070463-006A	CC0267-OXPL	6/27/2025 10:29:00 AM		Extractable Organic Halides (EOX) (9)			7/16/2025 9:00:00 AM
25070463-007A	CC0627-OXL	6/27/2025 10:31:00 AM		Extractable Organic Halides (EOX) (9)			7/16/2025 9:00:00 AM
25070463-008A	CC0627-CLOXAL	6/27/2025 10:33:00 AM		Extractable Organic Halides (EOX) (9)			7/16/2025 9:00:00 AM
25070463-009A	CC0627-BL	6/27/2025 10:35:00 AM		Extractable Organic Halides (EOX) (9)			7/16/2025 9:00:00 AM
25070463-010A	CC0627-SFBL	6/27/2025 10:37:00 AM		Extractable Organic Halides (EOX) (9)			7/16/2025 9:00:00 AM

Original



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

WO#: 25070463
Date Reported: 7/17/2025
Company: Chemtech
Address: 284 Sheffield Street
Mountainside NJ 07092
Received: 7/3/2025
Project#: Q2483

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
CC0627-AL	001	6/27/2025	Extractable Organic Halides	1050	ppm		Oil	EPA 9023	1	20.00	200.0	7/16/2025	KMS
Client ID#	Lab ID#	Collected	Analyte	Result	Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
CC0627-CLOXPL	002	6/27/2025	Extractable Organic Halides	18000	ppm		Oil	EPA 9023	1	20.00	200.0	7/16/2025	KMS
Client ID#	Lab ID#	Collected	Analyte	Result	Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
CC0625-OXBL	003	6/27/2025	Extractable Organic Halides	2680	ppm		Oil	EPA 9023	1	20.00	200.0	7/16/2025	KMS
Client ID#	Lab ID#	Collected	Analyte	Result	Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
CC0627-AOXL	004	6/27/2025	Extractable Organic Halides	1790	ppm		Oil	EPA 9023	1	20.00	200.0	7/16/2025	KMS
Client ID#	Lab ID#	Collected	Analyte	Result	Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
CC0625-NL	005	6/27/2025	Extractable Organic Halides	5280	ppm		Oil	EPA 9023	1	20.00	200.0	7/16/2025	KMS
Client ID#	Lab ID#	Collected	Analyte	Result	Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
CC0267-OXPL	006	6/27/2025	Extractable Organic Halides	6780	ppm		Oil	EPA 9023	1	20.00	200.0	7/16/2025	KMS
Client ID#	Lab ID#	Collected	Analyte	Result	Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
CC0627-OXL	007	6/27/2025	Extractable Organic Halides	2890	ppm		Oil	EPA 9023	1	20.00	200.0	7/16/2025	KMS
Client ID#	Lab ID#	Collected	Analyte	Result	Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
CC0627-CLOXAL	008	6/27/2025	Extractable Organic Halides	3330	ppm		Oil	EPA 9023	1	20.00	200.0	7/16/2025	KMS
Client ID#	Lab ID#	Collected	Analyte	Result	Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
CC0627-BL	009	6/27/2025	Extractable Organic Halides	2010	ppm		Oil	EPA 9023	1	20.00	200.0	7/16/2025	KMS



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

WO#: **25070463**
Date Reported: **7/17/2025**
Company: Chemtech
Address: 284 Sheffield Street
Mountainside NJ 07092
Received: 7/3/2025
Project#: Q2483

Client ID#	Lab ID#	Collected	Analyte	Result	Units	Qual	Matrix	Method	DF	MDL	PQL	Run	Analyst
CC0627-SFBL	010	6/27/2025	Extractable Organic Halides	1590	ppm		Oil	EPA 9023	1	20.00	200.0	7/16/2025	KMS



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

Accreditation Program Analytes Report

WO#: 25070463
17-Jul-25

Client: Chemtech

Project: Q2483

State: NJ

Program Name: NJ_DW_NPW_SC
M_NELAP

Test Name	Matrix	Analyte	Status
Extractable Organic Halides (EOX) (9023)	Oil	Extractable Organic Halides	A



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

QC SUMMARY REPORT

WO#: 25070463

17-Jul-25

Client: Chemtech

Project: Q2483

BatchID: R212660

Sample ID: MB-R212660	SampType: MBLK	TestCode: EOX_S(9023)	Units: mg/Kg	Prep Date:	RunNo: 212660						
Client ID: BatchQC	Batch ID: R212660	TestNo: SW9023		Analysis Date: 7/16/2025	SeqNo: 5682470						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Extractable Organic Halides	ND	40.0									U

Sample ID: LCS-R212660	SampType: LCS	TestCode: EOX_S(9023)	Units: mg/Kg	Prep Date:	RunNo: 212660						
Client ID: BatchQC	Batch ID: R212660	TestNo: SW9023		Analysis Date: 7/16/2025	SeqNo: 5682471						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Extractable Organic Halides	41.5	40.0	50.00	0	83.0	72	125				

Sample ID: 25071109-001AMS	SampType: MS	TestCode: EOX_S(9023)	Units: mg/Kg	Prep Date:	RunNo: 212660						
Client ID: BatchQC	Batch ID: R212660	TestNo: SW9023		Analysis Date: 7/16/2025	SeqNo: 5682487						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Extractable Organic Halides	430	40.0	500.0	0	86.0	78	136				

Sample ID: 25071109-001AMSD	SampType: MSD	TestCode: EOX_S(9023)	Units: mg/Kg	Prep Date:	RunNo: 212660						
Client ID: BatchQC	Batch ID: R212660	TestNo: SW9023		Analysis Date: 7/16/2025	SeqNo: 5682488						
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Extractable Organic Halides	500	40.0	500.0	0	100	78	136	430.0	15.1	20	

Qualifiers:

H Holding times for preparation or analysis exceeded
ND Not Detected
U Samples with CalcVal < MDL

J Analyte detected below quantitation limits
PL Permit Limit
W Sample container temperature is out of limit as specified at testcode

M Manual Integration used to determine area response
RL Reporting Detection Limit

Original



Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211 FAX: (330) 253-4489
Website: <http://www.settek.com>

QC SUMMARY REPORT

WO#: 25070463

17-Jul-25

Client: Chemtech

Project: Q2483

BatchID: R212660

Sample ID: 25071109-001AMSD	SampType: MSD	TestCode: EOX_S(9023)	Units: mg/Kg	Prep Date:	RunNo: 212660
Client ID: BatchQC	Batch ID: R212660	TestNo: SW9023	Analysis Date: 7/16/2025	SeqNo: 5682488	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual

Sample ID: MB-R212660	SampType: MBLK	TestCode: EOX_S(9023)	Units: mg/Kg	Prep Date:	RunNo: 212660
Client ID: BatchQC	Batch ID: R212660	TestNo: SW9023	Analysis Date: 7/16/2025	SeqNo: 5682490	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val %RPD RPDLimit Qual
Extractable Organic Halides	ND	40.0			U

Qualifiers: H Holding times for preparation or analysis exceeded
ND Not Detected
U Samples with CalcVal < MDL

J Analyte detected below quantitation limits
PL Permit Limit
W Sample container temperature is out of limit as specified at testcode

M Manual Integration used to determine area response
RL Reporting Detection Limit

Original

1072

		284 Sheffield Street, Mountainside, NJ 07092 Ste. 1 (908) 789-8900 Fax: (908) 788-9222 www.chemtech.net		Alliance Project Number: Q2483																										
		CHAIN OF CUSTODY RECORD		COC Number: CC-016-001																										
CLIENT INFORMATION			PROJECT INFORMATION			BILLING INFORMATION																								
COMPANY: ENVIRONMENTAL RESTORATION LLC. ADDRESS: 1666 FABICK DR. CITY: FENTON STATE: MD ZIP: 63026 ATTENTION: RYAN SIMPSON PHONE: 314 403 3908 FAX:			PROJECT NAME: COOPER CHEMICAL PROJECT #: CC2-16 LOCATION: FALLEN NJ PROJECT MANAGER: Byron Hartman E-MAIL: b.hartman@ERLLC.COM PHONE: 801 209-0368 FAX:			BILL TO: ENVIRONMENTAL RESTORATION CC2-16 ADDRESS: 1666 FABICK DR. CITY: FENTON STATE: MD ZIP: 63026 ATTENTION: RYAN SIMPSON PHONE: 314 403 3908																								
DATA TURNAROUND INFORMATION			DATA DELIVERABLE INFORMATION			ANALYSIS																								
FAX: _____ DAYS* HARD COPY: _____ DAYS* EDD: _____ DAYS* * TO BE APPROVED BY ALLIANCE STANDARD TURNAROUND TIME IS 10 BUSINESS DAYS			<input type="checkbox"/> RESULTS ONLY <input type="checkbox"/> USEPA CLP <input type="checkbox"/> RESULTS + QC <input type="checkbox"/> New York State ASP "B" <input type="checkbox"/> New Jersey REDUCED <input type="checkbox"/> New York State ASP "A" <input type="checkbox"/> New Jersey CLP <input type="checkbox"/> Other _____ <input type="checkbox"/> EDD Format			<table border="1" style="width:100%; border-collapse: collapse; text-align: center;"> <tr> <td style="writing-mode: vertical-rl; transform: rotate(180deg);">Rapidpoint</td> <td style="writing-mode: vertical-rl; transform: rotate(180deg);">pH</td> <td style="writing-mode: vertical-rl; transform: rotate(180deg);">Reactive CN</td> <td style="writing-mode: vertical-rl; transform: rotate(180deg);">Residue</td> <td style="writing-mode: vertical-rl; transform: rotate(180deg);">Sulfide</td> <td style="writing-mode: vertical-rl; transform: rotate(180deg);">Total</td> <td style="writing-mode: vertical-rl; transform: rotate(180deg);">Inorganics</td> <td style="writing-mode: vertical-rl; transform: rotate(180deg);">TOTAL ORGANIC H</td> <td style="writing-mode: vertical-rl; transform: rotate(180deg);">TCLP METALS</td> <td style="writing-mode: vertical-rl; transform: rotate(180deg);">TCLP VOC's</td> <td style="writing-mode: vertical-rl; transform: rotate(180deg);">TCLP SVOC's</td> </tr> <tr> <td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td><td>9</td><td></td><td></td> </tr> </table>			Rapidpoint	pH	Reactive CN	Residue	Sulfide	Total	Inorganics	TOTAL ORGANIC H	TCLP METALS	TCLP VOC's	TCLP SVOC's	1	2	3	4	5	6	7	8	9		
Rapidpoint	pH	Reactive CN	Residue	Sulfide	Total	Inorganics	TOTAL ORGANIC H	TCLP METALS	TCLP VOC's	TCLP SVOC's																				
1	2	3	4	5	6	7	8	9																						
						PRESERVATIVES			COMMENTS																					
						1 2 3 4 5 6 7 8 9			<- Specify Preservatives A-HCl B-HNO3 C-H2SO4 D-NaOH E-ICE F-Other																					
CHEMTECH SAMPLE ID	PROJECT SAMPLE IDENTIFICATION	SAMPLE MATRIX	SAMPLE TYPE COMP GRAB	SAMPLE COLLECTION DATE TIME	# of Bottles																									
1.	CC0627 - AL	LIQUID	X	6/27/25 10:19		✓	✓	✓	✓	✓	✓	✓	✓																	
2.	CC0627 - CLOXPL	LIQUID	X	6/27/25 10:21		✓	✓	✓	✓	✓	✓	✓	✓																	
3.	CC0625 - OXBL	LIQUID	X	6/27/25 10:23		✓	✓	✓	✓	✓	✓	✓	✓																	
4.	CC0627 - AOXL	LIQUID	X	6/27/25 10:25		✓	✓	✓	✓	✓	✓	✓	✓																	
5.	CC0625 - NL	LIQUID	X	6/27/25 10:27		✓	✓	✓	✓	✓	✓	✓	✓																	
6.	CC0267 - OXPL	LIQUID	X	6/27/25 10:29		✓	✓	✓	✓	✓	✓	✓	✓																	
7.	CC0627 - OXL	LIQUID	X	6/27/25 10:31		✓	✓	✓	✓	✓	✓	✓	✓																	
8.	CC0627 - CLOXAL	LIQUID	X	6/27/25 10:33		✓	✓	✓	✓	✓	✓	✓	✓																	
9.	CC0627 - BL	LIQUID	X	6/27/25 10:35		✓	✓	✓	✓	✓	✓	✓	✓																	
10.	CC0627 - SFBL	LIQUID	X	6/27/25 10:37		✓	✓	✓	✓	✓	✓	✓	✓																	
SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY																														
RELINQUISHED BY SAMPLER		DATE/TIME		RECEIVED BY		Conditions of bottles or coolers at receipt: <input type="checkbox"/> Compliant <input type="checkbox"/> Non Compliant <input type="checkbox"/> Cooler Temp. 21° MeOH extraction requires an additional 4oz. Jar for percent solid Comments: <input type="checkbox"/> Ice in Cooler? no																								
1. Jabel Sange		6/27/25		1. [Signature]																										
RELINQUISHED BY		DATE/TIME		RECEIVED BY																										
2.				2.		SHIPPED VIA: CLIENT: <input type="checkbox"/> Hand Delivered <input type="checkbox"/> Overnight ALLIANCE: <input type="checkbox"/> Picked Up <input type="checkbox"/> Overnight Shipment Complete <input type="checkbox"/> YES <input type="checkbox"/> NO																								
RELINQUISHED BY		DATE/TIME		RECEIVED FOR LAB BY																										
3.				3.																										

WHITE - ALLIANCE COPY FOR RETURN TO CLIENT YELLOW - ALLIANCE COPY PINK - SAMPLER COPY

ALLIANCE is authorized to split bulk sample and add preservative as needed for testing

Byron Hartman Project Mgr. Environmental Restoration



284 Sheffield Street, Mountainside, NJ 07092
(908) 789-8900 Fax: (908) 788-9222
www.chemtech.net

CHAIN OF CUSTODY RECORD

Alliance Project Number:

202
Q2483

COC Number:

CLIENT INFORMATION			PROJECT INFORMATION				BILLING INFORMATION																	
COMPANY:			PROJECT NAME:				BILL TO:					PO#												
ADDRESS:			PROJECT #:		LOCATION:		ADDRESS:																	
CITY: STATE: ZIP:			PROJECT MANAGER:				CITY:					STATE: ZIP:												
ATTENTION:			E-MAIL:				ATTENTION:					PHONE:												
PHONE: FAX:			PHONE: FAX:																					
DATA TURNAROUND INFORMATION			DATA DELIVERABLE INFORMATION				ANALYSIS																	
FAX: DAYS* HARD COPY: DAYS* EDD: DAYS* * TO BE APPROVED BY ALLIANCE STANDARD TURNAROUND TIME IS 10 BUSINESS DAYS			<input type="checkbox"/> RESEULTS ONLY <input type="checkbox"/> RESULTS + QC <input type="checkbox"/> New Jersey REDUCED <input type="checkbox"/> New Jersey CLP <input type="checkbox"/> EDD Format				<input type="checkbox"/> USEPA CLP <input type="checkbox"/> New York State ASP "B" <input type="checkbox"/> New York State ASP "A" <input type="checkbox"/> Other																	
CHEMTECH SAMPLE ID			PROJECT SAMPLE IDENTIFICATION		SAMPLE MATRIX		SAMPLE TYPE		SAMPLE COLLECTION		# of Bottles		PRESERVATIVES										COMMENTS	
							COMP GRAB		DATE TIME				1 2 3 4 5 6 7 8 9										Specify Preservatives A-HCl B-HNO3 C-H2SO4 D-NaOH E-ICE F-Other	
1.			CC 0627 - AL		L		X		6/27/05 10:19				X X X											
2.			CC 0627 - CLOXPL		L		X		6/27/05 10:21															
3.			CC 0625 - OXBL		L		X		6/27/05 10:23															
4.			CC 0627 - AOXL		L		X		6/27/05 10:25															
5.			CC 0625 - NL		L		X		6/27/05 10:27															
6.			CC 0627 - OXPL		L		X		6/27/05 10:29															
7.			CC 0627 - OXL		L		X		6/27/05 10:31															
8.			CC 0627 - CLOXAL		L		X		6/27/05 10:33															
9.			CC 0627 - BL		L		X		6/27/05 10:35															
10.			CC 0627 - SFBL		L		X		6/27/05 10:37															
SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION INCLUDING COURIER DELIVERY																								
RELINQUISHED BY SAMPLER		DATE/TIME		RECEIVED BY		Conditions of bottles or coolers at receipt: <input type="checkbox"/> Compliant <input type="checkbox"/> Non Compliant <input type="checkbox"/> Cooler Temp. 21°C MeOH extraction requires an additional 4oz. Jar for percent solid Comments: <input type="checkbox"/> Ice in Cooler? p.p																		
1.		6/27/05		C. Pera																				
RELINQUISHED BY		DATE/TIME		RECEIVED BY																				
2.																								
RELINQUISHED BY		DATE/TIME		RECEIVED FOR LAB BY																				
3.																								
Page _____ of _____																								
SHIPPED VIA: CLIENT: <input type="checkbox"/> Hand Delivered <input type="checkbox"/> Overnight										ALLIANCE: <input type="checkbox"/> Picked Up <input type="checkbox"/> Overnight										Shipment Complete <input type="checkbox"/> YES <input type="checkbox"/> NO				
WHITE - ALLIANCE COPY FOR RETURN TO CLIENT YELLOW - ALLIANCE COPY PINK - SAMPLER COPY																								



284 Sheffield Street, Mountainside, NJ 07092
(908) 789-8900 Fax (908) 789-8922
WWW.CHEMTECH.NET

25070403

CHAIN OF CUSTODY RECORD

Sub Lab INFORMATION		CLIENT PROJECT INFORMATION		CLIENT BILLING INFORMATION	
COMPANY :	Summit Environmental Technologies II	ORDER ID :	Q2483	BILL TO:	CHEMTECH PO#: q2483
ADDRESS :	3310 Win St	PROJECT ID:	CC2-16 Analytical	ADDRESS :	284, Sheffield Street
CITY:	Cuyahoga State : Ohio ZIP : 44223	PROJECT MANAGER	YAZMEEN	CITY:	Mountainside State : NJ ZIP : 07092
E-mail :		E-mail :	yazmeen.gomez@alliancetg.com	ATTENTION :	YAZMEE
PHONE :	330-253-8211	PHONE :	(908) 789 8900	PHONE :	(908) 789 8900
		FAX:	(908) 789 8922	FAX :	(908) 789 8922

Comment : MO GRAB

Report : NJ Reduced

EDD : Excel NJ

ID	CLIENT SAMPLE IDENTIFICATION	SAMPLE MATRIX	ANALYSIS	Preservative	Method	SAMPLE COLLECTION		# OF BOTTLES	TAT DAYS
						DATE	TIME		
01	CC0627-AL	Water	TOX (sub)	Cool 4 deg C	(sub) 9020	06/27/2025	10:19:00	10	10
02	CC0627-CLOXPL	Water	TOX (sub)	Cool 4 deg C	(sub) 9020	06/27/2025	10:21:00	10	10
03	CC0625-OXBL	Water	TOX (sub)	Cool 4 deg C	(sub) 9020	06/27/2025	10:23:00	10	10
04	CC0627-AOXL	Water	TOX (sub)	Cool 4 deg C	(sub) 9020	06/27/2025	10:25:00	10	10
05	CC0625-NL	Water	TOX (sub)	Cool 4 deg C	(sub) 9020	06/27/2025	10:27:00	10	10
06	CC0267-OXPL	Water	TOX (sub)	Cool 4 deg C	(sub) 9020	06/27/2025	10:29:00	10	10
07	CC0627-OXL	Water	TOX (sub)	Cool 4 deg C	(sub) 9020	06/27/2025	10:31:00	10	10
08	CC0627-CLOXAL	Water	TOX (sub)	Cool 4 deg C	(sub) 9020	06/27/2025	10:33:00	10	10
09	CC0627-BL	Water	TOX (sub)	Cool 4 deg C	(sub) 9020	06/27/2025	10:35:00	10	10

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGES POSSESSION INCLUDING COURIER DELIVERY

RELINQUISHED BY (SAMPLER)	DATE/TIME:	RECEIVED BY:	Conditions of bottles or Coolers at receipt:	<input type="checkbox"/> Compliant <input type="checkbox"/> Non Compliant	Cooler Temp
1.	7/2/25	1.	4.6-0.1-4.5		Ice or Cooler?
RELINQUISHED BY:	DATE/TIME:	RECEIVED BY:			
2.		2.			
RELINQUISHED BY:	DATE/TIME:	RECEIVED BY:			
3.		3.			

882471401842 FedEx courier

Page 1 of 2

Shipment Complete: ☐ OVERNIGHT ☐ OVERNIGHT ☐ YES ☐ NO



284 Sheffield Street, Mountinside, NJ 07092
(908) 789-8900 Fax (908) 789-8922
WWW.CHEMTECH.NET

CHAIN OF CUSTODY RECORD

Sub Lab INFORMATION		CLIENT PROJECT INFORMATION		CLIENT BILLING INFORMATION	
COMPANY : Summit Environmental Technologies II		ORDER ID : Q2483		BILL TO: CHEMTECH PO# : q2483	
ADDRESS : 3310 Win St		PROJECT ID:CC2-16 Analytical		ADDRESS : 284, Sheffield Street	
CITY:Cuyahoga State :Ohio ZIP :44223		PROJECT MANAGER YAZMEEN		CITY: Mountinside State : NJ ZIP : 07092	
E-mail :		yazmeen.gomez@alliancetg.com		ATTENTION :YAZMEE	
PHONE :330-253-8211		PHONE : (908) 789 8900		PHONE : (908) 789 8900 FAX : (908) 789 8922	

EDD : Excel NJ Report : NJ Reduced

Comment : MO GRAB

ID	CLIENT IDENTIFICATION	SAMPLE MATRIX	ANALYSIS	Preservative	Method	SAMPLE COLLECTION		# OF BOTTLES	TAT DAYS
10	CC0627-SFBL	Water	TOX (sub)	Cool 4 deg C	(sub) 9020	DATE	TIME	10	10
						06/27/2025	10:37:00		

Page 12 of 13

SAMPLE CUSTODY MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGES POSSESSION INCLUDING COURIER DELIVERY					
RELINQUISHED BY SAMPLER:	DATE/TIME:	RECEIVED BY:	Conditions of bottles or Coolers at receipt:		
1.	7/2/25	1.	<input type="checkbox"/> Compliant	<input type="checkbox"/> Non Compliant	Cooler Temp
RELINQUISHED BY:	DATE/TIME:	RECEIVED BY:	Ice or Cooler?		
2.		2.			
RELINQUISHED BY:	DATE/TIME:	RECEIVED BY:	Shipment Complete:		
3.		3.	<input type="checkbox"/> OVERNIGHT	<input type="checkbox"/> OVERNIGHT	<input type="checkbox"/> YES <input type="checkbox"/> NO

4.0-0.1-4.5
88247401842

Page 2 of 2

Sample Log-In Check List

Client Name: **CHE-NJ-07972**

Work Order Number: **25070463**

RcptNo: **1**

Logged by: **Christina N. Gemma** **7/3/2025 10:25:00 AM**

Completed By: **Christina N. Gemma** **7/8/2025 10:22:24 AM**

Reviewed By: **Jennifer Woolf** **7/8/2025 2:02:41 PM**

C. Gemma
C. Gemma
Jennifer Woolf

Chain of Custody

1. Is Chain of Custody complete? Yes ☒ No ☐ Not Present ☐
2. How was the sample delivered? UPS
Tracking No.: 882471461842

Log In

3. Coolers are present? Yes ☒ No ☐ NA ☐
4. Shipping container/cooler in good condition? Yes ☒ No ☐
Custody seals intact on shipping container/cooler? Yes ☐ No ☐ Not Present ☒ NA ☐
No. Seal Date: Signed By:
5. Was an attempt made to cool the samples? Yes ☒ No ☐ NA ☐
6. Were all samples received at a temperature of >0° C to 6.0° C Yes ☒ No ☐ NA ☐
7. Sample(s) in proper container(s)? Yes ☒ No ☐
8. Sufficient sample volume for indicated test(s)? Yes ☒ No ☐
9. Are samples (except VOA and ONG) properly preserved? Yes ☒ No ☐
10. Was preservative added to bottles? Yes ☐ No ☒ NA ☐
11. Is the headspace in the VOA vials less than 1/4 inch or 6 mm? Yes ☐ No ☐ No VOA Vials ☒
12. Were any sample containers received broken? Yes ☐ No ☒
13. Does paperwork match bottle labels? Yes ☒ No ☐
(Note discrepancies on chain of custody)
14. Are matrices correctly identified on Chain of Custody? Yes ☒ No ☐
15. Is it clear what analyses were requested? Yes ☒ No ☐
16. Were all holding times able to be met? Yes ☒ No ☐
(If no, notify customer for authorization.)

Special Handling (if applicable)

17. Was client notified of all discrepancies with this order? Yes ☐ No ☐ NA ☒

Person Notified: Date:
By Whom: Via: ☐ eMail ☐ Phone ☐ Fax ☐ In Person
Regarding:
Client Instructions:

18. Additional remarks:
Headspace

Cooler Information

Cooler No	Temp °C	Condition	Seal Intact	Seal No	Seal Date	Signed By
1	4.5	Good	Not Present			