

## LAB CHRONICLE

<b>OrderID:</b>	Q2484	<b>OrderDate:</b>	7/2/2025 9:23:00 AM
<b>Client:</b>	CDM Smith	<b>Project:</b>	South River WM Replacement
<b>Contact:</b>	Marcie Ann Encinas	<b>Location:</b>	--Select--,A12,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
<b>Q2484-01</b>	<b>TP-58</b>	<b>SOIL</b>			<b>07/01/25</b>			<b>07/01/25</b>
			Diesel Range Organics	8015D		07/02/25	07/03/25	
			Gasoline Range Organics	8015D			07/03/25	
			PCB	8082A		07/02/25	07/02/25	
			Pesticide-TCL	8081B		07/02/25	07/02/25	
<b>Q2484-02</b>	<b>TP-57</b>	<b>SOIL</b>			<b>07/01/25</b>			<b>07/01/25</b>
			Diesel Range Organics	8015D		07/02/25	07/02/25	
			Gasoline Range Organics	8015D			07/03/25	
			PCB	8082A		07/02/25	07/02/25	
			Pesticide-TCL	8081B		07/02/25	07/02/25	
<b>Q2484-03</b>	<b>TP-64</b>	<b>SOIL</b>			<b>07/01/25</b>			<b>07/01/25</b>
			Diesel Range Organics	8015D		07/02/25	07/03/25	
			Gasoline Range Organics	8015D			07/03/25	
			PCB	8082A		07/02/25	07/02/25	
			Pesticide-TCL	8081B		07/02/25	07/02/25	
<b>Q2484-04</b>	<b>TP-107</b>	<b>SOIL</b>			<b>07/01/25</b>			<b>07/01/25</b>
			Diesel Range Organics	8015D		07/02/25	07/02/25	
			Gasoline Range Organics	8015D			07/08/25	
			PCB	8082A		07/02/25	07/02/25	
			Pesticide-TCL	8081B		07/02/25	07/02/25	
<b>Q2484-05</b>	<b>TP-106</b>	<b>SOIL</b>			<b>07/01/25</b>			<b>07/01/25</b>
			Diesel Range Organics	8015D		07/02/25	07/02/25	
			Gasoline Range Organics	8015D			07/03/25	
			PCB	8082A		07/02/25	07/02/25	
			Pesticide-TCL	8081B		07/02/25	07/02/25	
<b>Q2484-06</b>	<b>TP-104</b>	<b>SOIL</b>			<b>07/01/25</b>			<b>07/01/25</b>
			Diesel Range Organics	8015D		07/02/25	07/02/25	

### LAB CHRONICLE

Gasoline Range Organics	8015D		07/03/25
PCB	8082A	07/02/25	07/02/25
Pesticide-TCL	8081B	07/02/25	07/02/25

A

B

C

D

E

F



# SAMPLE DATA

## Report of Analysis

Client:	CDM Smith	Date Collected:	07/01/25
Project:	South River WM Replacement	Date Received:	07/01/25
Client Sample ID:	TP-58	SDG No.:	Q2484
Lab Sample ID:	Q2484-01	Matrix:	SOIL
Analytical Method:	8015D GRO	% Solid:	86.2
Sample Wt/Vol:	5.5	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Final Vol:	5
GPC Factor :		PH :	
Prep Method :		Decanted:	
		Test:	Gasoline Range Organics
		Injection Volume :	

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
FB032001.D	1	07/03/25 12:42	FB070325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
<b>TARGETS</b>						
GRO	GRO	9.00	U	9.00	47.0	ug/kg
<b>SURROGATES</b>						
98-08-8	Alpha,Alpha,Alpha-Trifluoroto	20.1		50 - 150	101%	SPK: 20

### Comments:

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 E = Value Exceeds Calibration Range  
 P = Indicates >25% difference for detected concentrations between the two GC columns  
 Q = indicates LCS control criteria did not meet requirements  
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 N = Presumptive Evidence of a Compound  
 \* = Values outside of QC limits  
 D = Dilution  
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.  
 () = Laboratory InHouse Limit

## Report of Analysis

Client:	CDM Smith	Date Collected:	07/01/25
Project:	South River WM Replacement	Date Received:	07/01/25
Client Sample ID:	TP-57	SDG No.:	Q2484
Lab Sample ID:	Q2484-02	Matrix:	SOIL
Analytical Method:	8015D GRO	% Solid:	86
Sample Wt/Vol:	3.5	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Final Vol:	5
GPC Factor :		PH :	
Prep Method :		Decanted:	
		Test:	Gasoline Range Organics
		Injection Volume :	

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
FB032002.D	1	07/03/25 13:10	FB070325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
<b>TARGETS</b>						
GRO	GRO	15.0	J	14.0	75.0	ug/kg
<b>SURROGATES</b>						
98-08-8	Alpha,Alpha,Alpha-Trifluoroto	16.2		50 - 150	81%	SPK: 20

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

Client:	CDM Smith	Date Collected:	07/01/25
Project:	South River WM Replacement	Date Received:	07/01/25
Client Sample ID:	TP-64	SDG No.:	Q2484
Lab Sample ID:	Q2484-03	Matrix:	SOIL
Analytical Method:	8015D GRO	% Solid:	88.4
Sample Wt/Vol:	3.7	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Final Vol:	5
GPC Factor :		PH :	
Prep Method :		Decanted:	
		Test:	Gasoline Range Organics
		Injection Volume :	

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
FB032003.D	1	07/03/25 13:37	FB070325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
<b>TARGETS</b>						
GRO	GRO	13.0	U	13.0	69.0	ug/kg
<b>SURROGATES</b>						
98-08-8	Alpha,Alpha,Alpha-Trifluoroto	14.8		50 - 150	74%	SPK: 20

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

Client:	CDM Smith	Date Collected:	07/01/25
Project:	South River WM Replacement	Date Received:	07/01/25
Client Sample ID:	TP-107	SDG No.:	Q2484
Lab Sample ID:	Q2484-04	Matrix:	SOIL
Analytical Method:	8015D GRO	% Solid:	83.8
Sample Wt/Vol:	6	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Final Vol:	5
GPC Factor :		Decanted:	
Prep Method :		Test:	Gasoline Range Organics
		Injection Volume :	

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
FB032021.D	50	07/08/25 17:38	FB070825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
<b>TARGETS</b>						
GRO	GRO	1540	J	411	2240	ug/kg
<b>SURROGATES</b>						
98-08-8	Alpha,Alpha,Alpha-Trifluoroto	20.0		50 - 150	100%	SPK: 20

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

Client:	CDM Smith	Date Collected:	07/01/25
Project:	South River WM Replacement	Date Received:	07/01/25
Client Sample ID:	TP-106	SDG No.:	Q2484
Lab Sample ID:	Q2484-05	Matrix:	SOIL
Analytical Method:	8015D GRO	% Solid:	87.9
Sample Wt/Vol:	4.85	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Final Vol:	5
GPC Factor :		Test:	Gasoline Range Organics
Prep Method :		Injection Volume :	

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
FB032005.D	1	07/03/25 14:32	FB070325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
<b>TARGETS</b>						
GRO	GRO	10.0	U	10.0	53.0	ug/kg
<b>SURROGATES</b>						
98-08-8	Alpha,Alpha,Alpha-Trifluoroto	19.1		50 - 150	96%	SPK: 20

### Comments:

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 E = Value Exceeds Calibration Range  
 P = Indicates >25% difference for detected concentrations between the two GC columns  
 Q = indicates LCS control criteria did not meet requirements  
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 N = Presumptive Evidence of a Compound  
 \* = Values outside of QC limits  
 D = Dilution  
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.  
 () = Laboratory InHouse Limit



## Report of Analysis

Client:	CDM Smith	Date Collected:	07/01/25
Project:	South River WM Replacement	Date Received:	07/01/25
Client Sample ID:	TP-104	SDG No.:	Q2484
Lab Sample ID:	Q2484-06	Matrix:	SOIL
Analytical Method:	8015D GRO	% Solid:	87.3
Sample Wt/Vol:	4.35	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Final Vol:	5
GPC Factor :		PH :	
Prep Method :		Decanted:	
		Test:	Gasoline Range Organics
		Injection Volume :	

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
FB032006.D	1	07/03/25 15:00	FB070325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
<b>TARGETS</b>						
GRO	GRO	11.0	U	11.0	59.0	ug/kg
<b>SURROGATES</b>						
98-08-8	Alpha,Alpha,Alpha-Trifluoroto	17.9		50 - 150	89%	SPK: 20

### Comments:

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 E = Value Exceeds Calibration Range  
 P = Indicates >25% difference for detected concentrations between the two GC columns  
 Q = indicates LCS control criteria did not meet requirements  
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 N = Presumptive Evidence of a Compound  
 \* = Values outside of QC limits  
 D = Dilution  
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.  
 () = Laboratory InHouse Limit



# QC SUMMARY

**SOIL GASOLINE RANGE ORGANICS SURROGATE RECOVERY**

Lab Name: Alliance

Client: CDM Smith

Lab Code: ACE

SDG No.: Q2484

CLIENT ID	S1 AAA-TFT	S2	S3	S4	TOT OUT
VBF0703S1	98				0
BSF0703S1	114				0
TP-58	101				0
TP-57	81				0
TP-64	74				0
TP-106	96				0
TP-104	89				0
BSF0703S2	93				0
VBF0708S2	76				0
BSF0708S1	91				0
TP-107	100				0

**QC LIMITS**

AAA-TFT

For Water : 50-150

For Soil : 50-150

# Column to be used to flag recovery values

\* Values outside of contract required QC limits

D Surrogate Diluted Out



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

SOIL GASOLINE RANGE ORGANICS LABORATORY CONTROL SPIKE/LABORATORY CONTROL SPIKE DUPLICATION

Lab Name: Alliance

Client: CDM Smith

Lab Code: ACE

SDG No: Q2484

Client Sample ID : BSF0703S1

Datafile: FB032000.D

COMPOUND	SPIKE ADDED ug/kg	CONCENTRATION ug/kg	LCS/LCSD CONCENTRATION ug/kg	% REC	QC LIMITS (%)
GRO	180	0	166	92	50-150

SOIL GASOLINE RANGE ORGANICS LABORATORY CONTROL SPIKE/LABORATORY CONTROL SPIKE DUPLICATION

Lab Name: Alliance

Client: CDM Smith

Lab Code: ACE

SDG No: Q2484

Client Sample ID : BSF0703S2

Datafile: FB032007.D

COMPOUND	SPIKE ADDED ug/kg	CONCENTRATION ug/kg	LCS/LCSD CONCENTRATION ug/kg	% REC	QC LIMITS (%)
GRO	180	0	172	96	50-150

LCS/LCSD % Recovery RPD : 3.6



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

SOIL GASOLINE RANGE ORGANICS LABORATORY CONTROL SPIKE/LABORATORY CONTROL SPIKE DUPLICATION

Lab Name: Alliance

Client: CDM Smith

Lab Code: ACE

SDG No: Q2484

Client Sample ID : BSF0708S1

Datafile: FB032016.D

COMPOUND	SPIKE ADDED ug/kg	CONCENTRATION ug/kg	LCS/LCSD CONCENTRATION ug/kg	% REC	QC LIMITS (%)
GRO	180	0	157	87	50-150

METHOD BLANK SUMMARY

CLIENT SAMPLE NO.

VBF0703S1

Lab Name: Alliance

Contract: CAMP02

Lab Code: ACE

SDG NO.: Q2484

Lab File ID: FB031998.D

Lab Sample ID: VBF0703S1

Date Analyzed: 07/03/25

Time Analyzed: 11:04

GC Column: RTX-502.2 ID: 0.53 (mm)

Heated Purge: (Y/N) Y

Instrument ID: FB

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

CLIENT SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
BSF0703S1	BSF0703S1	FB032000.D	07/03/25
TP-58	Q2484-01	FB032001.D	07/03/25
TP-57	Q2484-02	FB032002.D	07/03/25
TP-64	Q2484-03	FB032003.D	07/03/25
TP-106	Q2484-05	FB032005.D	07/03/25
TP-104	Q2484-06	FB032006.D	07/03/25
BSF0703S2	BSF0703S2	FB032007.D	07/03/25

COMMENTS: \_\_\_\_\_  
\_\_\_\_\_

METHOD BLANK SUMMARY

CLIENT SAMPLE NO.

VBF0708S2

Lab Name: Alliance

Contract: CAMP02

Lab Code: ACE

SDG NO.: Q2484

Lab File ID: FB032015.D

Lab Sample ID: VBF0708S2

Date Analyzed: 07/08/25

Time Analyzed: 14:37

GC Column: RTX-502.2 ID: 0.53 (mm)

Heated Purge: (Y/N) Y

Instrument ID: FB

THIS METHOD BLANK APPLIES TO THE FOLLOWING SAMPLES, MS AND MSD:

CLIENT SAMPLE NO.	LAB SAMPLE ID	LAB FILE ID	DATE ANALYZED
BSF0708S1	BSF0708S1	FB032016.D	07/08/25
TP-107	Q2484-04	FB032021.D	07/08/25

COMMENTS: \_\_\_\_\_  
\_\_\_\_\_





# QC SAMPLE DATA

## Report of Analysis

Client:	CDM Smith	Date Collected:	
Project:	South River WM Replacement	Date Received:	
Client Sample ID:	VBF0703S1	SDG No.:	Q2484
Lab Sample ID:	VBF0703S1	Matrix:	SOIL
Analytical Method:	8015D GRO	% Solid:	100
Sample Wt/Vol:	5	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Decanted:	
GPC Factor :		Final Vol:	5
Prep Method :		Test:	Gasoline Range Organics
		Injection Volume :	

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
FB031998.D	1	07/03/25 11:04	FB070325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
<b>TARGETS</b>						
GRO	GRO	8.00	U	8.00	45.0	ug/kg
<b>SURROGATES</b>						
98-08-8	Alpha,Alpha,Alpha-Trifluoroto	19.6		50 - 150	98%	SPK: 20

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

Client:	CDM Smith	Date Collected:	
Project:	South River WM Replacement	Date Received:	
Client Sample ID:	VBF0708S2	SDG No.:	Q2484
Lab Sample ID:	VBF0708S2	Matrix:	SOIL
Analytical Method:	8015D GRO	% Solid:	100
Sample Wt/Vol:	5	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Test:	Gasoline Range Organics
GPC Factor :		Injection Volume :	
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
FB032015.D	50	07/08/25 14:37	FB070825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
<b>TARGETS</b>						
GRO	GRO	413	U	413	2250	ug/kg
<b>SURROGATES</b>						
98-08-8	Alpha,Alpha,Alpha-Trifluoroto	15.1		50 - 150	76%	SPK: 20

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

Client:	CDM Smith	Date Collected:	
Project:	South River WM Replacement	Date Received:	
Client Sample ID:	BSF0703S1	SDG No.:	Q2484
Lab Sample ID:	BSF0703S1	Matrix:	SOIL
Analytical Method:	8015D GRO	% Solid:	100
Sample Wt/Vol:	5	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Test:	Gasoline Range Organics
GPC Factor :		Injection Volume :	
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
FB032000.D	1	07/03/25 11:59	FB070325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
<b>TARGETS</b>						
GRO	GRO	166		8.00	45.0	ug/kg
<b>SURROGATES</b>						
98-08-8	Alpha,Alpha,Alpha-Trifluoroto	22.7		50 - 150	114%	SPK: 20

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

Client:	CDM Smith	Date Collected:	
Project:	South River WM Replacement	Date Received:	
Client Sample ID:	BSF0708S1	SDG No.:	Q2484
Lab Sample ID:	BSF0708S1	Matrix:	SOIL
Analytical Method:	8015D GRO	% Solid:	100
Sample Wt/Vol:	5	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Decanted:	
GPC Factor :		Final Vol:	5
Prep Method :		Test:	Gasoline Range Organics
		Injection Volume :	

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
FB032016.D	1	07/08/25 15:04	FB070825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
<b>TARGETS</b>						
GRO	GRO	157		8.00	45.0	ug/kg
<b>SURROGATES</b>						
98-08-8	Alpha,Alpha,Alpha-Trifluoroto	18.3		50 - 150	91%	SPK: 20

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

Client:	CDM Smith	Date Collected:	
Project:	South River WM Replacement	Date Received:	
Client Sample ID:	BSF0703S2	SDG No.:	Q2484
Lab Sample ID:	BSF0703S2	Matrix:	SOIL
Analytical Method:	8015D GRO	% Solid:	100
Sample Wt/Vol:	5	Units:	g
Soil Aliquot Vol:			uL
Extraction Type:		Test:	Gasoline Range Organics
GPC Factor :		Injection Volume :	
Prep Method :			

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
FB032007.D	1	07/03/25 15:28	FB070325

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
<b>TARGETS</b>						
GRO	GRO	172		8.00	45.0	ug/kg
<b>SURROGATES</b>						
98-08-8	Alpha,Alpha,Alpha-Trifluoroto	18.5		50 - 150	93%	SPK: 20

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit



# CALIBRATION SUMMARY

### GASOLINE RANGE ORGANICS INITIAL CALIBRATION SUMMARY

Lab Name: Alliance Contract: CAMP02  
 ProjectID: South River WM Replacement  
 Lab Code: ACE SDG No.: Q2484

Calibration Sequence : FB062325			Test : Gasoline Range Organics	
Concentration (PPB)	Area Count	Reference Factor	File ID	
45	1490557	33123	FB031909.D	
90	2566530	28517	FB031910.D	
180	5166210	28701	FB031911.D	
450	12609856	28022	FB031912.D	
900	27368301	30409	FB031913.D	
AVG RF : 29754		% RSD : 7.013		AVG RT : 8.798



**GASOLINE RANGE ORGANICS CONTINUING CALIBRATION SUMMARY**

**20 PPB GRO STD**

Lab Name: Alliane Contract: CAMP02  
ProjectID: South River WM Replacement  
Lab Code: ACE SDG No.: Q2484  
DataFile: FB031997.D Analyst Name: YP/AJ Analyst Date: 07-03-2025

Conc. (PPB)	Area Count	RF	Average RF	%D
180	4931057	27395	29754	7.928

**GASOLINE RANGE ORGANICS CONTINUING CALIBRATION SUMMARY**

**20 PPB GRO STD**

Lab Name: Alliane Contract: CAMP02  
ProjectID: South River WM Replacement  
Lab Code: ACE SDG No.: Q2484  
DataFile: FB032008.D Analyst Name: YP/AJ Analyst Date: 07-03-2025

Conc. (PPB)	Area Count	RF	Average RF	%D
180	5037472	27986	29754	5.942

**GASOLINE RANGE ORGANICS CONTINUING CALIBRATION SUMMARY**

**20 PPB GRO STD**

Lab Name: Alliane Contract: CAMP02  
ProjectID: South River WM Replacement  
Lab Code: ACE SDG No.: Q2484  
DataFile: FB032013.D Analyst Name: YP/AJ Analyst Date: 07-08-2025

Conc. (PPB)	Area Count	RF	Average RF	%D
180	5048972	28050	29754	5.727

**GASOLINE RANGE ORGANICS CONTINUING CALIBRATION SUMMARY**

**20 PPB GRO STD**

Lab Name: Alliane Contract: CAMP02  
ProjectID: South River WM Replacement  
Lab Code: ACE SDG No.: Q2484  
DataFile: FB032024.D Analyst Name: YP/AJ Analyst Date: 07-08-2025

Conc. (PPB)	Area Count	RF	Average RF	%D
180	4789999	26611	29754	10.563

## Analytical Sequence

**Client:** CDM Smith

**SDG No.:** Q2484

**Project:** South River WM Replacement

**Instrument ID:** FID\_B

**GC Column:** RTX-502.2      **ID:** 0.53      (mm)

THE ANALYTICAL SEQUENCE OF PERFORMANCE EVALUATION MIXTURES, BLANKS, SAMPLES,  
AND STANDARDS IS GIVEN BELOW:

MEAN SUROGATE RT FROM INITIAL CALIBRATION <b>8.798</b>					
CLIENT SAMPLE NO.	LAB SAMPLE ID	DATE AND TIME ANALYZED	DATAFILE	RT	#
20 PPB GRO STD	20 PPB GRO STD	3 Jul 2025 9:45	FB031997.D	8.797	
VBF0703S1	VBF0703S1	3 Jul 2025 11:04	FB031998.D	8.801	
BSF0703S1	BSF0703S1	3 Jul 2025 11:59	FB032000.D	8.800	
TP-58	Q2484-01	3 Jul 2025 12:42	FB032001.D	8.802	
TP-57	Q2484-02	3 Jul 2025 13:10	FB032002.D	8.800	
TP-64	Q2484-03	3 Jul 2025 13:37	FB032003.D	8.800	
TP-106	Q2484-05	3 Jul 2025 14:32	FB032005.D	8.802	
TP-104	Q2484-06	3 Jul 2025 15:00	FB032006.D	8.802	
BSF0703S2	BSF0703S2	3 Jul 2025 15:28	FB032007.D	8.802	
20 PPB GRO STD	20 PPB GRO STD	3 Jul 2025 15:55	FB032008.D	8.803	
20 PPB GRO STD	20 PPB GRO STD	8 Jul 2025 13:27	FB032013.D	8.800	
VBF0708S2	VBF0708S2	8 Jul 2025 14:37	FB032015.D	8.801	
BSF0708S1	BSF0708S1	8 Jul 2025 15:04	FB032016.D	8.801	
TP-107	Q2484-04	8 Jul 2025 17:38	FB032021.D	8.797	
20 PPB GRO STD	20 PPB GRO STD	8 Jul 2025 19:01	FB032024.D	8.803	