

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD070325\
 Data File : PD089303.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 02 Jul 2025 09:55
 Operator : AR\AJ
 Sample : PSTDCCC050
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 ECD_D
 ClientSampleId :
 PSTDCCC050

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 03 01:39:29 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD061825.M
 Quant Title : GC Extractables
 QLast Update : Wed Jun 18 05:39:05 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.550	2.881	149.5E6	893.6E6	52.393	52.708
28)	SA Decachlor...	9.073	8.071	186.5E6	920.9E6	47.480	46.579
Target Compounds							
2)	A alpha-BHC	4.000	3.393	307.7E6	1376.3E6	52.779	51.359
3)	MA gamma-BHC...	4.330	3.729	291.9E6	1223.8E6	52.300	49.431
4)	MA Heptachlor	4.929	4.082	274.3E6	1204.3E6	50.308	48.097
5)	MB Aldrin	5.271	4.368	278.8E6	1227.5E6	52.471	50.686
6)	B beta-BHC	4.516	4.025	111.6E6	524.2E6	50.561	48.784
7)	B delta-BHC	4.765	4.262	280.5E6	1243.6E6	54.639	49.997
8)	B Heptachlo...	5.691	4.872	245.2E6	1151.7E6	50.825	52.594
9)	A Endosulfan I	6.074	5.246	230.9E6	1047.2E6	51.234	50.243
10)	B gamma-Chl...	5.946	5.124	251.0E6	1211.5E6	52.419	50.640
11)	B alpha-Chl...	6.027	5.189	248.1E6	1146.8E6	51.267	50.086
12)	B 4,4'-DDE	6.195	5.374	216.5E6	1139.4E6	49.637	49.719
13)	MA Dieldrin	6.347	5.512	244.6E6	1162.6E6	50.988	50.094
14)	MA Endrin	6.574	5.789	195.1E6	1085.0E6	47.287	49.966
15)	B Endosulfa...	6.786	6.080	202.3E6	986.3E6	50.120	48.836
16)	A 4,4'-DDD	6.705	5.929	179.8E6	953.6E6	52.380	49.848
17)	MA 4,4'-DDT	7.021	6.183	164.9E6	874.2E6	43.521	43.108
18)	B Endrin al...	6.915	6.258	149.0E6	729.1E6	48.640	47.620
19)	B Endosulfa...	7.149	6.481	186.6E6	937.2E6	48.634	47.767
20)	A Methoxychlor	7.493	6.753	100.5E6	533.1E6	49.753	49.507
21)	B Endrin ke...	7.630	6.990	201.7E6	1055.9E6	49.521	48.879
22)	Mirex	8.113	7.184	145.0E6	783.7E6	47.710	46.987
23)	Chlordane-1	0.000	3.899	0	429751	N.D.	0.461 #
24)	Chlordane-2	5.271f	4.503	278.8E6	22446920	1276.948	23.588 #
25)	Chlordane-3	5.946	5.124	251.0E6	1211.5E6	291.006	407.869 #
26)	Chlordane-4	6.027	5.189	248.1E6	1146.8E6	236.084	457.490 #
27)	Chlordane-5	6.870	6.080	120648	986.3E6	0.660	871.580 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_D\Data\PD070325\
Data File : PD089303.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 02 Jul 2025 09:55
Operator : AR\AJ
Sample : PSTDCCC050
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 03 01:39:29 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_D\Method\PD061825.M
Quant Title : GC Extractables
QLast Update : Wed Jun 18 05:39:05 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.550 min
Delta R.T.: 0.000 min
Response: 149482838
Conc: 52.39 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#1 Tetrachloro-m-xylene

R.T.: 2.881 min
Delta R.T.: 0.000 min
Response: 893569383
Conc: 52.71 ng/ml




#2 alpha-BHC

R.T.: 4.000 min
Delta R.T.: 0.000 min
Response: 307653662
Conc: 52.78 ng/ml



#2 alpha-BHC


R.T.: 3.393 min
Delta R.T.: 0.000 min
Response: 1376285115
Conc: 51.36 ng/ml



#3 gamma-BHC (Lindane)


R.T.: 4.330 min
Delta R.T.: 0.000 min
Response: 291923457
Conc: 52.30 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#3 gamma-BHC (Lindane)

R.T.: 3.729 min
Delta R.T.: 0.000 min
Response: 1223757106
Conc: 49.43 ng/ml




#4 Heptachlor

R.T.: 4.929 min
Delta R.T.: 0.000 min
Response: 274278420
Conc: 50.31 ng/ml



#4 Heptachlor


R.T.: 4.082 min
Delta R.T.: 0.000 min
Response: 1204280618
Conc: 48.10 ng/ml



#5 Aldrin


R.T.: 5.271 min
Delta R.T.: 0.000 min
Response: 278775237
Conc: 52.47 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#5 Aldrin

R.T.: 4.368 min
Delta R.T.: 0.000 min
Response: 1227475131
Conc: 50.69 ng/ml




#6 beta-BHC

R.T.: 4.516 min
Delta R.T.: 0.000 min
Response: 111594411
Conc: 50.56 ng/ml



#6 beta-BHC


R.T.: 4.025 min
Delta R.T.: 0.000 min
Response: 524247166
Conc: 48.78 ng/ml



#7 delta-BHC


R.T.: 4.765 min
Delta R.T.: 0.001 min
Response: 280455871
Conc: 54.64 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#7 delta-BHC

R.T.: 4.262 min
Delta R.T.: 0.000 min
Response: 1243617366
Conc: 50.00 ng/ml




#8 Heptachlor epoxide

R.T.: 5.691 min
Delta R.T.: 0.000 min
Response: 245176625
Conc: 50.83 ng/ml



#8 Heptachlor epoxide


R.T.: 4.872 min
Delta R.T.: -0.001 min
Response: 1151703650
Conc: 52.59 ng/ml



#9 Endosulfan I


R.T.: 6.074 min
Delta R.T.: 0.000 min
Response: 230932881
Conc: 51.23 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#9 Endosulfan I

R.T.: 5.246 min
Delta R.T.: -0.001 min
Response: 1047183568
Conc: 50.24 ng/ml




#10 gamma-Chlordane

R.T.: 5.946 min
Delta R.T.: 0.000 min
Response: 250987249
Conc: 52.42 ng/ml



#10 gamma-Chlordane


R.T.: 5.124 min
Delta R.T.: -0.001 min
Response: 1211452349
Conc: 50.64 ng/ml



#11 alpha-Chlordane


R.T.: 6.027 min
Delta R.T.: 0.000 min
Response: 248055813
Conc: 51.27 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#11 alpha-Chlordane

R.T.: 5.189 min
Delta R.T.: -0.001 min
Response: 1146799594
Conc: 50.09 ng/ml




#12 4,4'-DDE

R.T.: 6.195 min
Delta R.T.: 0.000 min
Response: 216468338
Conc: 49.64 ng/ml



#12 4,4'-DDE


R.T.: 5.374 min
Delta R.T.: -0.001 min
Response: 1139372525
Conc: 49.72 ng/ml



#13 Dieldrin


R.T.: 6.347 min
Delta R.T.: 0.000 min
Response: 244612448
Conc: 50.99 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#13 Dieldrin

R.T.: 5.512 min
Delta R.T.: -0.002 min
Response: 1162597992
Conc: 50.09 ng/ml




#14 Endrin

R.T.: 6.574 min
Delta R.T.: 0.000 min
Response: 195087498
Conc: 47.29 ng/ml



#14 Endrin


R.T.: 5.789 min
Delta R.T.: 0.000 min
Response: 1084958498
Conc: 49.97 ng/ml



#15 Endosulfan II


R.T.: 6.786 min
Delta R.T.: 0.000 min
Response: 202313379
Conc: 50.12 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#15 Endosulfan II

R.T.: 6.080 min
Delta R.T.: 0.000 min
Response: 986332758
Conc: 48.84 ng/ml




#16 4,4'-DDD

R.T.: 6.705 min
Delta R.T.: 0.000 min
Response: 179770295
Conc: 52.38 ng/ml



#16 4,4'-DDD


R.T.: 5.929 min
Delta R.T.: 0.000 min
Response: 953559326
Conc: 49.85 ng/ml



#17 4,4'-DDT


R.T.: 7.021 min
Delta R.T.: 0.000 min
Response: 164865063
Conc: 43.52 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#17 4,4'-DDT

R.T.: 6.183 min
Delta R.T.: -0.001 min
Response: 874205974
Conc: 43.11 ng/ml




#18 Endrin aldehyde

R.T.: 6.915 min
Delta R.T.: 0.000 min
Response: 149030810
Conc: 48.64 ng/ml



#18 Endrin aldehyde


R.T.: 6.258 min
Delta R.T.: 0.000 min
Response: 729130736
Conc: 47.62 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.149 min
Delta R.T.: 0.001 min
Response: 186620315
Conc: 48.63 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#19 Endosulfan Sulfate

R.T.: 6.481 min
Delta R.T.: -0.001 min
Response: 937246189
Conc: 47.77 ng/ml




#20 Methoxychlor

R.T.: 7.493 min
Delta R.T.: 0.000 min
Response: 100532857
Conc: 49.75 ng/ml



#20 Methoxychlor


R.T.: 6.753 min
Delta R.T.: -0.001 min
Response: 533093095
Conc: 49.51 ng/ml



#21 Endrin ketone


R.T.: 7.630 min
Delta R.T.: 0.000 min
Response: 201701347
Conc: 49.52 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#21 Endrin ketone

R.T.: 6.990 min
Delta R.T.: -0.002 min
Response: 1055862304
Conc: 48.88 ng/ml




#22 Mirex

R.T.: 8.113 min
Delta R.T.: 0.000 min
Response: 145044951
Conc: 47.71 ng/ml



#22 Mirex


R.T.: 7.184 min
Delta R.T.: -0.001 min
Response: 783657793
Conc: 46.99 ng/ml



#23 Chlordane-1


R.T.: 0.000 min
Exp R.T.: 4.715 min
Response: 0
Conc: N.D.

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#23 Chlordane-1

R.T.: 3.899 min
Delta R.T.: -0.006 min
Response: 429751
Conc: 0.46 ng/ml




#24 Chlordane-2

R.T.: 5.271 min
Delta R.T.: 0.030 min
Response: 278775237
Conc: 1276.95 ng/ml



#24 Chlordane-2


R.T.: 4.503 min
Delta R.T.: 0.017 min
Response: 22446920
Conc: 23.59 ng/ml



#25 Chlordane-3


R.T.: 5.946 min
Delta R.T.: 0.000 min
Response: 250987249
Conc: 291.01 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#25 Chlordane-3

R.T.: 5.124 min
Delta R.T.: -0.001 min
Response: 1211452349
Conc: 407.87 ng/ml




#26 Chlordane-4

R.T.: 6.027 min
Delta R.T.: -0.005 min
Response: 248055813
Conc: 236.08 ng/ml



#26 Chlordane-4


R.T.: 5.189 min
Delta R.T.: 0.000 min
Response: 1146799594
Conc: 457.49 ng/ml



#27 Chlordane-5


R.T.: 6.870 min
Delta R.T.: 0.000 min
Response: 120648
Conc: 0.66 ng/ml

Instrument :
ECD_D
ClientSampleId :
PSTDCCC050




#27 Chlordane-5

R.T.: 6.080 min
Delta R.T.: -0.010 min
Response: 986332758
Conc: 871.58 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.073 min
Delta R.T.: 0.000 min
Response: 186483493
Conc: 47.48 ng/ml



#28 Decachlorobiphenyl

R.T.: 8.071 min
Delta R.T.: -0.001 min
Response: 920868525
Conc: 46.58 ng/ml