

В

(

SAMPLE DATA



Final Vol:

Injection Volume:

07/01/25

mL



Sample Wt/Vol:

Extraction Type:

Report of Analysis

Client: Date Collected: Sciacca General Contractors, LLC

Project: 89 E. Centre St, Nutley Date Received: 07/01/25

Client Sample ID: WASTE SDG No.: Q2486

Lab Sample ID: Q2486-01 Matrix: **SOIL**

8015D TPH % Solid: 83.5 Decanted: Analytical Method:

g

TPH GC Soil Aliquot Vol: uL Test:

PH: GPC Factor:

Units:

30.04

Prep Method: SW3541

File ID/Qc Batch: Dilution: Prep Date Date Analyzed Prep Batch ID FF016142.D 07/10/25 09:00 07/10/25 17:42 PB168785

| CAS Number | Parameter | Conc. | Qualifier MDL | LOQ / CRQL | Units(Dry Weight) |
|------------------------------|------------------------|-------|---------------|------------|-------------------|
| TARGETS PHC | Petroleum Hydrocarbons | 35700 | 459 | 3390 | ug/kg |
| SURROGATES 16416-32-3 | TETRACOSANE-d50 | 11.1 | 37 - 130 | 56% | SPK: 20 |

Comments:

U = Not Detected

LOO = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit







LAB CHRONICLE

OrderID: Q2486

Client: Sciacca General Contractors, LLC

Contact: Rosanne Scirica

OrderDate: 7/2/2025 9:45:00 AM
Project: 89 E. Centre St, Nutley

Location: A61,VOA Lab

| LabID | ClientID | Matrix | Test | Method | Sample Date | Prep Date | Anal Date | Received |
|----------|----------|--------|--------|--------|-------------|-----------|-----------|----------|
| Q2486-01 | WASTE | SOIL | | | 07/01/25 | | | 07/01/25 |
| | | | TPH GC | 8015D | | 07/10/25 | 07/10/25 | |
| Q2486-03 | 1 | Solid | | | 07/01/25 | | | 07/01/25 |
| | | | EPH_F2 | NJEPH | | 07/08/25 | 07/08/25 | |
| Q2486-04 | 2 | Solid | | | 07/01/25 | | | 07/01/25 |
| | | | EPH_F2 | NJEPH | | 07/08/25 | 07/08/25 | |
| Q2486-05 | 3 | Solid | | | 07/01/25 | | | 07/01/25 |
| | | | EPH_F2 | NJEPH | | 07/08/25 | 07/08/25 | |
| Q2486-06 | 4 | Solid | | | 07/01/25 | | | 07/01/25 |
| | | | EPH_F2 | NJEPH | | 07/08/25 | 07/08/25 | |
| Q2486-07 | 5 | Solid | | | 07/01/25 | | | 07/01/25 |
| | | | EPH_F2 | NJEPH | | 07/08/25 | 07/08/25 | |