

Manual Integration Report

Sequence:

VY062325

Instrument

MSVOA_y

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
VSTDIC005	VY022776.D	1,2,3-Trichloropropane	MMDadod a	6/24/2025 8:24:02 AM	Sam	6/24/2025 8:27:42 AM	Peak Integrated by Software
VSTDIC005	VY022776.D	Methacrylonitrile	MMDadod a	6/24/2025 8:24:02 AM	Sam	6/24/2025 8:27:42 AM	Peak Integrated by Software
VSTDIC010	VY022777.D	1,2,3-Trichloropropane	MMDadod a	6/24/2025 8:23:58 AM	Sam	6/24/2025 8:27:46 AM	Peak Integrated by Software
VSTDIC010	VY022777.D	Methacrylonitrile	MMDadod a	6/24/2025 8:23:58 AM	Sam	6/24/2025 8:27:46 AM	Peak Integrated by Software
VSTDIC020	VY022778.D	1,2,3-Trichloropropane	MMDadod a	6/24/2025 8:24:01 AM	Sam	6/24/2025 8:27:48 AM	Peak Integrated by Software
VSTDIC020	VY022778.D	Methacrylonitrile	MMDadod a	6/24/2025 8:24:01 AM	Sam	6/24/2025 8:27:48 AM	Peak Integrated by Software
VSTDICCC050	VY022779.D	1,2,3-Trichloropropane	MMDadod a	6/24/2025 8:24:00 AM	Sam	6/24/2025 8:27:51 AM	Peak Integrated by Software
VSTDIC100	VY022780.D	1,2,3-Trichloropropane	MMDadod a	6/24/2025 8:23:59 AM	Sam	6/24/2025 8:27:52 AM	Peak Integrated by Software
VSTDIC150	VY022781.D	1,2,3-Trichloropropane	MMDadod a	6/24/2025 8:24:03 AM	Sam	6/24/2025 8:27:53 AM	Peak Integrated by Software
VSTDICV050	VY022783.D	1,2,3-Trichloropropane	MMDadod a	6/24/2025 8:24:03 AM	Sam	6/24/2025 8:27:54 AM	Peak Integrated by Software
VSTDICV050	VY022783.D	Methacrylonitrile	MMDadod a	6/24/2025 8:24:03 AM	Sam	6/24/2025 8:27:54 AM	Peak Integrated by Software

Manual Integration Report

Sequence:

VY070325

Instrument

MSVOA_y

Sample ID	File ID	Parameter	Review By	Review On	Supervised By	Supervised On	Reason
VSTDCCC050	VY022929.D	1,2,3-Trichloropropane	MMDadoda	7/7/2025 2:11:50 PM	SAM	7/7/2025 2:15:28 PM	Peak Integrated by Software
VY0703SBS01	VY022931.D	1,2,3-Trichloropropane	MMDadoda	7/7/2025 2:11:52 PM	SAM	7/7/2025 2:15:28 PM	Peak Integrated by Software
VY0703SBSD01	VY022932.D	1,2,3-Trichloropropane	MMDadoda	7/7/2025 2:11:54 PM	SAM	7/7/2025 2:15:28 PM	Peak Integrated by Software