

Hit Summary Sheet
SW-846

SDG No.: Q2487

Order ID: Q2487

Client: Walsh Construction Company II, LLC

Project ID: Construction of Shafts 17B-18B - PN 2

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID : G4(0-6)								
Q2487-09	G4(0-6)	SOIL	Aroclor-1260	17.5	J	3.70	19.5	ug/kg
Total Concentration:				17.500				
Client ID : G3(0-6)								
Q2487-11	G3(0-6)	SOIL	Aroclor-1260	299		3.50	18.6	ug/kg
Total Concentration:				299.000				
Client ID : G2(0-6)								
Q2487-13	G2(0-6)	SOIL	Aroclor-1260	67.9		3.60	18.9	ug/kg
Total Concentration:				67.900				
Client ID : G1(0-6)								
Q2487-15	G1(0-6)	SOIL	Aroclor-1254	169		4.00	21.0	ug/kg
Q2487-15	G1(0-6)	SOIL	Aroclor-1268	44.7		4.50	21.0	ug/kg
Q2487-15	G1(0-6)	SOIL	Aroclor-1260	130		4.00	21.0	ug/kg
Total Concentration:				343.700				



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	Walsh Construction Company II, LLC		Date Collected:	07/01/25	
Project:	Construction of Shafts 17B-18B - PN 220084		Date Received:	07/01/25	
Client Sample ID:	G4(0-6)		SDG No.:	Q2487	
Lab Sample ID:	Q2487-09		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	87.1	Decanted:
Sample Wt/Vol:	30.05	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP073546.D	1	07/03/25 10:00	07/07/25 11:44	PB168724

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.50	U	4.50	19.5	ug/kg
11104-28-2	Aroclor-1221	4.60	U	4.60	19.5	ug/kg
11141-16-5	Aroclor-1232	4.30	U	4.30	19.5	ug/kg
53469-21-9	Aroclor-1242	4.60	U	4.60	19.5	ug/kg
12672-29-6	Aroclor-1248	6.80	U	6.80	19.5	ug/kg
11097-69-1	Aroclor-1254	3.70	U	3.70	19.5	ug/kg
37324-23-5	Aroclor-1262	5.80	U	5.80	19.5	ug/kg
11100-14-4	Aroclor-1268	4.10	U	4.10	19.5	ug/kg
11096-82-5	Aroclor-1260	17.5	J	3.70	19.5	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	16.0		30 - 150	80%	SPK: 20
2051-24-3	Decachlorobiphenyl	10.7		30 - 150	53%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Walsh Construction Company II, LLC		Date Collected:	07/01/25	
Project:	Construction of Shafts 17B-18B - PN 220084		Date Received:	07/01/25	
Client Sample ID:	G4(6-12)		SDG No.:	Q2487	
Lab Sample ID:	Q2487-10		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	72.6	Decanted:
Sample Wt/Vol:	30.03	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP073514.D	1	07/03/25 10:00	07/04/25 06:33	PB168724

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	5.40	U	5.40	23.4	ug/kg
11104-28-2	Aroclor-1221	5.50	U	5.50	23.4	ug/kg
11141-16-5	Aroclor-1232	5.10	U	5.10	23.4	ug/kg
53469-21-9	Aroclor-1242	5.50	U	5.50	23.4	ug/kg
12672-29-6	Aroclor-1248	8.10	U	8.10	23.4	ug/kg
11097-69-1	Aroclor-1254	4.40	U	4.40	23.4	ug/kg
37324-23-5	Aroclor-1262	6.90	U	6.90	23.4	ug/kg
11100-14-4	Aroclor-1268	5.00	U	5.00	23.4	ug/kg
11096-82-5	Aroclor-1260	4.40	U	4.40	23.4	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	14.2		32 - 144	71%	SPK: 20
2051-24-3	Decachlorobiphenyl	7.90		32 - 175	40%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Walsh Construction Company II, LLC		Date Collected:	07/01/25	
Project:	Construction of Shafts 17B-18B - PN 220084		Date Received:	07/01/25	
Client Sample ID:	G3(0-6)		SDG No.:	Q2487	
Lab Sample ID:	Q2487-11		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	91.2	Decanted:
Sample Wt/Vol:	30.08	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP073515.D	1	07/03/25 10:00	07/04/25 06:50	PB168724

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.30	U	4.30	18.6	ug/kg
11104-28-2	Aroclor-1221	4.40	U	4.40	18.6	ug/kg
11141-16-5	Aroclor-1232	4.10	U	4.10	18.6	ug/kg
53469-21-9	Aroclor-1242	4.40	U	4.40	18.6	ug/kg
12672-29-6	Aroclor-1248	6.50	U	6.50	18.6	ug/kg
11097-69-1	Aroclor-1254	3.50	U	3.50	18.6	ug/kg
37324-23-5	Aroclor-1262	5.50	U	5.50	18.6	ug/kg
11100-14-4	Aroclor-1268	3.90	U	3.90	18.6	ug/kg
11096-82-5	Aroclor-1260	299		3.50	18.6	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	22.9		32 - 144	115%	SPK: 20
2051-24-3	Decachlorobiphenyl	25.3		32 - 175	127%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Walsh Construction Company II, LLC		Date Collected:	07/01/25	
Project:	Construction of Shafts 17B-18B - PN 220084		Date Received:	07/01/25	
Client Sample ID:	G3(6-12)		SDG No.:	Q2487	
Lab Sample ID:	Q2487-12		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	70.2	Decanted:
Sample Wt/Vol:	30.03	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP073516.D	1	07/03/25 10:00	07/04/25 07:06	PB168724

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	5.60	U	5.60	24.2	ug/kg
11104-28-2	Aroclor-1221	5.70	U	5.70	24.2	ug/kg
11141-16-5	Aroclor-1232	5.30	U	5.30	24.2	ug/kg
53469-21-9	Aroclor-1242	5.70	U	5.70	24.2	ug/kg
12672-29-6	Aroclor-1248	8.40	U	8.40	24.2	ug/kg
11097-69-1	Aroclor-1254	4.60	U	4.60	24.2	ug/kg
37324-23-5	Aroclor-1262	7.10	U	7.10	24.2	ug/kg
11100-14-4	Aroclor-1268	5.10	U	5.10	24.2	ug/kg
11096-82-5	Aroclor-1260	4.60	U	4.60	24.2	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	20.8		32 - 144	104%	SPK: 20
2051-24-3	Decachlorobiphenyl	15.2		32 - 175	76%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Walsh Construction Company II, LLC		Date Collected:	07/01/25	
Project:	Construction of Shafts 17B-18B - PN 220084		Date Received:	07/01/25	
Client Sample ID:	G2(0-6)		SDG No.:	Q2487	
Lab Sample ID:	Q2487-13		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	89.8	Decanted:
Sample Wt/Vol:	30.01	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP073517.D	1	07/03/25 10:00	07/04/25 07:22	PB168724

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.40	U	4.40	18.9	ug/kg
11104-28-2	Aroclor-1221	4.50	U	4.50	18.9	ug/kg
11141-16-5	Aroclor-1232	4.10	U	4.10	18.9	ug/kg
53469-21-9	Aroclor-1242	4.50	U	4.50	18.9	ug/kg
12672-29-6	Aroclor-1248	6.60	U	6.60	18.9	ug/kg
11097-69-1	Aroclor-1254	3.60	U	3.60	18.9	ug/kg
37324-23-5	Aroclor-1262	5.60	U	5.60	18.9	ug/kg
11100-14-4	Aroclor-1268	4.00	U	4.00	18.9	ug/kg
11096-82-5	Aroclor-1260	67.9		3.60	18.9	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	20.6		32 - 144	103%	SPK: 20
2051-24-3	Decachlorobiphenyl	20.9		32 - 175	104%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Walsh Construction Company II, LLC		Date Collected:	07/01/25	
Project:	Construction of Shafts 17B-18B - PN 220084		Date Received:	07/01/25	
Client Sample ID:	G2(6-12)		SDG No.:	Q2487	
Lab Sample ID:	Q2487-14		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	67.7	Decanted:
Sample Wt/Vol:	30.03	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP073518.D	1	07/03/25 10:00	07/04/25 07:38	PB168724

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	5.80	U	5.80	25.1	ug/kg
11104-28-2	Aroclor-1221	5.90	U	5.90	25.1	ug/kg
11141-16-5	Aroclor-1232	5.50	U	5.50	25.1	ug/kg
53469-21-9	Aroclor-1242	5.90	U	5.90	25.1	ug/kg
12672-29-6	Aroclor-1248	8.70	U	8.70	25.1	ug/kg
11097-69-1	Aroclor-1254	4.70	U	4.70	25.1	ug/kg
37324-23-5	Aroclor-1262	7.40	U	7.40	25.1	ug/kg
11100-14-4	Aroclor-1268	5.30	U	5.30	25.1	ug/kg
11096-82-5	Aroclor-1260	4.80	U	4.80	25.1	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	16.9		32 - 144	85%	SPK: 20
2051-24-3	Decachlorobiphenyl	12.0		32 - 175	60%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Walsh Construction Company II, LLC		Date Collected:	07/01/25	
Project:	Construction of Shafts 17B-18B - PN 220084		Date Received:	07/01/25	
Client Sample ID:	G1(0-6)		SDG No.:	Q2487	
Lab Sample ID:	Q2487-15		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	80.7	Decanted:
Sample Wt/Vol:	30.04	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP073603.D	1	07/03/25 10:00	07/08/25 13:00	PB168724

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.90	U	4.90	21.0	ug/kg
11104-28-2	Aroclor-1221	5.00	U	5.00	21.0	ug/kg
11141-16-5	Aroclor-1232	4.60	U	4.60	21.0	ug/kg
53469-21-9	Aroclor-1242	5.00	U	5.00	21.0	ug/kg
12672-29-6	Aroclor-1248	7.30	U	7.30	21.0	ug/kg
11097-69-1	Aroclor-1254	169		4.00	21.0	ug/kg
37324-23-5	Aroclor-1262	6.20	U	6.20	21.0	ug/kg
11100-14-4	Aroclor-1268	44.7		4.50	21.0	ug/kg
11096-82-5	Aroclor-1260	130		4.00	21.0	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	21.6		32 - 144	108%	SPK: 20
2051-24-3	Decachlorobiphenyl	35.8	*	32 - 175	179%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

Report of Analysis

Client:	Walsh Construction Company II, LLC		Date Collected:	07/01/25	
Project:	Construction of Shafts 17B-18B - PN 220084		Date Received:	07/01/25	
Client Sample ID:	G1(6-12)		SDG No.:	Q2487	
Lab Sample ID:	Q2487-16		Matrix:	SOIL	
Analytical Method:	8082A		% Solid:	93.3	Decanted:
Sample Wt/Vol:	30.05	Units: g	Final Vol:	10000	uL
Soil Aliquot Vol:		uL	Test:	PCB	
Extraction Type:			Injection Volume :		
GPC Factor :	1.0	PH :			
Prep Method :	SW3541B				

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
PP073548.D	1	07/03/25 10:00	07/07/25 12:16	PB168724

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
12674-11-2	Aroclor-1016	4.20	U	4.20	18.2	ug/kg
11104-28-2	Aroclor-1221	4.30	U	4.30	18.2	ug/kg
11141-16-5	Aroclor-1232	4.00	U	4.00	18.2	ug/kg
53469-21-9	Aroclor-1242	4.30	U	4.30	18.2	ug/kg
12672-29-6	Aroclor-1248	6.30	U	6.30	18.2	ug/kg
11097-69-1	Aroclor-1254	3.40	U	3.40	18.2	ug/kg
37324-23-5	Aroclor-1262	5.40	U	5.40	18.2	ug/kg
11100-14-4	Aroclor-1268	3.90	U	3.90	18.2	ug/kg
11096-82-5	Aroclor-1260	3.50	U	3.50	18.2	ug/kg
SURROGATES						
877-09-8	Tetrachloro-m-xylene	14.4		30 - 150	72%	SPK: 20
2051-24-3	Decachlorobiphenyl	9.08		30 - 150	45%	SPK: 20

Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

LAB CHRONICLE

OrderID:	Q2487	OrderDate:	7/2/2025 10:05:00 AM
Client:	Walsh Construction Company II, LLC	Project:	Construction of Shafts 17B-18B - PN 220084
Contact:	Jesse A. Sylvestri	Location:	A22,A53,VOA Ref. #2 Soil

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2487-09	G4(0-6)	SOIL			07/01/25			07/01/25
			Pesticide-TCL	8081B		07/03/25	07/03/25	
			Diesel Range Organics	8015D		07/08/25	07/08/25	
			Gasoline Range Organics	8015D			07/09/25	
			PCB	8082A		07/03/25	07/07/25	
			EPH_NF	NJEPH		07/03/25	07/07/25	
Q2487-10	G4(6-12)	SOIL			07/01/25			07/01/25
			PCB	8082A		07/03/25	07/04/25	
			Pesticide-TCL	8081B		07/03/25	07/03/25	
			Diesel Range Organics	8015D		07/08/25	07/08/25	
			Gasoline Range Organics	8015D			07/09/25	
			EPH_NF	NJEPH		07/03/25	07/07/25	
Q2487-11	G3(0-6)	SOIL			07/01/25			07/01/25
			PCB	8082A		07/03/25	07/04/25	
			Diesel Range Organics	8015D		07/08/25	07/09/25	
			Gasoline Range Organics	8015D			07/09/25	
			Pesticide-TCL	8081B		07/03/25	07/07/25	
			EPH_NF	NJEPH		07/03/25	07/07/25	
			EPH_NF	NJEPH		07/03/25	07/08/25	
Q2487-11DL	G3(0-6)DL	Solid			07/01/25			07/01/25
			EPH_NF	NJEPH		07/03/25	07/08/25	
Q2487-12	G3(6-12)	SOIL			07/01/25			07/01/25
			PCB	8082A		07/03/25	07/04/25	
			Diesel Range Organics	8015D		07/08/25	07/08/25	
			Pesticide-TCL	8081B		07/03/25	07/07/25	
			EPH_NF	NJEPH		07/03/25	07/07/25	

LAB CHRONICLE

Q2487-13	G2(0-6)	SOIL			07/01/25			07/01/25
			PCB	8082A		07/03/25	07/04/25	
			Diesel Range Organics	8015D		07/08/25	07/09/25	
			Pesticide-TCL	8081B		07/03/25	07/07/25	
			EPH_NF	NJEPH		07/03/25	07/08/25	
			EPH_NF	NJEPH		07/03/25	07/07/25	
Q2487-14	G2(6-12)	SOIL			07/01/25			07/01/25
			PCB	8082A		07/03/25	07/04/25	
			Diesel Range Organics	8015D		07/08/25	07/09/25	
			Pesticide-TCL	8081B		07/03/25	07/07/25	
			EPH_NF	NJEPH		07/03/25	07/07/25	
			EPH_NF	NJEPH		07/03/25	07/08/25	
Q2487-15	G1(0-6)	SOIL			07/01/25			07/01/25
			Diesel Range Organics	8015D		07/08/25	07/09/25	
			PCB	8082A		07/03/25	07/08/25	
			Pesticide-TCL	8081B		07/03/25	07/07/25	
			EPH_NF	NJEPH		07/03/25	07/07/25	
			EPH_NF	NJEPH		07/03/25	07/08/25	
Q2487-15DL	G1(0-6)DL	Solid			07/01/25			07/01/25
			EPH_NF	NJEPH		07/03/25	07/08/25	
Q2487-16	G1(6-12)	SOIL			07/01/25			07/01/25
			Diesel Range Organics	8015D		07/08/25	07/09/25	
			PCB	8082A		07/03/25	07/07/25	
			Pesticide-TCL	8081B		07/03/25	07/07/25	
			EPH_NF	NJEPH		07/03/25	07/07/25	
			EPH_NF	NJEPH		07/03/25	07/08/25	
Q2487-16DL	G1(6-12)DL	Solid			07/01/25			07/01/25
			EPH_NF	NJEPH		07/03/25	07/08/25	