



|                       |                 |                             |                   |                   |
|-----------------------|-----------------|-----------------------------|-------------------|-------------------|
| <b>Lab Name:</b>      | <u>Alliance</u> | <b>Contract:</b>            | <u>WALS01</u>     |                   |
| <b>Lab Code:</b>      | <u>ACE</u>      | <b>SDG NO.:</b>             | <u>Q2487</u>      |                   |
| <b>Instrument ID:</b> | <u>ECD_D</u>    | <b>Calibration Date(s):</b> | <u>06/17/2025</u> | <u>06/17/2025</u> |
|                       |                 | <b>Calibration Times:</b>   | <u>15:52</u>      | <u>16:47</u>      |

|                     |          |                   |          |                   |
|---------------------|----------|-------------------|----------|-------------------|
| <b>LAB FILE ID:</b> | RT 100 = | <u>PD088993.D</u> | RT 075 = | <u>PD088994.D</u> |
| RT 050 = PD088995.D | RT 025 = | PD088996.D        | RT 005 = | PD088997.D        |

[illegible]



|                       |                 |                             |                   |                   |
|-----------------------|-----------------|-----------------------------|-------------------|-------------------|
| <b>Lab Name:</b>      | <u>Alliance</u> | <b>Contract:</b>            | <u>WALS01</u>     |                   |
| <b>Lab Code:</b>      | <u>ACE</u>      | <b>SDG NO.:</b>             | <u>Q2487</u>      |                   |
| <b>Instrument ID:</b> | <u>ECD_D</u>    | <b>Calibration Date(s):</b> | <u>06/17/2025</u> | <u>06/17/2025</u> |
|                       |                 | <b>Calibration Times:</b>   | <u>15:52</u>      | <u>16:47</u>      |

|                     |          |                   |          |                   |
|---------------------|----------|-------------------|----------|-------------------|
| <b>LAB FILE ID:</b> | RT 100 = | <u>PD088993.D</u> | RT 075 = | <u>PD088994.D</u> |
| RT 050 = PD088995.D | RT 025 = | PD088996.D        | RT 005 = | PD088997.D        |

[illegible]