

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF070725\
 Data File : BF143004.D
 Acq On : 07 Jul 2025 12:42
 Operator : RC/JU
 Sample : PB168722BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB168722BL

Quant Time: Jul 07 13:10:47 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF061925.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jun 24 05:28:21 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.875	152	69506	20.000	ng	0.00
21) Naphthalene-d8	8.157	136	264185	20.000	ng	-0.01
39) Acenaphthene-d10	9.916	164	142352	20.000	ng	0.00
64) Phenanthrene-d10	11.404	188	239046	20.000	ng	0.00
76) Chrysene-d12	14.051	240	129583	20.000	ng	0.00
86) Perylene-d12	15.551	264	142512	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.504	112	517823	124.038	ng	0.01
7) Phenol-d6	6.510	99	618901	125.656	ng	0.00
23) Nitrobenzene-d5	7.439	82	386568	80.260	ng	0.00
42) 2,4,6-Tribromophenol	10.710	330	181589	123.960	ng	0.00
45) 2-Fluorobiphenyl	9.233	172	862673	79.610	ng	-0.01
79) Terphenyl-d14	12.992	244	731241	77.970	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF070725\
Data File : BF143004.D
Acq On : 07 Jul 2025 12:42
Operator : RC/JU
Sample : PB168722BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB168722BL

Quant Time: Jul 07 13:10:47 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF061925.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jun 24 05:28:21 2025
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.875 min Scan# 797
 Delta R.T. -0.006 min
 Lab File: BF143004.D
 Acq: 07 Jul 2025 12:42




Instrument :
 BNA_F
 ClientSampleId :
 PB168722BL


Tgt Ion:152 Resp: 69506
 Ion Ratio Lower Upper
 152 100
 150 154.5 127.2 190.8
 115 57.7 46.6 69.8



#5
 2-Fluorophenol
 Concen: 124.038 ng
 RT: 5.504 min Scan# 563
 Delta R.T. 0.012 min
 Lab File: BF143004.D
 Acq: 07 Jul 2025 12:42

Tgt Ion:112 Resp: 517823
 Ion Ratio Lower Upper
 112 100
 64 58.2 48.2 72.2
 63 31.4 25.7 38.5









#7
Phenol-d6
Concen: 125.656 ng
RT: 6.510 min Scan# 71
Delta R.T. -0.000 min
Lab File: BF143004.D
Acq: 07 Jul 2025 12:42




Instrument :
BNA_F
ClientSampleId :
PB168722BL


Tgt Ion: 99 Resp: 618901
Ion Ratio Lower Upper
99 100
42 19.1 15.9 23.9
71 35.2 27.8 41.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.157 min Scan# 1014
Delta R.T. -0.012 min
Lab File: BF143004.D
Acq: 07 Jul 2025 12:42

Tgt Ion: 136 Resp: 264185
Ion Ratio Lower Upper
136 100
137 10.8 8.4 12.6
54 7.5 6.3 9.5
68 4.4 3.7 5.5





#23

Nitrobenzene-d5

Concen: 80.260 ng

RT: 7.439 min Scan# 89

Delta R.T. -0.006 min

Lab File: BF143004.D

Acq: 07 Jul 2025 12:42

Instrument :

BNA_F

ClientSampleId :

PB168722BL





Tgt Ion: 82 Resp: 386568

Ion Ratio Lower Upper

82 100

128 48.0 37.7 56.5

54 54.0 45.7 68.5



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.916 min Scan# 1313

Delta R.T. -0.006 min

Lab File: BF143004.D

Acq: 07 Jul 2025 12:42




Tgt Ion:164 Resp: 142352


Ion Ratio Lower Upper

164 100

162 101.9 81.8 122.8

160 44.5 36.0 54.0





#42

2,4,6-Tribromophenol

Concen: 123.960 ng

RT: 10.710 min Scan# 1449

Delta R.T. -0.006 min

Lab File: BF143004.D

Acq: 07 Jul 2025 12:42

Instrument :

BNA_F

ClientSampleId :

PB168722BL





Tgt Ion:330 Resp: 181589

Ion Ratio Lower Upper

330 100

332 95.8 75.0 112.6

141 30.5 25.3 37.9



#45

2-Fluorobiphenyl

Concen: 79.610 ng

RT: 9.233 min Scan# 1197

Delta R.T. -0.012 min

Lab File: BF143004.D

Acq: 07 Jul 2025 12:42




Tgt Ion:172 Resp: 862673


Ion Ratio Lower Upper

172 100

171 35.1 28.2 42.4

170 22.9 18.5 27.7





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.404 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF143004.D

Acq: 07 Jul 2025 12:42

Instrument :

BNA_F

ClientSampleId :

PB168722BL





Tgt Ion:188 Resp: 239046

Ion Ratio Lower Upper

188 100

94 8.2 6.7 10.1

80 8.7 6.9 10.3



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.051 min Scan# 2016

Delta R.T. -0.006 min

Lab File: BF143004.D

Acq: 07 Jul 2025 12:42




Tgt Ion:240 Resp: 129583


Ion Ratio Lower Upper

240 100

120 10.3 8.2 12.2

236 25.0 19.8 29.8









#79
 Terphenyl-d14
 Concen: 77.970 ng
 RT: 12.992 min Scan# 1836
 Delta R.T. -0.006 min
 Lab File: BF143004.D
 Acq: 07 Jul 2025 12:42

Instrument :
 BNA_F
 ClientSampleId :
 PB168722BL

Tgt Ion:244 Resp: 731241
 Ion Ratio Lower Upper
 244 100
 212 6.7 5.4 8.0
 122 10.9 8.2 12.2



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.551 min Scan# 2271
 Delta R.T. 0.006 min
 Lab File: BF143004.D
 Acq: 07 Jul 2025 12:42

Tgt Ion:264 Resp: 142512
 Ion Ratio Lower Upper
 264 100
 260 23.2 18.1 27.1
 265 21.1 16.6 25.0

