

## Report of Analysis

|                    |                                            |           |                    |                |           |
|--------------------|--------------------------------------------|-----------|--------------------|----------------|-----------|
| Client:            | Walsh Construction Company II, LLC         |           | Date Collected:    | 07/11/25       |           |
| Project:           | Construction of Shafts 17B-18B - PN 220084 |           | Date Received:     | 07/11/25       |           |
| Client Sample ID:  | PIBLK-PL096345.D                           |           | SDG No.:           | Q2489          |           |
| Lab Sample ID:     | I.BLK-PL096345.D                           |           | Matrix:            | WATER          |           |
| Analytical Method: | 8081B                                      |           | % Solid:           | 0              | Decanted: |
| Sample Wt/Vol:     | 1000                                       | Units: mL | Final Vol:         | 10000          | uL        |
| Soil Aliquot Vol:  |                                            | uL        | Test:              | SPLP Pesticide |           |
| Extraction Type:   |                                            |           | Injection Volume : |                |           |
| GPC Factor :       | 1.0                                        | PH :      |                    |                |           |
| Prep Method :      | 3510C                                      |           |                    |                |           |

|                   |           |           |               |               |
|-------------------|-----------|-----------|---------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed | Prep Batch ID |
| PL096345.D        | 1         |           | 07/11/25      | pl071125      |

| CAS Number        | Parameter            | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units   |
|-------------------|----------------------|--------|-----------|----------|------------|---------|
| <b>TARGETS</b>    |                      |        |           |          |            |         |
| 319-84-6          | alpha-BHC            | 0.0039 | U         | 0.0039   | 0.050      | ug/L    |
| 319-85-7          | beta-BHC             | 0.0049 | U         | 0.0049   | 0.050      | ug/L    |
| 319-86-8          | delta-BHC            | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 58-89-9           | gamma-BHC (Lindane)  | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 76-44-8           | Heptachlor           | 0.0027 | U         | 0.0027   | 0.050      | ug/L    |
| 309-00-2          | Aldrin               | 0.0036 | U         | 0.0036   | 0.050      | ug/L    |
| 1024-57-3         | Heptachlor epoxide   | 0.0096 | U         | 0.0096   | 0.050      | ug/L    |
| 959-98-8          | Endosulfan I         | 0.0031 | U         | 0.0031   | 0.050      | ug/L    |
| 60-57-1           | Dieldrin             | 0.0036 | U         | 0.0036   | 0.050      | ug/L    |
| 72-55-9           | 4,4-DDE              | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 72-20-8           | Endrin               | 0.0032 | U         | 0.0032   | 0.050      | ug/L    |
| 33213-65-9        | Endosulfan II        | 0.0079 | U         | 0.0079   | 0.050      | ug/L    |
| 72-54-8           | 4,4-DDD              | 0.0071 | U         | 0.0071   | 0.050      | ug/L    |
| 1031-07-8         | Endosulfan Sulfate   | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 50-29-3           | 4,4-DDT              | 0.0035 | U         | 0.0035   | 0.050      | ug/L    |
| 72-43-5           | Methoxychlor         | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 53494-70-5        | Endrin ketone        | 0.0093 | U         | 0.0093   | 0.050      | ug/L    |
| 7421-93-4         | Endrin aldehyde      | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 5103-71-9         | alpha-Chlordane      | 0.0035 | U         | 0.0035   | 0.050      | ug/L    |
| 5103-74-2         | gamma-Chlordane      | 0.0039 | U         | 0.0039   | 0.050      | ug/L    |
| 8001-35-2         | Toxaphene            | 0.17   | U         | 0.17     | 1.00       | ug/L    |
| 57-74-9           | Chlordane            | 0.088  | U         | 0.088    | 0.50       | ug/L    |
| <b>SURROGATES</b> |                      |        |           |          |            |         |
| 2051-24-3         | Decachlorobiphenyl   | 24.6   |           | 57 - 171 | 123%       | SPK: 20 |
| 877-09-8          | Tetrachloro-m-xylene | 21.6   |           | 61 - 148 | 108%       | SPK: 20 |

## Report of Analysis

|                    |                                            |           |                    |                |           |
|--------------------|--------------------------------------------|-----------|--------------------|----------------|-----------|
| Client:            | Walsh Construction Company II, LLC         |           | Date Collected:    | 07/11/25       |           |
| Project:           | Construction of Shafts 17B-18B - PN 220084 |           | Date Received:     | 07/11/25       |           |
| Client Sample ID:  | PIBLK-PL096345.D                           |           | SDG No.:           | Q2489          |           |
| Lab Sample ID:     | I.BLK-PL096345.D                           |           | Matrix:            | WATER          |           |
| Analytical Method: | 8081B                                      |           | % Solid:           | 0              | Decanted: |
| Sample Wt/Vol:     | 1000                                       | Units: mL | Final Vol:         | 10000          | uL        |
| Soil Aliquot Vol:  |                                            | uL        | Test:              | SPLP Pesticide |           |
| Extraction Type:   |                                            |           | Injection Volume : |                |           |
| GPC Factor :       | 1.0                                        | PH :      |                    |                |           |
| Prep Method :      | 3510C                                      |           |                    |                |           |

|                   |           |           |               |               |
|-------------------|-----------|-----------|---------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date | Date Analyzed | Prep Batch ID |
| PL096345.D        | 1         |           | 07/11/25      | pl071125      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

### Comments:

U = Not Detected  
 LOQ = Limit of Quantitation  
 MDL = Method Detection Limit  
 LOD = Limit of Detection  
 E = Value Exceeds Calibration Range  
 P = Indicates >25% difference for detected concentrations between the two GC columns  
 Q = indicates LCS control criteria did not meet requirements  
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value  
 B = Analyte Found in Associated Method Blank  
 N = Presumptive Evidence of a Compound  
 \* = Values outside of QC limits  
 D = Dilution  
 S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.  
 () = Laboratory InHouse Limit