



284 Sheffield Street, Mountainside, New Jersey 07092, Phone : 908 789 8900,  
Fax : 908 789 8922

Hit Summary Sheet  
SW-846

SDG No.:Q2489

Order ID:Q2489

Client:Walsh Construction Company II, LLC

Project ID:Construction of Shafts 17B-18B - PN 2

| Sample ID | Client ID | Matrix | Parameter | Concentration | C | MDL | RDL | Units |
|-----------|-----------|--------|-----------|---------------|---|-----|-----|-------|
|-----------|-----------|--------|-----------|---------------|---|-----|-----|-------|

Client ID :

Total Concentration:0.000

A  
B  
C  
D



# SAMPLE DATA

A

B

C

D

## Report of Analysis

|                    |                                            |           |                    |                |           |
|--------------------|--------------------------------------------|-----------|--------------------|----------------|-----------|
| Client:            | Walsh Construction Company II, LLC         |           | Date Collected:    |                |           |
| Project:           | Construction of Shafts 17B-18B - PN 220084 |           | Date Received:     | 07/09/25       |           |
| Client Sample ID:  | PB168789TB                                 |           | SDG No.:           | Q2489          |           |
| Lab Sample ID:     | PB168789TB                                 |           | Matrix:            | WATER          |           |
| Analytical Method: | 8081B                                      |           | % Solid:           | 0              | Decanted: |
| Sample Wt/Vol:     | 1000                                       | Units: mL | Final Vol:         | 10000          | uL        |
| Soil Aliquot Vol:  |                                            | uL        | Test:              | SPLP Pesticide |           |
| Extraction Type:   |                                            |           | Injection Volume : |                |           |
| GPC Factor :       | 1.0                                        | PH :      |                    |                |           |
| Prep Method :      | 3510C                                      |           |                    |                |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PL096322.D        | 1         | 07/09/25 11:39 | 07/10/25 19:22 | PB168789      |

| CAS Number        | Parameter            | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units   |
|-------------------|----------------------|--------|-----------|----------|------------|---------|
| <b>TARGETS</b>    |                      |        |           |          |            |         |
| 319-84-6          | alpha-BHC            | 0.0039 | U         | 0.0039   | 0.050      | ug/L    |
| 319-85-7          | beta-BHC             | 0.0049 | U         | 0.0049   | 0.050      | ug/L    |
| 319-86-8          | delta-BHC            | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 58-89-9           | gamma-BHC (Lindane)  | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 76-44-8           | Heptachlor           | 0.0027 | U         | 0.0027   | 0.050      | ug/L    |
| 309-00-2          | Aldrin               | 0.0036 | U         | 0.0036   | 0.050      | ug/L    |
| 1024-57-3         | Heptachlor epoxide   | 0.0096 | U         | 0.0096   | 0.050      | ug/L    |
| 959-98-8          | Endosulfan I         | 0.0031 | U         | 0.0031   | 0.050      | ug/L    |
| 60-57-1           | Dieldrin             | 0.0036 | U         | 0.0036   | 0.050      | ug/L    |
| 72-55-9           | 4,4-DDE              | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 72-20-8           | Endrin               | 0.0032 | U         | 0.0032   | 0.050      | ug/L    |
| 33213-65-9        | Endosulfan II        | 0.0079 | U         | 0.0079   | 0.050      | ug/L    |
| 72-54-8           | 4,4-DDD              | 0.0071 | U         | 0.0071   | 0.050      | ug/L    |
| 1031-07-8         | Endosulfan Sulfate   | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 50-29-3           | 4,4-DDT              | 0.0035 | U         | 0.0035   | 0.050      | ug/L    |
| 72-43-5           | Methoxychlor         | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 53494-70-5        | Endrin ketone        | 0.0093 | U         | 0.0093   | 0.050      | ug/L    |
| 7421-93-4         | Endrin aldehyde      | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 5103-71-9         | alpha-Chlordane      | 0.0035 | U         | 0.0035   | 0.050      | ug/L    |
| 5103-74-2         | gamma-Chlordane      | 0.0039 | U         | 0.0039   | 0.050      | ug/L    |
| 8001-35-2         | Toxaphene            | 0.17   | U         | 0.17     | 1.00       | ug/L    |
| 57-74-9           | Chlordane            | 0.088  | U         | 0.088    | 0.50       | ug/L    |
| <b>SURROGATES</b> |                      |        |           |          |            |         |
| 2051-24-3         | Decachlorobiphenyl   | 20.9   |           | 57 - 171 | 104%       | SPK: 20 |
| 877-09-8          | Tetrachloro-m-xylene | 19.0   |           | 61 - 148 | 95%        | SPK: 20 |

## Report of Analysis

|                    |                                            |           |                    |                |           |
|--------------------|--------------------------------------------|-----------|--------------------|----------------|-----------|
| Client:            | Walsh Construction Company II, LLC         |           | Date Collected:    |                |           |
| Project:           | Construction of Shafts 17B-18B - PN 220084 |           | Date Received:     | 07/09/25       |           |
| Client Sample ID:  | PB168789TB                                 |           | SDG No.:           | Q2489          |           |
| Lab Sample ID:     | PB168789TB                                 |           | Matrix:            | WATER          |           |
| Analytical Method: | 8081B                                      |           | % Solid:           | 0              | Decanted: |
| Sample Wt/Vol:     | 1000                                       | Units: mL | Final Vol:         | 10000          | uL        |
| Soil Aliquot Vol:  |                                            | uL        | Test:              | SPLP Pesticide |           |
| Extraction Type:   |                                            |           | Injection Volume : |                |           |
| GPC Factor :       | 1.0                                        | PH :      |                    |                |           |
| Prep Method :      | 3510C                                      |           |                    |                |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PL096322.D        | 1         | 07/09/25 11:39 | 07/10/25 19:22 | PB168789      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

|                    |                                            |           |                    |                |           |
|--------------------|--------------------------------------------|-----------|--------------------|----------------|-----------|
| Client:            | Walsh Construction Company II, LLC         |           | Date Collected:    | 07/01/25       |           |
| Project:           | Construction of Shafts 17B-18B - PN 220084 |           | Date Received:     | 07/01/25       |           |
| Client Sample ID:  | G4(0-6)                                    |           | SDG No.:           | Q2489          |           |
| Lab Sample ID:     | Q2489-01                                   |           | Matrix:            | WATER          |           |
| Analytical Method: | 8081B                                      |           | % Solid:           | 0              | Decanted: |
| Sample Wt/Vol:     | 1000                                       | Units: mL | Final Vol:         | 10000          | uL        |
| Soil Aliquot Vol:  |                                            | uL        | Test:              | SPLP Pesticide |           |
| Extraction Type:   |                                            |           | Injection Volume : |                |           |
| GPC Factor :       | 1.0                                        | PH :      |                    |                |           |
| Prep Method :      | 3510C                                      |           |                    |                |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PL096342.D        | 1         | 07/09/25 11:39 | 07/11/25 15:40 | PB168789      |

| CAS Number        | Parameter            | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units   |
|-------------------|----------------------|--------|-----------|----------|------------|---------|
| <b>TARGETS</b>    |                      |        |           |          |            |         |
| 319-84-6          | alpha-BHC            | 0.0039 | U         | 0.0039   | 0.050      | ug/L    |
| 319-85-7          | beta-BHC             | 0.0049 | U         | 0.0049   | 0.050      | ug/L    |
| 319-86-8          | delta-BHC            | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 58-89-9           | gamma-BHC (Lindane)  | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 76-44-8           | Heptachlor           | 0.0027 | U         | 0.0027   | 0.050      | ug/L    |
| 309-00-2          | Aldrin               | 0.0036 | U         | 0.0036   | 0.050      | ug/L    |
| 1024-57-3         | Heptachlor epoxide   | 0.0096 | U         | 0.0096   | 0.050      | ug/L    |
| 959-98-8          | Endosulfan I         | 0.0031 | U         | 0.0031   | 0.050      | ug/L    |
| 60-57-1           | Dieldrin             | 0.0036 | U         | 0.0036   | 0.050      | ug/L    |
| 72-55-9           | 4,4-DDE              | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 72-20-8           | Endrin               | 0.0032 | U         | 0.0032   | 0.050      | ug/L    |
| 33213-65-9        | Endosulfan II        | 0.0079 | U         | 0.0079   | 0.050      | ug/L    |
| 72-54-8           | 4,4-DDD              | 0.0071 | U         | 0.0071   | 0.050      | ug/L    |
| 1031-07-8         | Endosulfan Sulfate   | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 50-29-3           | 4,4-DDT              | 0.0035 | U         | 0.0035   | 0.050      | ug/L    |
| 72-43-5           | Methoxychlor         | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 53494-70-5        | Endrin ketone        | 0.0093 | U         | 0.0093   | 0.050      | ug/L    |
| 7421-93-4         | Endrin aldehyde      | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 5103-71-9         | alpha-Chlordane      | 0.0035 | U         | 0.0035   | 0.050      | ug/L    |
| 5103-74-2         | gamma-Chlordane      | 0.0039 | U         | 0.0039   | 0.050      | ug/L    |
| 8001-35-2         | Toxaphene            | 0.17   | U         | 0.17     | 1.00       | ug/L    |
| 57-74-9           | Chlordane            | 0.088  | U         | 0.088    | 0.50       | ug/L    |
| <b>SURROGATES</b> |                      |        |           |          |            |         |
| 2051-24-3         | Decachlorobiphenyl   | 24.3   |           | 57 - 171 | 121%       | SPK: 20 |
| 877-09-8          | Tetrachloro-m-xylene | 19.2   |           | 61 - 148 | 96%        | SPK: 20 |

## Report of Analysis

|                    |                                            |           |                    |                |           |
|--------------------|--------------------------------------------|-----------|--------------------|----------------|-----------|
| Client:            | Walsh Construction Company II, LLC         |           | Date Collected:    | 07/01/25       |           |
| Project:           | Construction of Shafts 17B-18B - PN 220084 |           | Date Received:     | 07/01/25       |           |
| Client Sample ID:  | G4(0-6)                                    |           | SDG No.:           | Q2489          |           |
| Lab Sample ID:     | Q2489-01                                   |           | Matrix:            | WATER          |           |
| Analytical Method: | 8081B                                      |           | % Solid:           | 0              | Decanted: |
| Sample Wt/Vol:     | 1000                                       | Units: mL | Final Vol:         | 10000          | uL        |
| Soil Aliquot Vol:  |                                            | uL        | Test:              | SPLP Pesticide |           |
| Extraction Type:   |                                            |           | Injection Volume : |                |           |
| GPC Factor :       | 1.0                                        | PH :      |                    |                |           |
| Prep Method :      | 3510C                                      |           |                    |                |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PL096342.D        | 1         | 07/09/25 11:39 | 07/11/25 15:40 | PB168789      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

|                    |                                            |           |                    |                |           |
|--------------------|--------------------------------------------|-----------|--------------------|----------------|-----------|
| Client:            | Walsh Construction Company II, LLC         |           | Date Collected:    | 07/01/25       |           |
| Project:           | Construction of Shafts 17B-18B - PN 220084 |           | Date Received:     | 07/01/25       |           |
| Client Sample ID:  | G4(6-12)                                   |           | SDG No.:           | Q2489          |           |
| Lab Sample ID:     | Q2489-02                                   |           | Matrix:            | WATER          |           |
| Analytical Method: | 8081B                                      |           | % Solid:           | 0              | Decanted: |
| Sample Wt/Vol:     | 1000                                       | Units: mL | Final Vol:         | 10000          | uL        |
| Soil Aliquot Vol:  |                                            | uL        | Test:              | SPLP Pesticide |           |
| Extraction Type:   |                                            |           | Injection Volume : |                |           |
| GPC Factor :       | 1.0                                        | PH :      |                    |                |           |
| Prep Method :      | 3510C                                      |           |                    |                |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PL096329.D        | 1         | 07/09/25 11:39 | 07/10/25 21:11 | PB168789      |

| CAS Number        | Parameter            | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units   |
|-------------------|----------------------|--------|-----------|----------|------------|---------|
| <b>TARGETS</b>    |                      |        |           |          |            |         |
| 319-84-6          | alpha-BHC            | 0.0039 | U         | 0.0039   | 0.050      | ug/L    |
| 319-85-7          | beta-BHC             | 0.0049 | U         | 0.0049   | 0.050      | ug/L    |
| 319-86-8          | delta-BHC            | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 58-89-9           | gamma-BHC (Lindane)  | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 76-44-8           | Heptachlor           | 0.0027 | U         | 0.0027   | 0.050      | ug/L    |
| 309-00-2          | Aldrin               | 0.0036 | U         | 0.0036   | 0.050      | ug/L    |
| 1024-57-3         | Heptachlor epoxide   | 0.0096 | U         | 0.0096   | 0.050      | ug/L    |
| 959-98-8          | Endosulfan I         | 0.0031 | U         | 0.0031   | 0.050      | ug/L    |
| 60-57-1           | Dieldrin             | 0.0036 | U         | 0.0036   | 0.050      | ug/L    |
| 72-55-9           | 4,4-DDE              | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 72-20-8           | Endrin               | 0.0032 | U         | 0.0032   | 0.050      | ug/L    |
| 33213-65-9        | Endosulfan II        | 0.0079 | U         | 0.0079   | 0.050      | ug/L    |
| 72-54-8           | 4,4-DDD              | 0.0071 | U         | 0.0071   | 0.050      | ug/L    |
| 1031-07-8         | Endosulfan Sulfate   | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 50-29-3           | 4,4-DDT              | 0.0035 | U         | 0.0035   | 0.050      | ug/L    |
| 72-43-5           | Methoxychlor         | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 53494-70-5        | Endrin ketone        | 0.0093 | U         | 0.0093   | 0.050      | ug/L    |
| 7421-93-4         | Endrin aldehyde      | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 5103-71-9         | alpha-Chlordane      | 0.0035 | U         | 0.0035   | 0.050      | ug/L    |
| 5103-74-2         | gamma-Chlordane      | 0.0039 | U         | 0.0039   | 0.050      | ug/L    |
| 8001-35-2         | Toxaphene            | 0.17   | U         | 0.17     | 1.00       | ug/L    |
| 57-74-9           | Chlordane            | 0.088  | U         | 0.088    | 0.50       | ug/L    |
| <b>SURROGATES</b> |                      |        |           |          |            |         |
| 2051-24-3         | Decachlorobiphenyl   | 16.0   |           | 57 - 171 | 80%        | SPK: 20 |
| 877-09-8          | Tetrachloro-m-xylene | 17.4   |           | 61 - 148 | 87%        | SPK: 20 |

## Report of Analysis

|                    |                                            |           |                    |                |           |
|--------------------|--------------------------------------------|-----------|--------------------|----------------|-----------|
| Client:            | Walsh Construction Company II, LLC         |           | Date Collected:    | 07/01/25       |           |
| Project:           | Construction of Shafts 17B-18B - PN 220084 |           | Date Received:     | 07/01/25       |           |
| Client Sample ID:  | G4(6-12)                                   |           | SDG No.:           | Q2489          |           |
| Lab Sample ID:     | Q2489-02                                   |           | Matrix:            | WATER          |           |
| Analytical Method: | 8081B                                      |           | % Solid:           | 0              | Decanted: |
| Sample Wt/Vol:     | 1000                                       | Units: mL | Final Vol:         | 10000          | uL        |
| Soil Aliquot Vol:  |                                            | uL        | Test:              | SPLP Pesticide |           |
| Extraction Type:   |                                            |           | Injection Volume : |                |           |
| GPC Factor :       | 1.0                                        | PH :      |                    |                |           |
| Prep Method :      | 3510C                                      |           |                    |                |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PL096329.D        | 1         | 07/09/25 11:39 | 07/10/25 21:11 | PB168789      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

|                    |                                            |           |                    |                |           |
|--------------------|--------------------------------------------|-----------|--------------------|----------------|-----------|
| Client:            | Walsh Construction Company II, LLC         |           | Date Collected:    | 07/01/25       |           |
| Project:           | Construction of Shafts 17B-18B - PN 220084 |           | Date Received:     | 07/01/25       |           |
| Client Sample ID:  | G3(0-6)                                    |           | SDG No.:           | Q2489          |           |
| Lab Sample ID:     | Q2489-03                                   |           | Matrix:            | WATER          |           |
| Analytical Method: | 8081B                                      |           | % Solid:           | 0              | Decanted: |
| Sample Wt/Vol:     | 1000                                       | Units: mL | Final Vol:         | 10000          | uL        |
| Soil Aliquot Vol:  |                                            | uL        | Test:              | SPLP Pesticide |           |
| Extraction Type:   |                                            |           | Injection Volume : |                |           |
| GPC Factor :       | 1.0                                        | PH :      |                    |                |           |
| Prep Method :      | 3510C                                      |           |                    |                |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PL096330.D        | 1         | 07/09/25 11:39 | 07/10/25 21:25 | PB168789      |

| CAS Number        | Parameter            | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units   |
|-------------------|----------------------|--------|-----------|----------|------------|---------|
| <b>TARGETS</b>    |                      |        |           |          |            |         |
| 319-84-6          | alpha-BHC            | 0.0039 | U         | 0.0039   | 0.050      | ug/L    |
| 319-85-7          | beta-BHC             | 0.0049 | U         | 0.0049   | 0.050      | ug/L    |
| 319-86-8          | delta-BHC            | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 58-89-9           | gamma-BHC (Lindane)  | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 76-44-8           | Heptachlor           | 0.0027 | U         | 0.0027   | 0.050      | ug/L    |
| 309-00-2          | Aldrin               | 0.0036 | U         | 0.0036   | 0.050      | ug/L    |
| 1024-57-3         | Heptachlor epoxide   | 0.0096 | U         | 0.0096   | 0.050      | ug/L    |
| 959-98-8          | Endosulfan I         | 0.0031 | U         | 0.0031   | 0.050      | ug/L    |
| 60-57-1           | Dieldrin             | 0.0036 | U         | 0.0036   | 0.050      | ug/L    |
| 72-55-9           | 4,4-DDE              | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 72-20-8           | Endrin               | 0.0032 | U         | 0.0032   | 0.050      | ug/L    |
| 33213-65-9        | Endosulfan II        | 0.0079 | U         | 0.0079   | 0.050      | ug/L    |
| 72-54-8           | 4,4-DDD              | 0.0071 | U         | 0.0071   | 0.050      | ug/L    |
| 1031-07-8         | Endosulfan Sulfate   | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 50-29-3           | 4,4-DDT              | 0.0035 | U         | 0.0035   | 0.050      | ug/L    |
| 72-43-5           | Methoxychlor         | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 53494-70-5        | Endrin ketone        | 0.0093 | U         | 0.0093   | 0.050      | ug/L    |
| 7421-93-4         | Endrin aldehyde      | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 5103-71-9         | alpha-Chlordane      | 0.0035 | U         | 0.0035   | 0.050      | ug/L    |
| 5103-74-2         | gamma-Chlordane      | 0.0039 | U         | 0.0039   | 0.050      | ug/L    |
| 8001-35-2         | Toxaphene            | 0.17   | U         | 0.17     | 1.00       | ug/L    |
| 57-74-9           | Chlordane            | 0.088  | U         | 0.088    | 0.50       | ug/L    |
| <b>SURROGATES</b> |                      |        |           |          |            |         |
| 2051-24-3         | Decachlorobiphenyl   | 18.1   |           | 57 - 171 | 91%        | SPK: 20 |
| 877-09-8          | Tetrachloro-m-xylene | 18.5   |           | 61 - 148 | 93%        | SPK: 20 |

## Report of Analysis

|                    |                                            |           |                    |                |           |
|--------------------|--------------------------------------------|-----------|--------------------|----------------|-----------|
| Client:            | Walsh Construction Company II, LLC         |           | Date Collected:    | 07/01/25       |           |
| Project:           | Construction of Shafts 17B-18B - PN 220084 |           | Date Received:     | 07/01/25       |           |
| Client Sample ID:  | G3(0-6)                                    |           | SDG No.:           | Q2489          |           |
| Lab Sample ID:     | Q2489-03                                   |           | Matrix:            | WATER          |           |
| Analytical Method: | 8081B                                      |           | % Solid:           | 0              | Decanted: |
| Sample Wt/Vol:     | 1000                                       | Units: mL | Final Vol:         | 10000          | uL        |
| Soil Aliquot Vol:  |                                            | uL        | Test:              | SPLP Pesticide |           |
| Extraction Type:   |                                            |           | Injection Volume : |                |           |
| GPC Factor :       | 1.0                                        | PH :      |                    |                |           |
| Prep Method :      | 3510C                                      |           |                    |                |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PL096330.D        | 1         | 07/09/25 11:39 | 07/10/25 21:25 | PB168789      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

|                    |                                            |           |                    |                |           |
|--------------------|--------------------------------------------|-----------|--------------------|----------------|-----------|
| Client:            | Walsh Construction Company II, LLC         |           | Date Collected:    | 07/01/25       |           |
| Project:           | Construction of Shafts 17B-18B - PN 220084 |           | Date Received:     | 07/01/25       |           |
| Client Sample ID:  | G3(6-12)                                   |           | SDG No.:           | Q2489          |           |
| Lab Sample ID:     | Q2489-04                                   |           | Matrix:            | WATER          |           |
| Analytical Method: | 8081B                                      |           | % Solid:           | 0              | Decanted: |
| Sample Wt/Vol:     | 1000                                       | Units: mL | Final Vol:         | 10000          | uL        |
| Soil Aliquot Vol:  |                                            | uL        | Test:              | SPLP Pesticide |           |
| Extraction Type:   |                                            |           | Injection Volume : |                |           |
| GPC Factor :       | 1.0                                        | PH :      |                    |                |           |
| Prep Method :      | 3510C                                      |           |                    |                |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PL096331.D        | 1         | 07/09/25 11:39 | 07/10/25 21:39 | PB168789      |

| CAS Number        | Parameter            | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units   |
|-------------------|----------------------|--------|-----------|----------|------------|---------|
| <b>TARGETS</b>    |                      |        |           |          |            |         |
| 319-84-6          | alpha-BHC            | 0.0039 | U         | 0.0039   | 0.050      | ug/L    |
| 319-85-7          | beta-BHC             | 0.0049 | U         | 0.0049   | 0.050      | ug/L    |
| 319-86-8          | delta-BHC            | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 58-89-9           | gamma-BHC (Lindane)  | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 76-44-8           | Heptachlor           | 0.0027 | U         | 0.0027   | 0.050      | ug/L    |
| 309-00-2          | Aldrin               | 0.0036 | U         | 0.0036   | 0.050      | ug/L    |
| 1024-57-3         | Heptachlor epoxide   | 0.0096 | U         | 0.0096   | 0.050      | ug/L    |
| 959-98-8          | Endosulfan I         | 0.0031 | U         | 0.0031   | 0.050      | ug/L    |
| 60-57-1           | Dieldrin             | 0.0036 | U         | 0.0036   | 0.050      | ug/L    |
| 72-55-9           | 4,4-DDE              | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 72-20-8           | Endrin               | 0.0032 | U         | 0.0032   | 0.050      | ug/L    |
| 33213-65-9        | Endosulfan II        | 0.0079 | U         | 0.0079   | 0.050      | ug/L    |
| 72-54-8           | 4,4-DDD              | 0.0071 | U         | 0.0071   | 0.050      | ug/L    |
| 1031-07-8         | Endosulfan Sulfate   | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 50-29-3           | 4,4-DDT              | 0.0035 | U         | 0.0035   | 0.050      | ug/L    |
| 72-43-5           | Methoxychlor         | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 53494-70-5        | Endrin ketone        | 0.0093 | U         | 0.0093   | 0.050      | ug/L    |
| 7421-93-4         | Endrin aldehyde      | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 5103-71-9         | alpha-Chlordane      | 0.0035 | U         | 0.0035   | 0.050      | ug/L    |
| 5103-74-2         | gamma-Chlordane      | 0.0039 | U         | 0.0039   | 0.050      | ug/L    |
| 8001-35-2         | Toxaphene            | 0.17   | U         | 0.17     | 1.00       | ug/L    |
| 57-74-9           | Chlordane            | 0.088  | U         | 0.088    | 0.50       | ug/L    |
| <b>SURROGATES</b> |                      |        |           |          |            |         |
| 2051-24-3         | Decachlorobiphenyl   | 22.1   |           | 57 - 171 | 111%       | SPK: 20 |
| 877-09-8          | Tetrachloro-m-xylene | 17.1   |           | 61 - 148 | 86%        | SPK: 20 |

## Report of Analysis

|                    |                                            |           |                    |                |           |
|--------------------|--------------------------------------------|-----------|--------------------|----------------|-----------|
| Client:            | Walsh Construction Company II, LLC         |           | Date Collected:    | 07/01/25       |           |
| Project:           | Construction of Shafts 17B-18B - PN 220084 |           | Date Received:     | 07/01/25       |           |
| Client Sample ID:  | G3(6-12)                                   |           | SDG No.:           | Q2489          |           |
| Lab Sample ID:     | Q2489-04                                   |           | Matrix:            | WATER          |           |
| Analytical Method: | 8081B                                      |           | % Solid:           | 0              | Decanted: |
| Sample Wt/Vol:     | 1000                                       | Units: mL | Final Vol:         | 10000          | uL        |
| Soil Aliquot Vol:  |                                            | uL        | Test:              | SPLP Pesticide |           |
| Extraction Type:   |                                            |           | Injection Volume : |                |           |
| GPC Factor :       | 1.0                                        | PH :      |                    |                |           |
| Prep Method :      | 3510C                                      |           |                    |                |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PL096331.D        | 1         | 07/09/25 11:39 | 07/10/25 21:39 | PB168789      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

|                    |                                            |           |                    |                |           |
|--------------------|--------------------------------------------|-----------|--------------------|----------------|-----------|
| Client:            | Walsh Construction Company II, LLC         |           | Date Collected:    | 07/01/25       |           |
| Project:           | Construction of Shafts 17B-18B - PN 220084 |           | Date Received:     | 07/01/25       |           |
| Client Sample ID:  | G2(0-6)                                    |           | SDG No.:           | Q2489          |           |
| Lab Sample ID:     | Q2489-05                                   |           | Matrix:            | WATER          |           |
| Analytical Method: | 8081B                                      |           | % Solid:           | 0              | Decanted: |
| Sample Wt/Vol:     | 1000                                       | Units: mL | Final Vol:         | 10000          | uL        |
| Soil Aliquot Vol:  |                                            | uL        | Test:              | SPLP Pesticide |           |
| Extraction Type:   |                                            |           | Injection Volume : |                |           |
| GPC Factor :       | 1.0                                        | PH :      |                    |                |           |
| Prep Method :      | 3510C                                      |           |                    |                |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PL096332.D        | 1         | 07/09/25 11:39 | 07/10/25 21:52 | PB168789      |

| CAS Number        | Parameter            | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units   |
|-------------------|----------------------|--------|-----------|----------|------------|---------|
| <b>TARGETS</b>    |                      |        |           |          |            |         |
| 319-84-6          | alpha-BHC            | 0.0039 | U         | 0.0039   | 0.050      | ug/L    |
| 319-85-7          | beta-BHC             | 0.0049 | U         | 0.0049   | 0.050      | ug/L    |
| 319-86-8          | delta-BHC            | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 58-89-9           | gamma-BHC (Lindane)  | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 76-44-8           | Heptachlor           | 0.0027 | U         | 0.0027   | 0.050      | ug/L    |
| 309-00-2          | Aldrin               | 0.0036 | U         | 0.0036   | 0.050      | ug/L    |
| 1024-57-3         | Heptachlor epoxide   | 0.0096 | U         | 0.0096   | 0.050      | ug/L    |
| 959-98-8          | Endosulfan I         | 0.0031 | U         | 0.0031   | 0.050      | ug/L    |
| 60-57-1           | Dieldrin             | 0.0036 | U         | 0.0036   | 0.050      | ug/L    |
| 72-55-9           | 4,4-DDE              | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 72-20-8           | Endrin               | 0.0032 | U         | 0.0032   | 0.050      | ug/L    |
| 33213-65-9        | Endosulfan II        | 0.0079 | U         | 0.0079   | 0.050      | ug/L    |
| 72-54-8           | 4,4-DDD              | 0.0071 | U         | 0.0071   | 0.050      | ug/L    |
| 1031-07-8         | Endosulfan Sulfate   | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 50-29-3           | 4,4-DDT              | 0.0035 | U         | 0.0035   | 0.050      | ug/L    |
| 72-43-5           | Methoxychlor         | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 53494-70-5        | Endrin ketone        | 0.0093 | U         | 0.0093   | 0.050      | ug/L    |
| 7421-93-4         | Endrin aldehyde      | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 5103-71-9         | alpha-Chlordane      | 0.0035 | U         | 0.0035   | 0.050      | ug/L    |
| 5103-74-2         | gamma-Chlordane      | 0.0039 | U         | 0.0039   | 0.050      | ug/L    |
| 8001-35-2         | Toxaphene            | 0.17   | U         | 0.17     | 1.00       | ug/L    |
| 57-74-9           | Chlordane            | 0.088  | U         | 0.088    | 0.50       | ug/L    |
| <b>SURROGATES</b> |                      |        |           |          |            |         |
| 2051-24-3         | Decachlorobiphenyl   | 14.4   |           | 57 - 171 | 72%        | SPK: 20 |
| 877-09-8          | Tetrachloro-m-xylene | 18.5   |           | 61 - 148 | 92%        | SPK: 20 |

## Report of Analysis

|                    |                                            |           |                    |                |           |
|--------------------|--------------------------------------------|-----------|--------------------|----------------|-----------|
| Client:            | Walsh Construction Company II, LLC         |           | Date Collected:    | 07/01/25       |           |
| Project:           | Construction of Shafts 17B-18B - PN 220084 |           | Date Received:     | 07/01/25       |           |
| Client Sample ID:  | G2(0-6)                                    |           | SDG No.:           | Q2489          |           |
| Lab Sample ID:     | Q2489-05                                   |           | Matrix:            | WATER          |           |
| Analytical Method: | 8081B                                      |           | % Solid:           | 0              | Decanted: |
| Sample Wt/Vol:     | 1000                                       | Units: mL | Final Vol:         | 10000          | uL        |
| Soil Aliquot Vol:  |                                            | uL        | Test:              | SPLP Pesticide |           |
| Extraction Type:   |                                            |           | Injection Volume : |                |           |
| GPC Factor :       | 1.0                                        | PH :      |                    |                |           |
| Prep Method :      | 3510C                                      |           |                    |                |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PL096332.D        | 1         | 07/09/25 11:39 | 07/10/25 21:52 | PB168789      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

|                    |                                            |           |                    |                |           |
|--------------------|--------------------------------------------|-----------|--------------------|----------------|-----------|
| Client:            | Walsh Construction Company II, LLC         |           | Date Collected:    | 07/01/25       |           |
| Project:           | Construction of Shafts 17B-18B - PN 220084 |           | Date Received:     | 07/01/25       |           |
| Client Sample ID:  | G2(6-12)                                   |           | SDG No.:           | Q2489          |           |
| Lab Sample ID:     | Q2489-06                                   |           | Matrix:            | WATER          |           |
| Analytical Method: | 8081B                                      |           | % Solid:           | 0              | Decanted: |
| Sample Wt/Vol:     | 1000                                       | Units: mL | Final Vol:         | 10000          | uL        |
| Soil Aliquot Vol:  |                                            | uL        | Test:              | SPLP Pesticide |           |
| Extraction Type:   |                                            |           | Injection Volume : |                |           |
| GPC Factor :       | 1.0                                        | PH :      |                    |                |           |
| Prep Method :      | 3510C                                      |           |                    |                |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PL096333.D        | 1         | 07/09/25 11:39 | 07/10/25 22:06 | PB168789      |

| CAS Number        | Parameter            | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units   |
|-------------------|----------------------|--------|-----------|----------|------------|---------|
| <b>TARGETS</b>    |                      |        |           |          |            |         |
| 319-84-6          | alpha-BHC            | 0.0039 | U         | 0.0039   | 0.050      | ug/L    |
| 319-85-7          | beta-BHC             | 0.0049 | U         | 0.0049   | 0.050      | ug/L    |
| 319-86-8          | delta-BHC            | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 58-89-9           | gamma-BHC (Lindane)  | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 76-44-8           | Heptachlor           | 0.0027 | U         | 0.0027   | 0.050      | ug/L    |
| 309-00-2          | Aldrin               | 0.0036 | U         | 0.0036   | 0.050      | ug/L    |
| 1024-57-3         | Heptachlor epoxide   | 0.0096 | U         | 0.0096   | 0.050      | ug/L    |
| 959-98-8          | Endosulfan I         | 0.0031 | U         | 0.0031   | 0.050      | ug/L    |
| 60-57-1           | Dieldrin             | 0.0036 | U         | 0.0036   | 0.050      | ug/L    |
| 72-55-9           | 4,4-DDE              | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 72-20-8           | Endrin               | 0.0032 | U         | 0.0032   | 0.050      | ug/L    |
| 33213-65-9        | Endosulfan II        | 0.0079 | U         | 0.0079   | 0.050      | ug/L    |
| 72-54-8           | 4,4-DDD              | 0.0071 | U         | 0.0071   | 0.050      | ug/L    |
| 1031-07-8         | Endosulfan Sulfate   | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 50-29-3           | 4,4-DDT              | 0.0035 | U         | 0.0035   | 0.050      | ug/L    |
| 72-43-5           | Methoxychlor         | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 53494-70-5        | Endrin ketone        | 0.0093 | U         | 0.0093   | 0.050      | ug/L    |
| 7421-93-4         | Endrin aldehyde      | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 5103-71-9         | alpha-Chlordane      | 0.0035 | U         | 0.0035   | 0.050      | ug/L    |
| 5103-74-2         | gamma-Chlordane      | 0.0039 | U         | 0.0039   | 0.050      | ug/L    |
| 8001-35-2         | Toxaphene            | 0.17   | U         | 0.17     | 1.00       | ug/L    |
| 57-74-9           | Chlordane            | 0.088  | U         | 0.088    | 0.50       | ug/L    |
| <b>SURROGATES</b> |                      |        |           |          |            |         |
| 2051-24-3         | Decachlorobiphenyl   | 12.5   |           | 57 - 171 | 62%        | SPK: 20 |
| 877-09-8          | Tetrachloro-m-xylene | 18.3   |           | 61 - 148 | 91%        | SPK: 20 |

## Report of Analysis

|                    |                                            |           |                    |                |           |
|--------------------|--------------------------------------------|-----------|--------------------|----------------|-----------|
| Client:            | Walsh Construction Company II, LLC         |           | Date Collected:    | 07/01/25       |           |
| Project:           | Construction of Shafts 17B-18B - PN 220084 |           | Date Received:     | 07/01/25       |           |
| Client Sample ID:  | G2(6-12)                                   |           | SDG No.:           | Q2489          |           |
| Lab Sample ID:     | Q2489-06                                   |           | Matrix:            | WATER          |           |
| Analytical Method: | 8081B                                      |           | % Solid:           | 0              | Decanted: |
| Sample Wt/Vol:     | 1000                                       | Units: mL | Final Vol:         | 10000          | uL        |
| Soil Aliquot Vol:  |                                            | uL        | Test:              | SPLP Pesticide |           |
| Extraction Type:   |                                            |           | Injection Volume : |                |           |
| GPC Factor :       | 1.0                                        | PH :      |                    |                |           |
| Prep Method :      | 3510C                                      |           |                    |                |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PL096333.D        | 1         | 07/09/25 11:39 | 07/10/25 22:06 | PB168789      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

|                    |                                            |           |                    |                |           |
|--------------------|--------------------------------------------|-----------|--------------------|----------------|-----------|
| Client:            | Walsh Construction Company II, LLC         |           | Date Collected:    | 07/01/25       |           |
| Project:           | Construction of Shafts 17B-18B - PN 220084 |           | Date Received:     | 07/01/25       |           |
| Client Sample ID:  | G1(0-6)                                    |           | SDG No.:           | Q2489          |           |
| Lab Sample ID:     | Q2489-07                                   |           | Matrix:            | WATER          |           |
| Analytical Method: | 8081B                                      |           | % Solid:           | 0              | Decanted: |
| Sample Wt/Vol:     | 1000                                       | Units: mL | Final Vol:         | 10000          | uL        |
| Soil Aliquot Vol:  |                                            | uL        | Test:              | SPLP Pesticide |           |
| Extraction Type:   |                                            |           | Injection Volume : |                |           |
| GPC Factor :       | 1.0                                        | PH :      |                    |                |           |
| Prep Method :      | 3510C                                      |           |                    |                |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PL096334.D        | 1         | 07/09/25 11:39 | 07/10/25 22:19 | PB168789      |

| CAS Number        | Parameter            | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units   |
|-------------------|----------------------|--------|-----------|----------|------------|---------|
| <b>TARGETS</b>    |                      |        |           |          |            |         |
| 319-84-6          | alpha-BHC            | 0.0039 | U         | 0.0039   | 0.050      | ug/L    |
| 319-85-7          | beta-BHC             | 0.0049 | U         | 0.0049   | 0.050      | ug/L    |
| 319-86-8          | delta-BHC            | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 58-89-9           | gamma-BHC (Lindane)  | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 76-44-8           | Heptachlor           | 0.0027 | U         | 0.0027   | 0.050      | ug/L    |
| 309-00-2          | Aldrin               | 0.0036 | U         | 0.0036   | 0.050      | ug/L    |
| 1024-57-3         | Heptachlor epoxide   | 0.0096 | U         | 0.0096   | 0.050      | ug/L    |
| 959-98-8          | Endosulfan I         | 0.0031 | U         | 0.0031   | 0.050      | ug/L    |
| 60-57-1           | Dieldrin             | 0.0036 | U         | 0.0036   | 0.050      | ug/L    |
| 72-55-9           | 4,4-DDE              | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 72-20-8           | Endrin               | 0.0032 | U         | 0.0032   | 0.050      | ug/L    |
| 33213-65-9        | Endosulfan II        | 0.0079 | U         | 0.0079   | 0.050      | ug/L    |
| 72-54-8           | 4,4-DDD              | 0.0071 | U         | 0.0071   | 0.050      | ug/L    |
| 1031-07-8         | Endosulfan Sulfate   | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 50-29-3           | 4,4-DDT              | 0.0035 | U         | 0.0035   | 0.050      | ug/L    |
| 72-43-5           | Methoxychlor         | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 53494-70-5        | Endrin ketone        | 0.0093 | U         | 0.0093   | 0.050      | ug/L    |
| 7421-93-4         | Endrin aldehyde      | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 5103-71-9         | alpha-Chlordane      | 0.0035 | U         | 0.0035   | 0.050      | ug/L    |
| 5103-74-2         | gamma-Chlordane      | 0.0039 | U         | 0.0039   | 0.050      | ug/L    |
| 8001-35-2         | Toxaphene            | 0.17   | U         | 0.17     | 1.00       | ug/L    |
| 57-74-9           | Chlordane            | 0.088  | U         | 0.088    | 0.50       | ug/L    |
| <b>SURROGATES</b> |                      |        |           |          |            |         |
| 2051-24-3         | Decachlorobiphenyl   | 16.8   |           | 57 - 171 | 84%        | SPK: 20 |
| 877-09-8          | Tetrachloro-m-xylene | 19.2   |           | 61 - 148 | 96%        | SPK: 20 |

## Report of Analysis

|                    |                                            |           |                    |                |           |
|--------------------|--------------------------------------------|-----------|--------------------|----------------|-----------|
| Client:            | Walsh Construction Company II, LLC         |           | Date Collected:    | 07/01/25       |           |
| Project:           | Construction of Shafts 17B-18B - PN 220084 |           | Date Received:     | 07/01/25       |           |
| Client Sample ID:  | G1(0-6)                                    |           | SDG No.:           | Q2489          |           |
| Lab Sample ID:     | Q2489-07                                   |           | Matrix:            | WATER          |           |
| Analytical Method: | 8081B                                      |           | % Solid:           | 0              | Decanted: |
| Sample Wt/Vol:     | 1000                                       | Units: mL | Final Vol:         | 10000          | uL        |
| Soil Aliquot Vol:  |                                            | uL        | Test:              | SPLP Pesticide |           |
| Extraction Type:   |                                            |           | Injection Volume : |                |           |
| GPC Factor :       | 1.0                                        | PH :      |                    |                |           |
| Prep Method :      | 3510C                                      |           |                    |                |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PL096334.D        | 1         | 07/09/25 11:39 | 07/10/25 22:19 | PB168789      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## Report of Analysis

|                    |                                            |           |                    |                |           |
|--------------------|--------------------------------------------|-----------|--------------------|----------------|-----------|
| Client:            | Walsh Construction Company II, LLC         |           | Date Collected:    | 07/01/25       |           |
| Project:           | Construction of Shafts 17B-18B - PN 220084 |           | Date Received:     | 07/01/25       |           |
| Client Sample ID:  | G1(6-12)                                   |           | SDG No.:           | Q2489          |           |
| Lab Sample ID:     | Q2489-08                                   |           | Matrix:            | WATER          |           |
| Analytical Method: | 8081B                                      |           | % Solid:           | 0              | Decanted: |
| Sample Wt/Vol:     | 1000                                       | Units: mL | Final Vol:         | 10000          | uL        |
| Soil Aliquot Vol:  |                                            | uL        | Test:              | SPLP Pesticide |           |
| Extraction Type:   |                                            |           | Injection Volume : |                |           |
| GPC Factor :       | 1.0                                        | PH :      |                    |                |           |
| Prep Method :      | 3510C                                      |           |                    |                |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PL096335.D        | 1         | 07/09/25 11:39 | 07/10/25 22:33 | PB168789      |

| CAS Number        | Parameter            | Conc.  | Qualifier | MDL      | LOQ / CRQL | Units   |
|-------------------|----------------------|--------|-----------|----------|------------|---------|
| <b>TARGETS</b>    |                      |        |           |          |            |         |
| 319-84-6          | alpha-BHC            | 0.0039 | U         | 0.0039   | 0.050      | ug/L    |
| 319-85-7          | beta-BHC             | 0.0049 | U         | 0.0049   | 0.050      | ug/L    |
| 319-86-8          | delta-BHC            | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 58-89-9           | gamma-BHC (Lindane)  | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 76-44-8           | Heptachlor           | 0.0027 | U         | 0.0027   | 0.050      | ug/L    |
| 309-00-2          | Aldrin               | 0.0036 | U         | 0.0036   | 0.050      | ug/L    |
| 1024-57-3         | Heptachlor epoxide   | 0.0096 | U         | 0.0096   | 0.050      | ug/L    |
| 959-98-8          | Endosulfan I         | 0.0031 | U         | 0.0031   | 0.050      | ug/L    |
| 60-57-1           | Dieldrin             | 0.0036 | U         | 0.0036   | 0.050      | ug/L    |
| 72-55-9           | 4,4-DDE              | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 72-20-8           | Endrin               | 0.0032 | U         | 0.0032   | 0.050      | ug/L    |
| 33213-65-9        | Endosulfan II        | 0.0079 | U         | 0.0079   | 0.050      | ug/L    |
| 72-54-8           | 4,4-DDD              | 0.0071 | U         | 0.0071   | 0.050      | ug/L    |
| 1031-07-8         | Endosulfan Sulfate   | 0.0037 | U         | 0.0037   | 0.050      | ug/L    |
| 50-29-3           | 4,4-DDT              | 0.0035 | U         | 0.0035   | 0.050      | ug/L    |
| 72-43-5           | Methoxychlor         | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 53494-70-5        | Endrin ketone        | 0.0093 | U         | 0.0093   | 0.050      | ug/L    |
| 7421-93-4         | Endrin aldehyde      | 0.011  | U         | 0.011    | 0.050      | ug/L    |
| 5103-71-9         | alpha-Chlordane      | 0.0035 | U         | 0.0035   | 0.050      | ug/L    |
| 5103-74-2         | gamma-Chlordane      | 0.0039 | U         | 0.0039   | 0.050      | ug/L    |
| 8001-35-2         | Toxaphene            | 0.17   | U         | 0.17     | 1.00       | ug/L    |
| 57-74-9           | Chlordane            | 0.088  | U         | 0.088    | 0.50       | ug/L    |
| <b>SURROGATES</b> |                      |        |           |          |            |         |
| 2051-24-3         | Decachlorobiphenyl   | 17.5   |           | 57 - 171 | 87%        | SPK: 20 |
| 877-09-8          | Tetrachloro-m-xylene | 19.6   |           | 61 - 148 | 98%        | SPK: 20 |

## Report of Analysis

|                    |                                            |           |                    |                |           |
|--------------------|--------------------------------------------|-----------|--------------------|----------------|-----------|
| Client:            | Walsh Construction Company II, LLC         |           | Date Collected:    | 07/01/25       |           |
| Project:           | Construction of Shafts 17B-18B - PN 220084 |           | Date Received:     | 07/01/25       |           |
| Client Sample ID:  | G1(6-12)                                   |           | SDG No.:           | Q2489          |           |
| Lab Sample ID:     | Q2489-08                                   |           | Matrix:            | WATER          |           |
| Analytical Method: | 8081B                                      |           | % Solid:           | 0              | Decanted: |
| Sample Wt/Vol:     | 1000                                       | Units: mL | Final Vol:         | 10000          | uL        |
| Soil Aliquot Vol:  |                                            | uL        | Test:              | SPLP Pesticide |           |
| Extraction Type:   |                                            |           | Injection Volume : |                |           |
| GPC Factor :       | 1.0                                        | PH :      |                    |                |           |
| Prep Method :      | 3510C                                      |           |                    |                |           |

|                   |           |                |                |               |
|-------------------|-----------|----------------|----------------|---------------|
| File ID/Qc Batch: | Dilution: | Prep Date      | Date Analyzed  | Prep Batch ID |
| PL096335.D        | 1         | 07/09/25 11:39 | 07/10/25 22:33 | PB168789      |

| CAS Number | Parameter | Conc. | Qualifier | MDL | LOQ / CRQL | Units |
|------------|-----------|-------|-----------|-----|------------|-------|
|------------|-----------|-------|-----------|-----|------------|-------|

### Comments:

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

P = Indicates >25% difference for detected concentrations between the two GC columns

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

\* = Values outside of QC limits

D = Dilution

S = Indicates estimated value where valid five-point calibration was not performed prior to analyte detection in sample.

() = Laboratory InHouse Limit

## LAB CHRONICLE

|                 |                                    |                   |                                            |
|-----------------|------------------------------------|-------------------|--------------------------------------------|
| <b>OrderID:</b> | Q2489                              | <b>OrderDate:</b> | 7/2/2025 11:52:00 AM                       |
| <b>Client:</b>  | Walsh Construction Company II, LLC | <b>Project:</b>   | Construction of Shafts 17B-18B - PN 220084 |
| <b>Contact:</b> | Jesse A. Sylvestri                 | <b>Location:</b>  | --Select--                                 |

| LabID           | ClientID        | Matrix       | Test           | Method | Sample Date     | Prep Date | Anal Date | Received        |
|-----------------|-----------------|--------------|----------------|--------|-----------------|-----------|-----------|-----------------|
| <b>Q2489-01</b> | <b>G4(0-6)</b>  | <b>Water</b> | SPLP Pesticide | 8081B  | <b>07/01/25</b> | 07/09/25  | 07/11/25  | <b>07/01/25</b> |
| <b>Q2489-02</b> | <b>G4(6-12)</b> | <b>Water</b> | SPLP Pesticide | 8081B  | <b>07/01/25</b> | 07/09/25  | 07/10/25  | <b>07/01/25</b> |
| <b>Q2489-03</b> | <b>G3(0-6)</b>  | <b>Water</b> | SPLP Pesticide | 8081B  | <b>07/01/25</b> | 07/09/25  | 07/10/25  | <b>07/01/25</b> |
| <b>Q2489-04</b> | <b>G3(6-12)</b> | <b>Water</b> | SPLP Pesticide | 8081B  | <b>07/01/25</b> | 07/09/25  | 07/10/25  | <b>07/01/25</b> |
| <b>Q2489-05</b> | <b>G2(0-6)</b>  | <b>Water</b> | SPLP Pesticide | 8081B  | <b>07/01/25</b> | 07/09/25  | 07/10/25  | <b>07/01/25</b> |
| <b>Q2489-06</b> | <b>G2(6-12)</b> | <b>Water</b> | SPLP Pesticide | 8081B  | <b>07/01/25</b> | 07/09/25  | 07/10/25  | <b>07/01/25</b> |
| <b>Q2489-07</b> | <b>G1(0-6)</b>  | <b>Water</b> | SPLP Pesticide | 8081B  | <b>07/01/25</b> | 07/09/25  | 07/10/25  | <b>07/01/25</b> |
| <b>Q2489-08</b> | <b>G1(6-12)</b> | <b>Water</b> | SPLP Pesticide | 8081B  | <b>07/01/25</b> | 07/09/25  | 07/10/25  | <b>07/01/25</b> |