

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL070725\
 Data File : PL096241.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 07 Jul 2025 11:09
 Operator : AR\AJ
 Sample : PSTDICC075
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 ECD_L
 ClientSampleId :
 PSTDICC075

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 07 13:55:04 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL070725.M
 Quant Title : GC Extractables
 QLast Update : Mon Jul 07 13:50:13 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.537	2.827	262.5E6	416.2E6	72.966	73.165
28)	SA Decachlor...	9.022	7.996	199.5E6	350.0E6	73.668	73.289
Target Compounds							
2)	A alpha-BHC	3.984	3.334	396.3E6	631.4E6	73.968	73.274
3)	MA gamma-BHC...	4.313	3.666	370.3E6	583.2E6	72.995	73.277
4)	MA Heptachlor	4.906	4.016	336.1E6	555.0E6	73.993	73.260
5)	MB Aldrin	5.245	4.300	359.1E6	537.9E6	73.531	73.330
6)	B beta-BHC	4.499	3.963	161.0E6	242.0E6	78.891	72.768
7)	B delta-BHC	4.745	4.196	338.2E6	573.4E6	73.368	73.317
8)	B Heptachlo...	5.666	4.802	316.3E6	483.9E6	74.125	73.566
9)	A Endosulfan I	6.047	5.173	294.3E6	470.1E6	73.562	73.247
10)	B gamma-Chl...	5.919	5.054	323.5E6	518.3E6	73.015	74.093
11)	B alpha-Chl...	6.000	5.119	317.7E6	520.1E6	73.088	74.144
12)	B 4,4'-DDE	6.170	5.308	277.7E6	481.3E6	73.777	73.317
13)	MA Dieldrin	6.319	5.438	312.3E6	500.5E6	73.215	73.087
14)	MA Endrin	6.546	5.713	232.2E6	447.2E6	73.124	73.364
15)	B Endosulfa...	6.758	6.005	247.3E6	423.6E6	73.442	73.425
16)	A 4,4'-DDD	6.679	5.860	213.5E6	373.3E6	72.919	71.314
17)	MA 4,4'-DDT	6.993	6.113	226.6E6	425.7E6	74.085	73.421
18)	B Endrin al...	6.887	6.183	162.7E6	304.8E6	74.002	73.411
19)	B Endosulfa...	7.120	6.406	225.3E6	405.9E6	73.701	73.485
20)	A Methoxychlor	7.465	6.685	112.4E6	217.0E6	74.031	73.387
21)	B Endrin ke...	7.600	6.910	243.3E6	448.8E6	73.629	73.150
22)	Mirex	8.080	7.101	198.3E6	347.2E6	73.425	73.273



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_L\Data\PL070725\
Data File : PL096241.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 07 Jul 2025 11:09
Operator : AR\AJ
Sample : PSTDICC075
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
ECD_L
ClientSampleId :
PSTDICC075

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 07 13:55:04 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_L\methods\PL070725.M
Quant Title : GC Extractables
QLast Update : Mon Jul 07 13:50:13 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.537 min
Delta R.T.: 0.000 min
Response: 262543056
Conc: 72.97 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#1 Tetrachloro-m-xylene

R.T.: 2.827 min
Delta R.T.: 0.000 min
Response: 416235607
Conc: 73.16 ng/ml




#2 alpha-BHC

R.T.: 3.984 min
Delta R.T.: 0.000 min
Response: 396335614
Conc: 73.97 ng/ml







#2 alpha-BHC

R.T.: 3.334 min
Delta R.T.: 0.000 min
Response: 631414881
Conc: 73.27 ng/ml



Instrument :
ECD_L
ClientSampleId :
PSTDICC075






#5 Aldrin


R.T.: 5.245 min
Delta R.T.: 0.000 min
Response: 359102683
Conc: 73.53 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#5 Aldrin

R.T.: 4.300 min
Delta R.T.: 0.000 min
Response: 537939626
Conc: 73.33 ng/ml




#6 beta-BHC

R.T.: 4.499 min
Delta R.T.: 0.001 min
Response: 161026970
Conc: 78.89 ng/ml



#6 beta-BHC


R.T.: 3.963 min
Delta R.T.: 0.000 min
Response: 241953093
Conc: 72.77 ng/ml



#7 delta-BHC


R.T.: 4.745 min
Delta R.T.: 0.000 min
Response: 338239285
Conc: 73.37 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#7 delta-BHC

R.T.: 4.196 min
Delta R.T.: 0.000 min
Response: 573353492
Conc: 73.32 ng/ml




#8 Heptachlor epoxide

R.T.: 5.666 min
Delta R.T.: 0.000 min
Response: 316321392
Conc: 74.13 ng/ml



#8 Heptachlor epoxide


R.T.: 4.802 min
Delta R.T.: 0.000 min
Response: 483858685
Conc: 73.57 ng/ml



#9 Endosulfan I


R.T.: 6.047 min
Delta R.T.: 0.000 min
Response: 294274733
Conc: 73.56 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#9 Endosulfan I

R.T.: 5.173 min
Delta R.T.: 0.000 min
Response: 470088253
Conc: 73.25 ng/ml




#10 gamma-Chlordane

R.T.: 5.919 min
Delta R.T.: 0.000 min
Response: 323535827
Conc: 73.02 ng/ml



#10 gamma-Chlordane


R.T.: 5.054 min
Delta R.T.: 0.000 min
Response: 518309627
Conc: 74.09 ng/ml



#11 alpha-Chlordane


R.T.: 6.000 min
Delta R.T.: 0.000 min
Response: 317688612
Conc: 73.09 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#11 alpha-Chlordane

R.T.: 5.119 min
Delta R.T.: 0.000 min
Response: 520145705
Conc: 74.14 ng/ml




#12 4,4'-DDE

R.T.: 6.170 min
Delta R.T.: 0.000 min
Response: 277665348
Conc: 73.78 ng/ml



#12 4,4'-DDE


R.T.: 5.308 min
Delta R.T.: 0.000 min
Response: 481278531
Conc: 73.32 ng/ml



#13 Dieldrin


R.T.: 6.319 min
Delta R.T.: 0.000 min
Response: 312301591
Conc: 73.22 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#13 Dieldrin

R.T.: 5.438 min
Delta R.T.: 0.000 min
Response: 500504569
Conc: 73.09 ng/ml




#14 Endrin

R.T.: 6.546 min
Delta R.T.: 0.000 min
Response: 232219601
Conc: 73.12 ng/ml



#14 Endrin


R.T.: 5.713 min
Delta R.T.: 0.000 min
Response: 447229804
Conc: 73.36 ng/ml



#15 Endosulfan II


R.T.: 6.758 min
Delta R.T.: 0.000 min
Response: 247308429
Conc: 73.44 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#15 Endosulfan II

R.T.: 6.005 min
Delta R.T.: 0.000 min
Response: 423621224
Conc: 73.43 ng/ml




#16 4,4'-DDD

R.T.: 6.679 min
Delta R.T.: 0.000 min
Response: 213518178
Conc: 72.92 ng/ml



#16 4,4'-DDD


R.T.: 5.860 min
Delta R.T.: 0.000 min
Response: 373318019
Conc: 71.31 ng/ml



#17 4,4'-DDT


R.T.: 6.993 min
Delta R.T.: 0.000 min
Response: 226572574
Conc: 74.09 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#17 4,4'-DDT

R.T.: 6.113 min
Delta R.T.: 0.000 min
Response: 425653619
Conc: 73.42 ng/ml




#18 Endrin aldehyde

R.T.: 6.887 min
Delta R.T.: 0.000 min
Response: 162737910
Conc: 74.00 ng/ml



#18 Endrin aldehyde


R.T.: 6.183 min
Delta R.T.: 0.000 min
Response: 304826260
Conc: 73.41 ng/ml



#19 Endosulfan Sulfate


R.T.: 7.120 min
Delta R.T.: 0.000 min
Response: 225348743
Conc: 73.70 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#19 Endosulfan Sulfate

R.T.: 6.406 min
Delta R.T.: 0.000 min
Response: 405945824
Conc: 73.48 ng/ml




#20 Methoxychlor

R.T.: 7.465 min
Delta R.T.: 0.000 min
Response: 112371935
Conc: 74.03 ng/ml



#20 Methoxychlor


R.T.: 6.685 min
Delta R.T.: 0.000 min
Response: 216984559
Conc: 73.39 ng/ml



#21 Endrin ketone


R.T.: 7.600 min
Delta R.T.: 0.000 min
Response: 243303097
Conc: 73.63 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075




#21 Endrin ketone

R.T.: 6.910 min
Delta R.T.: 0.000 min
Response: 448848951
Conc: 73.15 ng/ml




#22 Mirex

R.T.: 8.080 min
Delta R.T.: 0.000 min
Response: 198304993
Conc: 73.42 ng/ml



#22 Mirex


R.T.: 7.101 min
Delta R.T.: 0.000 min
Response: 347235656
Conc: 73.27 ng/ml



#28 Decachlorobiphenyl

R.T.: 9.022 min
Delta R.T.: 0.000 min
Response: 199505555
Conc: 73.67 ng/ml

Instrument :
ECD_L
ClientSampleId :
PSTDICC075



#28 Decachlorobiphenyl

R.T.: 7.996 min
Delta R.T.: 0.000 min
Response: 349995776
Conc: 73.29 ng/ml