

Report of Analysis

Client:	Walsh Construction Company II, LLC	Date Collected:	07/01/25
Project:	Construction of Shafts 17B-18B - PN 220084	Date Received:	07/01/25
Client Sample ID:	G4(0-6)MS	SDG No.:	Q2489
Lab Sample ID:	Q2489-01MS	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SPLP BNA
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BM050398.D	1	07/09/25 11:11	07/10/25 20:39	PB168788

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
100-52-7	Benzaldehyde	38.3		3.90	10.0	ug/L
108-95-2	Phenol	14.4		0.91	5.00	ug/L
111-44-4	bis(2-Chloroethyl)ether	42.3		0.81	5.00	ug/L
95-57-8	2-Chlorophenol	37.4		0.58	5.00	ug/L
95-48-7	2-Methylphenol	32.5		1.10	5.00	ug/L
108-60-1	2,2-oxybis(1-Chloropropane)	38.9		1.30	5.00	ug/L
98-86-2	Acetophenone	44.4		0.74	5.00	ug/L
65794-96-9	3+4-Methylphenols	29.8		1.10	10.0	ug/L
621-64-7	n-Nitroso-di-n-propylamine	48.0		1.40	2.50	ug/L
67-72-1	Hexachloroethane	24.2		0.65	5.00	ug/L
98-95-3	Nitrobenzene	43.0		0.76	5.00	ug/L
78-59-1	Isophorone	48.3		0.75	5.00	ug/L
88-75-5	2-Nitrophenol	49.8		1.80	5.00	ug/L
105-67-9	2,4-Dimethylphenol	42.9		1.90	5.00	ug/L
111-91-1	bis(2-Chloroethoxy)methane	46.0		0.68	5.00	ug/L
120-83-2	2,4-Dichlorophenol	45.9		0.52	5.00	ug/L
91-20-3	Naphthalene	38.2		0.50	5.00	ug/L
106-47-8	4-Chloroaniline	30.3		0.84	5.00	ug/L
87-68-3	Hexachlorobutadiene	29.2		0.54	5.00	ug/L
105-60-2	Caprolactam	9.10	J	1.10	10.0	ug/L
59-50-7	4-Chloro-3-methylphenol	45.0		0.59	5.00	ug/L
91-57-6	2-Methylnaphthalene	44.4		0.56	5.00	ug/L
77-47-4	Hexachlorocyclopentadiene	72.0		3.60	10.0	ug/L
88-06-2	2,4,6-Trichlorophenol	51.2		0.51	5.00	ug/L
95-95-4	2,4,5-Trichlorophenol	51.5		0.62	5.00	ug/L
92-52-4	1,1-Biphenyl	46.0		0.53	5.00	ug/L
91-58-7	2-Chloronaphthalene	44.9		0.61	5.00	ug/L
88-74-4	2-Nitroaniline	55.3		1.30	5.00	ug/L
131-11-3	Dimethylphthalate	53.0		0.61	5.00	ug/L

Report of Analysis

Client:	Walsh Construction Company II, LLC	Date Collected:	07/01/25
Project:	Construction of Shafts 17B-18B - PN 220084	Date Received:	07/01/25
Client Sample ID:	G4(0-6)MS	SDG No.:	Q2489
Lab Sample ID:	Q2489-01MS	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SPLP BNA
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BM050398.D	1	07/09/25 11:11	07/10/25 20:39	PB168788

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
208-96-8	Acenaphthylene	48.3		0.75	5.00	ug/L
606-20-2	2,6-Dinitrotoluene	55.2		0.92	5.00	ug/L
99-09-2	3-Nitroaniline	37.5		1.10	5.00	ug/L
83-32-9	Acenaphthene	54.5		0.55	5.00	ug/L
51-28-5	2,4-Dinitrophenol	110	E	6.00	10.0	ug/L
100-02-7	4-Nitrophenol	40.0		2.40	10.0	ug/L
132-64-9	Dibenzofuran	47.8		0.61	5.00	ug/L
121-14-2	2,4-Dinitrotoluene	52.7		1.20	5.00	ug/L
84-66-2	Diethylphthalate	51.8		0.69	5.00	ug/L
7005-72-3	4-Chlorophenyl-phenylether	51.5		0.68	5.00	ug/L
86-73-7	Fluorene	51.0		0.63	5.00	ug/L
100-01-6	4-Nitroaniline	48.2		1.50	5.00	ug/L
534-52-1	4,6-Dinitro-2-methylphenol	52.1		2.90	10.0	ug/L
86-30-6	n-Nitrosodiphenylamine	49.6		0.58	5.00	ug/L
101-55-3	4-Bromophenyl-phenylether	52.3		0.40	5.00	ug/L
118-74-1	Hexachlorobenzene	51.1		0.52	5.00	ug/L
1912-24-9	Atrazine	55.2		1.00	5.00	ug/L
87-86-5	Pentachlorophenol	120	E	1.60	10.0	ug/L
85-01-8	Phenanthrene	49.8		0.50	5.00	ug/L
120-12-7	Anthracene	50.9		0.61	5.00	ug/L
86-74-8	Carbazole	52.2		0.72	5.00	ug/L
84-74-2	Di-n-butylphthalate	55.8		1.20	5.00	ug/L
206-44-0	Fluoranthene	55.3		0.82	5.00	ug/L
129-00-0	Pyrene	52.3		0.50	5.00	ug/L
85-68-7	Butylbenzylphthalate	63.1		1.90	5.00	ug/L
91-94-1	3,3-Dichlorobenzidine	48.2		0.93	10.0	ug/L
56-55-3	Benzo(a)anthracene	51.7		0.45	5.00	ug/L
218-01-9	Chrysene	50.8		0.44	5.00	ug/L
117-81-7	Bis(2-ethylhexyl)phthalate	61.0		1.60	5.00	ug/L
117-84-0	Di-n-octyl phthalate	62.1		2.30	10.0	ug/L
205-99-2	Benzo(b)fluoranthene	57.4		0.49	5.00	ug/L

Report of Analysis

Client:	Walsh Construction Company II, LLC	Date Collected:	07/01/25
Project:	Construction of Shafts 17B-18B - PN 220084	Date Received:	07/01/25
Client Sample ID:	G4(0-6)MS	SDG No.:	Q2489
Lab Sample ID:	Q2489-01MS	Matrix:	Water
Analytical Method:	8270E	% Solid:	0
Sample Wt/Vol:	1000 Units: mL	Final Vol:	1000 uL
Soil Aliquot Vol:	uL	Test:	SPLP BNA
Extraction Type :	Decanted : N	Level :	LOW
Injection Volume :	GPC Factor : 1.0	GPC Cleanup :	N PH :
Prep Method :			

File ID/Qc Batch:	Dilution:	Prep Date	Date Analyzed	Prep Batch ID
BM050398.D	1	07/09/25 11:11	07/10/25 20:39	PB168788

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
207-08-9	Benzo(k)fluoranthene	55.0		0.48	5.00	ug/L
50-32-8	Benzo(a)pyrene	54.0		0.55	5.00	ug/L
193-39-5	Indeno(1,2,3-cd)pyrene	45.2		0.59	5.00	ug/L
53-70-3	Dibenzo(a,h)anthracene	45.3		0.67	5.00	ug/L
191-24-2	Benzo(g,h,i)perylene	44.1		0.69	5.00	ug/L
95-94-3	1,2,4,5-Tetrachlorobenzene	45.1		0.52	5.00	ug/L
123-91-1	1,4-Dioxane	16.7		1.00	5.00	ug/L
58-90-2	2,3,4,6-Tetrachlorophenol	54.6		0.72	5.00	ug/L
SURROGATES						
367-12-4	2-Fluorophenol	64.5		23 - 138	43%	SPK: 150
13127-88-3	Phenol-d6	40.6		10 - 134	27%	SPK: 150
4165-60-0	Nitrobenzene-d5	84.2		67 - 132	84%	SPK: 100
321-60-8	2-Fluorobiphenyl	80.6		52 - 132	81%	SPK: 100
118-79-6	2,4,6-Tribromophenol	165		44 - 137	110%	SPK: 150
1718-51-0	Terphenyl-d14	76.6		42 - 152	77%	SPK: 100
INTERNAL STANDARDS						
3855-82-1	1,4-Dichlorobenzene-d4	594000	7.863			
1146-65-2	Naphthalene-d8	2300000	10.657			
15067-26-2	Acenaphthene-d10	1500000	14.492			
1517-22-2	Phenanthrene-d10	3000000	17.227			
1719-03-5	Chrysene-d12	3160000	21.456			
1520-96-3	Perylene-d12	2480000	24.491			

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products