

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF070925\
 Data File : BF143058.D
 Acq On : 09 Jul 2025 15:59
 Operator : RC/JU
 Sample : Q2489-05
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 G2(0-6)

Quant Time: Jul 09 16:22:59 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF061925.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Jun 24 05:28:21 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.869	152	48749	20.000	ng	-0.01
21) Naphthalene-d8	8.157	136	184584	20.000	ng	-0.01
39) Acenaphthene-d10	9.910	164	97408	20.000	ng	-0.01
64) Phenanthrene-d10	11.404	188	160012	20.000	ng	0.00
76) Chrysene-d12	14.051	240	99422	20.000	ng	0.00
86) Perylene-d12	15.545	264	100116	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.498	112	341981	116.797	ng	0.00
7) Phenol-d6	6.504	99	351969	101.888	ng	0.00
23) Nitrobenzene-d5	7.434	82	283935	84.374	ng	-0.01
42) 2,4,6-Tribromophenol	10.704	330	133981	133.661	ng	-0.01
45) 2-Fluorobiphenyl	9.233	172	600776	81.022	ng	-0.01
79) Terphenyl-d14	12.992	244	582738	80.985	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF070925\
Data File : BF143058.D
Acq On : 09 Jul 2025 15:59
Operator : RC/JU
Sample : Q2489-05
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
G2(0-6)

Quant Time: Jul 09 16:22:59 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF061925.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Jun 24 05:28:21 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.869 min Scan# 797
Delta R.T. -0.012 min
Lab File: BF143058.D
Acq: 09 Jul 2025 15:59




Instrument :
BNA_F
ClientSampleId :
G2(0-6)


Tgt Ion:152 Resp: 48749
Ion Ratio Lower Upper
152 100
150 155.4 127.2 190.8
115 58.5 46.6 69.8



#5
2-Fluorophenol
Concen: 116.797 ng
RT: 5.498 min Scan# 562
Delta R.T. 0.006 min
Lab File: BF143058.D
Acq: 09 Jul 2025 15:59

Tgt Ion:112 Resp: 341981
Ion Ratio Lower Upper
112 100
64 56.8 48.2 72.2
63 30.6 25.7 38.5









#7
Phenol-d6
Concen: 101.888 ng
RT: 6.504 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF143058.D
Acq: 09 Jul 2025 15:59




Instrument :
BNA_F
ClientSampleId :
G2(0-6)


Tgt Ion: 99 Resp: 351969
Ion Ratio Lower Upper
99 100
42 19.0 15.9 23.9
71 35.4 27.8 41.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.157 min Scan# 1014
Delta R.T. -0.012 min
Lab File: BF143058.D
Acq: 09 Jul 2025 15:59

Tgt Ion: 136 Resp: 184584
Ion Ratio Lower Upper
136 100
137 10.6 8.4 12.6
54 7.3 6.3 9.5
68 4.2 3.7 5.5





#23

Nitrobenzene-d5

Concen: 84.374 ng

RT: 7.434 min Scan# 891

Delta R.T. -0.011 min

Lab File: BF143058.D

Acq: 09 Jul 2025 15:59

Instrument :

BNA_F

ClientSampleId :

G2(0-6)





Tgt Ion: 82 Resp: 283935

Ion Ratio Lower Upper

82 100

128 47.6 37.7 56.5

54 54.8 45.7 68.5



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.910 min Scan# 1312

Delta R.T. -0.012 min

Lab File: BF143058.D

Acq: 09 Jul 2025 15:59




Tgt Ion:164 Resp: 97408


Ion Ratio Lower Upper

164 100

162 100.2 81.8 122.8


160 42.2 36.0 54.0








#42
2,4,6-Tribromophenol
Concen: 133.661 ng
RT: 10.704 min Scan# 1447
Delta R.T. -0.012 min
Lab File: BF143058.D
Acq: 09 Jul 2025 15:59

Instrument :
BNA_F
ClientSampleId :
G2(0-6)







Tgt Ion:330 Resp: 133981
Ion Ratio Lower Upper
330 100
332 97.0 75.0 112.6
141 31.4 25.3 37.9



#45
2-Fluorobiphenyl
Concen: 81.022 ng
RT: 9.233 min Scan# 1197
Delta R.T. -0.012 min
Lab File: BF143058.D
Acq: 09 Jul 2025 15:59

Tgt Ion:172 Resp: 600776
Ion Ratio Lower Upper
172 100
171 35.0 28.2 42.4
170 22.8 18.5 27.7









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.404 min Scan# 1
Delta R.T. -0.006 min
Lab File: BF143058.D
Acq: 09 Jul 2025 15:59




Instrument :
BNA_F
ClientSampleId :
G2(0-6)


Tgt Ion:188 Resp: 160012
Ion Ratio Lower Upper
188 100
94 7.8 6.7 10.1
80 8.1 6.9 10.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.051 min Scan# 2016
Delta R.T. -0.006 min
Lab File: BF143058.D
Acq: 09 Jul 2025 15:59


Tgt Ion:240 Resp: 99422
Ion Ratio Lower Upper
240 100
120 9.7 8.2 12.2
236 23.6 19.8 29.8








#79
 Terphenyl-d14
 Concen: 80.985 ng
 RT: 12.992 min Scan# 1836
 Delta R.T. -0.006 min
 Lab File: BF143058.D
 Acq: 09 Jul 2025 15:59

Instrument :
 BNA_F
 ClientSampleId :
 G2(0-6)



Tgt Ion:244 Resp: 582738
 Ion Ratio Lower Upper
 244 100
 212 6.5 5.4 8.0
 122 10.1 8.2 12.2



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.545 min Scan# 2270
 Delta R.T. 0.000 min
 Lab File: BF143058.D
 Acq: 09 Jul 2025 15:59

Tgt Ion:264 Resp: 100116
 Ion Ratio Lower Upper
 264 100
 260 23.2 18.1 27.1
 265 21.6 16.6 25.0

