

DATA PACKAGE

GENERAL CHEMISTRY

PROJECT NAME : PO 25061126

ATG - AKRON LAB

3310 Win Street

Cuyahoga Falls, OH - 44223

Phone No: 614-582-4966

ORDER ID : Q2495

ATTENTION : Jennifer Woolf



Laboratory Certification ID # 20012



1) Signature Page	3
2) Case Narrative	4
2.1) Genchem- Case Narrative	4
3) Qualifier Page	5
4) QA Checklist	6
5) Genchem Data	7
6) Shipping Document	28
6.1) CHAIN OF CUSTODY	29
6.2) Lab Certificate	31

Cover Page

Order ID : Q2495

Project ID : PO 25061126

Client : ATG - AKRON LAB

Lab Sample Number

Q2495-01
Q2495-02
Q2495-03
Q2495-04
Q2495-05
Q2495-06
Q2495-07
Q2495-08
Q2495-09
Q2495-10
Q2495-11
Q2495-12
Q2495-13
Q2495-14
Q2495-15
Q2495-16
Q2495-17

Client Sample Number

Chair Foam Parke
SE Bedroom (3rd
E Bedroom Ceilin
South East Ceilling
Master Bathroom
3rd FI Hallway N
SE Bedroom Park
Family Room SW
Foyer SE Corner P
Green Carpet Pad
Rug in Dining Roo
LR Couch Cushion
Dining Room W
Kitchen Dining E
Garage Southwes
Zack"s Matterss
Zack"s Couch

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature : _____

Date: 7/3/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012



284 Sheffield Street, Mountainside, NJ 07092 Phone: 908 789 8900 Fax: 908 789 8922

CASE NARRATIVE

ATG - AKRON LAB

Project Name: PO 25061126

Project # N/A

Order ID # Q2495

Test Name: Cyanide

A. Number of Samples and Date of Receipt:

17 Solid samples were received on 07/02/2025.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: Cyanide. This data package contains results for Cyanide.

C. Analytical Techniques:

The analysis of Cyanide was based on method 9012B.

D. QA/ QC Samples:

The Holding Times were met for all samples except for 3rd Fl Hallway N of Cyanide, for Chair Foam Parke of Cyanide,for Dining Room W of Cyanide.for E Bedroom Ceilin of Cyanide,for Family Room SW of Cyanide,for Foyer SE Corner P of Cyanide,for Garage Southwes of Cyanide,for Green Carpet Pad of Cyanide,for Kitchen Dining E of Cyanide,for LR Couch Cushion of Cyanide,for Master Bathroom of Cyanide,for Rug in Dining Roo of Cyanide,for SE Bedroom (3rd of Cyanide,for SE Bedroom Park of Cyanide,for South East Ceiling of Cyanide,for Zack"s Couch of Cyanide,for Zack"s Matterss of Cyanide as samples were receive out of holding time.

The Blank Spike met requirements for all parameter.

The Duplicate analysis met criteria for all parameter.

The Matrix Spike analysis met criteria for all parameter.

The Matrix Spike Duplicate analysis met criteria for all parameter.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

E. Additional Comments:

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature_____

DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

J	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
U	Indicates the analyte was analyzed for, but not detected.
ND	Indicates the analyte was analyzed for, but not detected
E	Indicates the reported value is estimated because of the presence of interference
M	Indicates Duplicate injection precision not met.
N	Indicates the spiked sample recovery is not within control limits.
S	Indicates the reported value was determined by the Method of Standard Addition (MSA).
*	Indicates that the duplicate analysis is not within control limits.
+	Indicates the correlation coefficient for the MSA is less than 0.995.
D	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
M	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
OR	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
Q	Indicates the LCS did not meet the control limits requirements
H	Sample Analysis Out Of Hold Time

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q2495

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: MOHAMMAD AHMED

Date: 07/03/2025



SAMPLE DATA

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	06/11/25 11:00
Project:	PO 25061126	Date Received:	07/02/25
Client Sample ID:	Chair Foam Parke	SDG No.:	Q2495
Lab Sample ID:	Q2495-01	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.041	HU	1	0.041	0.24	mg/Kg	07/03/25 08:00	07/03/25 15:17	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	06/11/25 11:30
Project:	PO 25061126	Date Received:	07/02/25
Client Sample ID:	SE Bedroom (3rd	SDG No.:	Q2495
Lab Sample ID:	Q2495-02	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.040	HU	1	0.040	0.24	mg/Kg	07/03/25 08:00	07/03/25 15:17	9012B

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	06/11/25 11:42
Project:	PO 25061126	Date Received:	07/02/25
Client Sample ID:	E Bedroom Ceilin	SDG No.:	Q2495
Lab Sample ID:	Q2495-03	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.042	HU	1	0.042	0.25	mg/Kg	07/03/25 08:00	07/03/25 15:17	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	06/11/25 11:50
Project:	PO 25061126	Date Received:	07/02/25
Client Sample ID:	South East Ceiling	SDG No.:	Q2495
Lab Sample ID:	Q2495-04	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.041	HU	1	0.041	0.25	mg/Kg	07/03/25 08:00	07/03/25 15:25	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	06/11/25 12:00
Project:	PO 25061126	Date Received:	07/02/25
Client Sample ID:	Master Bathroom	SDG No.:	Q2495
Lab Sample ID:	Q2495-05	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.040	HU	1	0.040	0.24	mg/Kg	07/03/25 08:00	07/03/25 15:25	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	06/11/25 12:15
Project:	PO 25061126	Date Received:	07/02/25
Client Sample ID:	3rd Fl Hallway N	SDG No.:	Q2495
Lab Sample ID:	Q2495-06	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.041	HU	1	0.041	0.25	mg/Kg	07/03/25 08:00	07/03/25 15:25	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	06/11/25 01:00
Project:	PO 25061126	Date Received:	07/02/25
Client Sample ID:	SE Bedroom Park	SDG No.:	Q2495
Lab Sample ID:	Q2495-07	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.041	HU	1	0.041	0.25	mg/Kg	07/03/25 08:00	07/03/25 15:25	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	06/11/25 02:00
Project:	PO 25061126	Date Received:	07/02/25
Client Sample ID:	Family Room SW	SDG No.:	Q2495
Lab Sample ID:	Q2495-08	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.042	HU	1	0.042	0.25	mg/Kg	07/03/25 08:00	07/03/25 15:25	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	06/11/25 03:00
Project:	PO 25061126	Date Received:	07/02/25
Client Sample ID:	Foyer SE Corner P	SDG No.:	Q2495
Lab Sample ID:	Q2495-09	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.041	HU	1	0.041	0.24	mg/Kg	07/03/25 08:00	07/03/25 15:25	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	06/11/25 04:00
Project:	PO 25061126	Date Received:	07/02/25
Client Sample ID:	Green Carpet Pad	SDG No.:	Q2495
Lab Sample ID:	Q2495-10	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.041	HU	1	0.041	0.24	mg/Kg	07/03/25 08:00	07/03/25 15:25	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	06/11/25 04:30
Project:	PO 25061126	Date Received:	07/02/25
Client Sample ID:	Rug in Dining Roo	SDG No.:	Q2495
Lab Sample ID:	Q2495-11	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.073	HJ	1	0.042	0.25	mg/Kg	07/03/25 08:00	07/03/25 15:25	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	06/11/25 04:50
Project:	PO 25061126	Date Received:	07/02/25
Client Sample ID:	LR Couch Cushion	SDG No.:	Q2495
Lab Sample ID:	Q2495-12	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.040	HU	1	0.040	0.24	mg/Kg	07/03/25 08:00	07/03/25 15:25	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	06/11/25 05:30
Project:	PO 25061126	Date Received:	07/02/25
Client Sample ID:	Dining Room W	SDG No.:	Q2495
Lab Sample ID:	Q2495-13	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.041	HU	1	0.041	0.25	mg/Kg	07/03/25 08:00	07/03/25 15:32	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	06/11/25 06:15
Project:	PO 25061126	Date Received:	07/02/25
Client Sample ID:	Kitchen Dining E	SDG No.:	Q2495
Lab Sample ID:	Q2495-14	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.062	HJ	1	0.041	0.25	mg/Kg	07/03/25 08:00	07/03/25 15:32	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	06/11/25 06:30
Project:	PO 25061126	Date Received:	07/02/25
Client Sample ID:	Garage Southwes	SDG No.:	Q2495
Lab Sample ID:	Q2495-15	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.042	HU	1	0.042	0.25	mg/Kg	07/03/25 08:00	07/03/25 15:32	9012B

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	06/11/25 07:00
Project:	PO 25061126	Date Received:	07/02/25
Client Sample ID:	Zack"s Matterss	SDG No.:	Q2495
Lab Sample ID:	Q2495-16	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.041	HU	1	0.041	0.25	mg/Kg	07/03/25 08:00	07/03/25 15:32	9012B

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	06/11/25 07:30
Project:	PO 25061126	Date Received:	07/02/25
Client Sample ID:	Zack's Couch	SDG No.:	Q2495
Lab Sample ID:	Q2495-17	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.041	HU	1	0.041	0.25	mg/Kg	07/03/25 08:00	07/03/25 15:33	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q2495	OrderDate:	7/2/2025 1:54:00 PM
Client:	ATG - AKRON LAB	Project:	PO 25061126
Contact:	Jennifer Woolf	Location:	A53

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2495-01	Chair Foam Parke	SOIL			06/11/25 11:00			07/02/25
			Cyanide	9012B		07/03/25	07/03/25 15:17	
Q2495-02	SE Bedroom (3rd	SOIL			06/11/25 11:30			07/02/25
			Cyanide	9012B		07/03/25	07/03/25 15:17	
Q2495-03	E Bedroom Ceilin	SOIL			06/11/25 11:42			07/02/25
			Cyanide	9012B		07/03/25	07/03/25 15:17	
Q2495-04	South East Ceiling	SOIL			06/11/25 11:50			07/02/25
			Cyanide	9012B		07/03/25	07/03/25 15:25	
Q2495-05	Master Bathroom	SOIL			06/11/25 12:00			07/02/25
			Cyanide	9012B		07/03/25	07/03/25 15:25	
Q2495-06	3rd Fl Hallway N	SOIL			06/11/25 12:15			07/02/25
			Cyanide	9012B		07/03/25	07/03/25 15:25	
Q2495-07	SE Bedroom Park	SOIL			06/11/25 01:00			07/02/25
			Cyanide	9012B		07/03/25	07/03/25 15:25	

LAB CHRONICLE

Q2495-08	Family Room SW	SOIL			06/11/25 02:00			07/02/25
			Cyanide	9012B		07/03/25	07/03/25 15:25	
Q2495-09	Foyer SE Corner P	SOIL			06/11/25 03:00			07/02/25
			Cyanide	9012B		07/03/25	07/03/25 15:25	
Q2495-10	Green Carpet Pad	SOIL			06/11/25 04:00			07/02/25
			Cyanide	9012B		07/03/25	07/03/25 15:25	
Q2495-11	Rug in Dining Roo	SOIL			06/11/25 04:30			07/02/25
			Cyanide	9012B		07/03/25	07/03/25 15:25	
Q2495-12	LR Couch Cushion	SOIL			06/11/25 04:50			07/02/25
			Cyanide	9012B		07/03/25	07/03/25 15:25	
Q2495-13	Dining Room W	SOIL			06/11/25 05:30			07/02/25
			Cyanide	9012B		07/03/25	07/03/25 15:32	
Q2495-14	Kitchen Dining E	SOIL			06/11/25 06:15			07/02/25
			Cyanide	9012B		07/03/25	07/03/25 15:32	
Q2495-15	Garage Southwes	SOIL			06/11/25 06:30			07/02/25
			Cyanide	9012B		07/03/25	07/03/25 15:32	
Q2495-16	Zack"s Matterss	SOIL			06/11/25 07:00			07/02/25

LAB CHRONICLE

Q2495-17	Zack"s Couch	SOIL	Cyanide	9012B		07/03/25	07/03/25 15:32	07/02/25
			Cyanide	9012B	06/11/25 07:30	07/03/25	07/03/25 15:33	



SHIPPING DOCUMENTS



CHAIN OF CUSTODY RECORD

Omega COCID 3971

PAGE: 1

OF: 2

ADDRESS

Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211
FAX: (330) 253-4489
Website: <http://www.settek.com>

SUB CONTRACTOR: Chemtech NJ COMPANY: Chemtech						SPECIAL INSTRUCTIONS / COMMENTS: Report to salwa.najjar@alliancetg.com PO 25061126 No certification required <i>please use client sample ID</i>	
ADDRESS: 284 Sheffield St., Ste 1						ANALYTICAL PARAMETERS COMMENTS Methanol Preserved Weights HOT Sample Notation Additional Sample Description, etc.	
CITY, STATE, ZIP: Mountainside, NJ 07092							
PHONE: (908) 789-8900 FAX: EMAIL:							
ACCOUNT #:							
ITEM #	SAMPLE ID	Client Sample ID	Bottle Type	MATRIX	DATE COLLECTED	NUMBER OF CONTAINERS	
1	25061126-00	Chair Foam Parke	4 OZ GLASS	Solid	6/11/2025 11:00:00 AM	1	✓
2	25061126-00	SE Bedroom (3rd	4 OZ GLASS	Solid	6/11/2025 11:30:00 AM	1	✓
3	25061126-00	E Bedroom Ceilin	4 OZ GLASS	Solid	6/11/2025 11:42:00 AM	1	✓
4	25061126-00	South East Ceiling	4 OZ GLASS	Solid	6/11/2025 11:50:00 AM	1	✓
5	25061126-00	Master Bathroom	4 OZ GLASS	Solid	6/11/2025 12:00:00 PM	1	✓
6	25061126-00	3rd Fl Hallway N	4 OZ GLASS	Solid	6/11/2025 12:15:00 PM	1	✓
7	25061126-00	SE Bedroom Park	4 OZ GLASS	Solid	6/11/2025 1:00:00 PM	1	✓
8	25061126-00	Family Room SW	4 OZ GLASS	Solid	6/11/2025 2:00:00 PM	1	✓
9	25061126-00	Foyer SE Corner P	4 OZ GLASS	Solid	6/11/2025 3:00:00 PM	1	✓
10	25061126-01	Green Carpet Pad	4 OZ GLASS	Solid	6/11/2025 4:00:00 PM	1	✓
11	25061126-01	Rug in Dining Roo	4 OZ GLASS	Solid	6/11/2025 4:30:00 PM	1	✓
12	25061126-01	LR Couch Cushion	4 OZ GLASS	Solid	6/11/2025 4:50:00 PM	1	✓

Relinquished By: <i>Salwa Najjar</i>	Date: 6/30/2025	Time: 2:57 PM	Received By: <i>CR</i>	Date: 7/2/25	Time: 1025
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
TAT: Standard <input type="checkbox"/> RUSH <input type="checkbox"/> Next BD <input type="checkbox"/> 2nd BD <input type="checkbox"/> 3rd BD <input type="checkbox"/>					
Note: RUSH requests will incur surcharges!					
REPORT TRANSMITTAL DESIRED: <input type="checkbox"/> HARDCOPY (extra cost) <input type="checkbox"/> FAX <input type="checkbox"/> EMAIL <input type="checkbox"/> ONLINE					
FOR LAB USE ONLY Temp of samples <u>3.5°C</u> Attempt to Cool ? _____ Comments: _____					



CHAIN OF CUSTODY RECORD

Omega COCID 3971

PAGE: 2

OF: 2

Q2495

ADDRESS

Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211
FAX: (330) 253-4489
Website: <http://www.settek.com>

SUB CONTRACTOR: Chemtech NJ COMPANY: Chemtech						SPECIAL INSTRUCTIONS / COMMENTS: Report to salwa.najjar@alliancetg.com PO 25061126 No certification required																																																																																											
ADDRESS: 284 Sheffield St., Ste 1						<table border="1"> <thead> <tr> <th colspan="10">ANALYTICAL PARAMETERS</th> <th rowspan="2">COMMENTS Methanol Preserved Weights HOT Sample Notation Additional Sample Description, etc.</th> </tr> <tr> <th>ITEM #</th> <th>SAMPLE ID</th> <th>Client Sample ID</th> <th>Bottle Type</th> <th>MATRIX</th> <th>DATE COLLECTED</th> <th>NUMBER OF CONTAINERS</th> <th colspan="4"></th> </tr> </thead> <tbody> <tr> <td>13</td> <td>25061126-01</td> <td>Dining Room W</td> <td>4 OZ GLASS</td> <td>Solid</td> <td>6/11/2025 5:30:00 PM</td> <td>1</td> <td>✓</td> <td></td><td></td><td></td><td></td> </tr> <tr> <td>14</td> <td>25061126-01</td> <td>Kitchen Dining E</td> <td>4 OZ GLASS</td> <td>Solid</td> <td>6/11/2025 6:15:00 PM</td> <td>1</td> <td>✓</td> <td></td><td></td><td></td><td></td> </tr> <tr> <td>15</td> <td>25061126-01</td> <td>Garage Southwes</td> <td>4 OZ GLASS</td> <td>Solid</td> <td>6/11/2025 6:30:00 PM</td> <td>1</td> <td>✓</td> <td></td><td></td><td></td><td></td> </tr> <tr> <td>16</td> <td>25061126-01</td> <td>Zack's Mattress</td> <td>4 OZ GLASS</td> <td>Solid</td> <td>6/11/2025 7:00:00 PM</td> <td>1</td> <td>✓</td> <td></td><td></td><td></td><td></td> </tr> <tr> <td>17</td> <td>25061126-01</td> <td>Zack's Couch</td> <td>4 OZ GLASS</td> <td>Solid</td> <td>6/11/2025 7:30:00 PM</td> <td>1</td> <td>✓</td> <td></td><td></td><td></td><td></td> </tr> </tbody> </table>										ANALYTICAL PARAMETERS										COMMENTS Methanol Preserved Weights HOT Sample Notation Additional Sample Description, etc.	ITEM #	SAMPLE ID	Client Sample ID	Bottle Type	MATRIX	DATE COLLECTED	NUMBER OF CONTAINERS					13	25061126-01	Dining Room W	4 OZ GLASS	Solid	6/11/2025 5:30:00 PM	1	✓					14	25061126-01	Kitchen Dining E	4 OZ GLASS	Solid	6/11/2025 6:15:00 PM	1	✓					15	25061126-01	Garage Southwes	4 OZ GLASS	Solid	6/11/2025 6:30:00 PM	1	✓					16	25061126-01	Zack's Mattress	4 OZ GLASS	Solid	6/11/2025 7:00:00 PM	1	✓					17	25061126-01	Zack's Couch	4 OZ GLASS	Solid	6/11/2025 7:30:00 PM	1	✓				
ANALYTICAL PARAMETERS																COMMENTS Methanol Preserved Weights HOT Sample Notation Additional Sample Description, etc.																																																																																	
ITEM #	SAMPLE ID	Client Sample ID	Bottle Type	MATRIX	DATE COLLECTED												NUMBER OF CONTAINERS																																																																																
13	25061126-01	Dining Room W	4 OZ GLASS	Solid	6/11/2025 5:30:00 PM											1	✓																																																																																
14	25061126-01	Kitchen Dining E	4 OZ GLASS	Solid	6/11/2025 6:15:00 PM	1	✓																																																																																										
15	25061126-01	Garage Southwes	4 OZ GLASS	Solid	6/11/2025 6:30:00 PM	1	✓																																																																																										
16	25061126-01	Zack's Mattress	4 OZ GLASS	Solid	6/11/2025 7:00:00 PM	1	✓																																																																																										
17	25061126-01	Zack's Couch	4 OZ GLASS	Solid	6/11/2025 7:30:00 PM	1	✓																																																																																										
CITY, STATE, ZIP: Mountainside, NJ 07092																																																																																																	
PHONE: (908) 789-8900 FAX: EMAIL:																																																																																																	
ACCOUNT #:																																																																																																	

Relinquished By: <i>Salwa Najjar</i>	Date: 6/30/2025	Time: 2:57 PM	Received By: <i>[Signature]</i>	Date: 7/2/25	Time: 1025	REPORT TRANSMITTAL DESIRED: <input type="checkbox"/> HARDCOPY (extra cost) <input type="checkbox"/> FAX <input type="checkbox"/> EMAIL <input type="checkbox"/> ONLINE	
Relinquished By:	Date:	Time:	Received By:	Date:	Time:	FOR LAB USE ONLY Temp of samples 3.5°C Attempt to Cool ? _____ Comments: _____	
Relinquished By:	Date:	Time:	Received By:	Date:	Time:		
TAT: Standard <input checked="" type="checkbox"/> RUSH Next BD <input type="checkbox"/> 2nd BD <input type="checkbox"/> 3rd BD <input type="checkbox"/> Note: RUSH requests will incur surcharges!							

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488