

DATA PACKAGE

GENERAL CHEMISTRY

PROJECT NAME : PO 25061630

ATG - AKRON LAB

3310 Win Street

Cuyahoga Falls, OH - 44223

Phone No: 614-582-4966

ORDER ID : Q2496

ATTENTION : Jennifer Woolf



Laboratory Certification ID # 20012



1) Signature Page	3
2) Case Narrative	4
2.1) Genchem- Case Narrative	4
3) Qualifier Page	5
4) QA Checklist	6
5) Genchem Data	7
6) Shipping Document	34
6.1) CHAIN OF CUSTODY	35
6.2) Lab Certificate	37

Cover Page

Order ID : Q2496

Project ID : PO 25061630

Client : ATG - AKRON LAB

Lab Sample Number

Q2496-02
Q2496-03
Q2496-04
Q2496-05
Q2496-06
Q2496-07
Q2496-08
Q2496-09
Q2496-10
Q2496-11
Q2496-12
Q2496-13
Q2496-14
Q2496-15
Q2496-16
Q2496-17
Q2496-18
Q2496-19
Q2496-20
Q2496-21
Q2496-22
Q2496-23
Q2496-24

Client Sample Number

N exterior center
Basement south
Entertainment ro
Black mat outside
Basement bedroom
Basement bedroom-1
Basement bedroom-2
Maeve"s room ma
Master bedroom
Master bedroom-1
Master bedroom-2
Master bedroom-3
SE bedroom brow
SE bedroom gray
Maeves room gre
Master bedroom-4
3rd floor roof ent
Living room couc
Living room 2 sea
Office leather cha
Pink shoe sole
Living room rug S
Dining room NE c

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hard copy data package has been authorized by the laboratory manager or his designee, as verified by the following signature.

Signature :

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 12:24 pm, Jul 10, 2025

Date: 7/8/2025

NYDOH CERTIFICATION NO - 11376

NJDEP CERTIFICATION NO - 20012

CASE NARRATIVE

ATG - AKRON LAB

Project Name: PO 25061630

Project # N/A

Order ID # Q2496

Test Name: Cyanide

A. Number of Samples and Date of Receipt:

23 Solid samples were received on 07/02/2025.

B. Parameters:

According to the Chain of Custody document, the following analyses were requested: Cyanide. This data package contains results for Cyanide.

C. Analytical Techniques:

The analysis of Cyanide was based on method 9012B.

D. QA/ QC Samples:

The Holding Times were met for all samples except for 3rd floor roof ent of Cyanide, for Basement bedroom of Cyanide, for Basement bedroom-1 of Cyanide, for Basement bedroom-2 of Cyanide, for Basement south of Cyanide, for Black mat outside of Cyanide, for Dining room NE c of Cyanide, for Entertainment ro of Cyanide, for Living room 2 sea of Cyanide, for Living room couc of Cyanide, for Living room rug S of Cyanide, for Maeve"s room ma of Cyanide, for Maeves room gre of Cyanide, for Master bedroom of Cyanide, for Master bedroom-1 of Cyanide, for Master bedroom-2 of Cyanide, for Master bedroom-3 of Cyanide, for Master bedroom-4 of Cyanide, for N exterior center of Cyanide, for Office leather cha of Cyanide, for Pink shoe sole of Cyanide, for SE bedroom brow of Cyanide, for SE bedroom gray of Cyanide as samples were receive out of holding time.

The Blank Spike met requirements for all parameters.

The Duplicate analysis met criteria for all parameters.

The Matrix Spike analysis met criteria for all parameters.

The Matrix Spike Duplicate analysis met criteria for all parameters.

The Blank analysis did not indicate the presence of lab contamination.

The Calibration met the requirements.

E. Additional Comments:

I certify that the data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. The laboratory manager or his designee, as verified by the following signature has authorized release of the data contained in this hard copy data package.

Signature _____

APPROVED

By Nimisha Pandya, QA/QC Supervisor at 12:26 pm, Jul 10, 2025

DATA REPORTING QUALIFIERS- INORGANIC

For reporting results, the following “ Results Qualifiers” are used:

J	Indicates the reported value was obtained from a reading that was less than the Contract Required Detection Limit (CRDL), but greater than or equal to the Instrument Detection Limit (IDL).
U	Indicates the analyte was analyzed for, but not detected.
ND	Indicates the analyte was analyzed for, but not detected
E	Indicates the reported value is estimated because of the presence of interference
M	Indicates Duplicate injection precision not met.
N	Indicates the spiked sample recovery is not within control limits.
S	Indicates the reported value was determined by the Method of Standard Addition (MSA).
*	Indicates that the duplicate analysis is not within control limits.
+	Indicates the correlation coefficient for the MSA is less than 0.995.
D	Indicates the reported value is from a secondary analysis with a dilution factor. The original analysis exceeded the calibration range.
M	Method qualifiers “P” for ICP instrument “PM” for ICP when Microwave Digestion is used “CV” for Manual Cold Vapor AA “AV” for automated Cold Vapor AA “CA” for MIDI-Distillation Spectrophotometric “AS” for Semi -Automated Spectrophotometric “C” for Manual Spectrophotometric “T” for Titrimetric “NR” for analyte not required to be analyzed
OR	Indicates the analyte’s concentration exceeds the calibrated range of the instrument for that specific analysis.
Q	Indicates the LCS did not meet the control limits requirements
H	Sample Analysis Out Of Hold Time

APPENDIX A

QA REVIEW GENERAL DOCUMENTATION

Project #: Q2496

Completed

For thorough review, the report must have the following:

GENERAL:

Are all original paperwork present (chain of custody, record of communication,airbill, sample management lab chronicle, login page)

✓

Check chain-of-custody for proper relinquish/return of samples

✓

Is the chain of custody signed and complete

✓

Check internal chain-of-custody for proper relinquish/return of samples /sample extracts

✓

Collect information for each project id from server. Were all requirements followed

✓

COVER PAGE:

Do numbers of samples correspond to the number of samples in the Chain of Custody on login page

✓

Do lab numbers and client Ids on cover page agree with the Chain of Custody

✓

CHAIN OF CUSTODY:

Do requested analyses on Chain of Custody agree with form I results

✓

Do requested analyses on Chain of Custody agree with the log-in page

✓

Were the correct method log-in for analysis according to the Analytical Request and Chain of Custody

✓

Were the samples received within hold time

✓

Were any problems found with the samples at arrival recorded in the Sample Management Laboratory Chronicle

✓

ANALYTICAL:

Was method requirement followed?

✓

Was client requirement followed?

✓

Does the case narrative summarize all QC failure?

✓

All runlogs and manual integration are reviewed for requirements

✓

All manual calculations and /or hand notations verified

✓

QA Review Signature: MOHAMMAD AHMED

Date: 07/08/2025



SAMPLE DATA

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	06/14/25 02:00
Project:	PO 25061630	Date Received:	07/02/25
Client Sample ID:	N exterior center	SDG No.:	Q2496
Lab Sample ID:	Q2496-02	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.040	HU	1	0.040	0.24	mg/Kg	07/02/25 12:30	07/03/25 14:44	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	06/14/25 02:10
Project:	PO 25061630	Date Received:	07/02/25
Client Sample ID:	Basement south	SDG No.:	Q2496
Lab Sample ID:	Q2496-03	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.098	HJ	1	0.041	0.25	mg/Kg	07/02/25 12:30	07/03/25 14:49	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	06/14/25 02:15
Project:	PO 25061630	Date Received:	07/02/25
Client Sample ID:	Entertainment ro	SDG No.:	Q2496
Lab Sample ID:	Q2496-04	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.040	HU	1	0.040	0.24	mg/Kg	07/02/25 12:30	07/03/25 14:49	9012B

Comments: _____

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements
 H = Sample Analysis Out Of Hold Time

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	06/14/25 02:20
Project:	PO 25061630	Date Received:	07/02/25
Client Sample ID:	Black mat outside	SDG No.:	Q2496
Lab Sample ID:	Q2496-05	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.042	HU	1	0.042	0.25	mg/Kg	07/02/25 12:30	07/03/25 14:55	9012B

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	06/14/25 02:25
Project:	PO 25061630	Date Received:	07/02/25
Client Sample ID:	Basement bedroom	SDG No.:	Q2496
Lab Sample ID:	Q2496-06	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.040	HU	1	0.040	0.24	mg/Kg	07/02/25 12:30	07/03/25 14:55	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	06/14/25 02:30
Project:	PO 25061630	Date Received:	07/02/25
Client Sample ID:	Basement bedroom-1	SDG No.:	Q2496
Lab Sample ID:	Q2496-07	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.041	HU	1	0.041	0.25	mg/Kg	07/02/25 12:30	07/03/25 14:55	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	06/14/25 02:35
Project:	PO 25061630	Date Received:	07/02/25
Client Sample ID:	Basement bedroom-2	SDG No.:	Q2496
Lab Sample ID:	Q2496-08	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.042	HU	1	0.042	0.25	mg/Kg	07/02/25 12:30	07/03/25 15:02	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	06/14/25 02:40
Project:	PO 25061630	Date Received:	07/02/25
Client Sample ID:	Maeve"s room ma	SDG No.:	Q2496
Lab Sample ID:	Q2496-09	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.042	HU	1	0.042	0.25	mg/Kg	07/02/25 12:30	07/03/25 15:02	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	06/14/25 02:45
Project:	PO 25061630	Date Received:	07/02/25
Client Sample ID:	Master bedroom	SDG No.:	Q2496
Lab Sample ID:	Q2496-10	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.10	HJ	1	0.041	0.24	mg/Kg	07/02/25 12:30	07/03/25 15:02	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N = Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	06/14/25 03:00
Project:	PO 25061630	Date Received:	07/02/25
Client Sample ID:	Master bedroom-1	SDG No.:	Q2496
Lab Sample ID:	Q2496-11	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.040	HU	1	0.040	0.24	mg/Kg	07/02/25 12:30	07/03/25 15:02	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	06/14/25 03:05
Project:	PO 25061630	Date Received:	07/02/25
Client Sample ID:	Master bedroom-2	SDG No.:	Q2496
Lab Sample ID:	Q2496-12	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.042	HU	1	0.042	0.25	mg/Kg	07/02/25 12:30	07/03/25 15:02	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	06/14/25 03:15
Project:	PO 25061630	Date Received:	07/02/25
Client Sample ID:	Master bedroom-3	SDG No.:	Q2496
Lab Sample ID:	Q2496-13	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.040	HU	1	0.040	0.24	mg/Kg	07/02/25 12:30	07/03/25 15:02	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	06/14/25 03:30
Project:	PO 25061630	Date Received:	07/02/25
Client Sample ID:	SE bedroom brow	SDG No.:	Q2496
Lab Sample ID:	Q2496-14	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.041	HU	1	0.041	0.25	mg/Kg	07/02/25 12:30	07/03/25 15:02	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	06/14/25 04:00
Project:	PO 25061630	Date Received:	07/02/25
Client Sample ID:	SE bedroom gray	SDG No.:	Q2496
Lab Sample ID:	Q2496-15	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.041	HU	1	0.041	0.25	mg/Kg	07/02/25 12:30	07/03/25 15:10	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	06/14/25 04:05
Project:	PO 25061630	Date Received:	07/02/25
Client Sample ID:	Maeves room gre	SDG No.:	Q2496
Lab Sample ID:	Q2496-16	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.042	HU	1	0.042	0.25	mg/Kg	07/02/25 12:30	07/03/25 15:10	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	06/14/25 04:15
Project:	PO 25061630	Date Received:	07/02/25
Client Sample ID:	Master bedroom-4	SDG No.:	Q2496
Lab Sample ID:	Q2496-17	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.040	HU	1	0.040	0.24	mg/Kg	07/02/25 12:30	07/03/25 15:10	9012B

Comments: _____

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	06/14/25 04:20
Project:	PO 25061630	Date Received:	07/02/25
Client Sample ID:	3rd floor roof ent	SDG No.:	Q2496
Lab Sample ID:	Q2496-18	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.042	HU	1	0.042	0.25	mg/Kg	07/02/25 12:30	07/03/25 15:10	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	06/14/25 04:25
Project:	PO 25061630	Date Received:	07/02/25
Client Sample ID:	Living room couc	SDG No.:	Q2496
Lab Sample ID:	Q2496-19	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.041	HU	1	0.041	0.24	mg/Kg	07/02/25 12:30	07/03/25 15:10	9012B

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements
 H = Sample Analysis Out Of Hold Time

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	06/14/25 04:30
Project:	PO 25061630	Date Received:	07/02/25
Client Sample ID:	Living room 2 sea	SDG No.:	Q2496
Lab Sample ID:	Q2496-20	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.98	H	1	0.040	0.24	mg/Kg	07/02/25 12:30	07/03/25 15:10	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	06/14/25 02:35
Project:	PO 25061630	Date Received:	07/02/25
Client Sample ID:	Office leather cha	SDG No.:	Q2496
Lab Sample ID:	Q2496-21	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.040	HU	1	0.040	0.24	mg/Kg	07/02/25 12:30	07/03/25 15:10	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	06/14/25 02:40
Project:	PO 25061630	Date Received:	07/02/25
Client Sample ID:	Pink shoe sole	SDG No.:	Q2496
Lab Sample ID:	Q2496-22	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.12	HJ	1	0.040	0.24	mg/Kg	07/03/25 08:00	07/03/25 15:33	9012B

Comments:

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements
 H = Sample Analysis Out Of Hold Time

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	06/14/25 02:45
Project:	PO 25061630	Date Received:	07/02/25
Client Sample ID:	Living room rug S	SDG No.:	Q2496
Lab Sample ID:	Q2496-23	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.26	H	1	0.042	0.25	mg/Kg	07/03/25 08:00	07/03/25 15:33	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

Report of Analysis

Client:	ATG - AKRON LAB	Date Collected:	06/14/25 02:50
Project:	PO 25061630	Date Received:	07/02/25
Client Sample ID:	Dining room NE c	SDG No.:	Q2496
Lab Sample ID:	Q2496-24	Matrix:	SOIL
		% Solid:	100

Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units(Dry Weight)	Prep Date	Date Ana.	Ana Met.
Cyanide	0.042	HU	1	0.042	0.25	mg/Kg	07/03/25 08:00	07/03/25 15:37	9012B

Comments:

U = Not Detected
LOQ = Limit of Quantitation
MDL = Method Detection Limit
LOD = Limit of Detection
D = Dilution
Q = indicates LCS control criteria did not meet requirements
H = Sample Analysis Out Of Hold Time

J = Estimated Value
B = Analyte Found in Associated Method Blank
* = indicates the duplicate analysis is not within control limits.
E = Indicates the reported value is estimated because of the presence of interference.
OR = Over Range
N =Spiked sample recovery not within control limits

LAB CHRONICLE

OrderID:	Q2496	OrderDate:	7/2/2025 1:57:00 PM
Client:	ATG - AKRON LAB	Project:	PO 25061630
Contact:	Jennifer Woolf	Location:	A61

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2496-02	N exterior center	SOIL			06/14/25 02:00			07/02/25
			Cyanide	9012B		07/02/25	07/03/25 14:44	
Q2496-03	Basement south	SOIL			06/14/25 02:10			07/02/25
			Cyanide	9012B		07/02/25	07/03/25 14:49	
Q2496-04	Entertainment ro	SOIL			06/14/25 02:15			07/02/25
			Cyanide	9012B		07/02/25	07/03/25 14:49	
Q2496-05	Black mat outside	SOIL			06/14/25 02:20			07/02/25
			Cyanide	9012B		07/02/25	07/03/25 14:55	
Q2496-06	Basement bedroom	SOIL			06/14/25 02:25			07/02/25
			Cyanide	9012B		07/02/25	07/03/25 14:55	
Q2496-07	Basement bedroom-1	SOIL			06/14/25 02:30			07/02/25
			Cyanide	9012B		07/02/25	07/03/25 14:55	
Q2496-08	Basement bedroom-2	SOIL			06/14/25 02:35			07/02/25
			Cyanide	9012B		07/02/25	07/03/25 15:02	

LAB CHRONICLE

Q2496-09	Maeve"s room ma	SOIL			06/14/25 02:40			07/02/25
			Cyanide	9012B		07/02/25	07/03/25 15:02	
Q2496-10	Master bedroom	SOIL			06/14/25 02:45			07/02/25
			Cyanide	9012B		07/02/25	07/03/25 15:02	
Q2496-11	Master bedroom-1	SOIL			06/14/25 03:00			07/02/25
			Cyanide	9012B		07/02/25	07/03/25 15:02	
Q2496-12	Master bedroom-2	SOIL			06/14/25 03:05			07/02/25
			Cyanide	9012B		07/02/25	07/03/25 15:02	
Q2496-13	Master bedroom-3	SOIL			06/14/25 03:15			07/02/25
			Cyanide	9012B		07/02/25	07/03/25 15:02	
Q2496-14	SE bedroom brow	SOIL			06/14/25 03:30			07/02/25
			Cyanide	9012B		07/02/25	07/03/25 15:02	
Q2496-15	SE bedroom gray	SOIL			06/14/25 04:00			07/02/25
			Cyanide	9012B		07/02/25	07/03/25 15:10	
Q2496-16	Maeves room gre	SOIL			06/14/25 04:05			07/02/25
			Cyanide	9012B		07/02/25	07/03/25 15:10	
Q2496-17	Master bedroom-4	SOIL			06/14/25 04:15			07/02/25

LAB CHRONICLE

			Cyanide	9012B		07/02/25	07/03/25 15:10	
Q2496-18	3rd floor roof ent	SOIL			06/14/25 04:20			07/02/25
			Cyanide	9012B		07/02/25	07/03/25 15:10	
Q2496-19	Living room couc	SOIL			06/14/25 04:25			07/02/25
			Cyanide	9012B		07/02/25	07/03/25 15:10	
Q2496-20	Living room 2 sea	SOIL			06/14/25 04:30			07/02/25
			Cyanide	9012B		07/02/25	07/03/25 15:10	
Q2496-21	Office leather cha	SOIL			06/14/25 02:35			07/02/25
			Cyanide	9012B		07/02/25	07/03/25 15:10	
Q2496-22	Pink shoe sole	SOIL			06/14/25 02:40			07/02/25
			Cyanide	9012B		07/03/25	07/03/25 15:33	
Q2496-23	Living room rug S	SOIL			06/14/25 02:45			07/02/25
			Cyanide	9012B		07/03/25	07/03/25 15:33	
Q2496-24	Dining room NE c	SOIL			06/14/25 02:50			07/02/25
			Cyanide	9012B		07/03/25	07/03/25 15:37	



SHIPPING DOCUMENTS



CHAIN OF CUSTODY RECORD

Omega COCID 3973

PAGE: 1

OF: 2

Q2496

ADDRESS

Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211
FAX: (330) 253-4489
Website: <http://www.settek.com>

SUB CONTRACTOR: Chemtech NJ COMPANY: Chemtech						SPECIAL INSTRUCTIONS / COMMENTS: Report to salwa.najjar@alliancetg.com PO 25061630 No certification required please use client sample ID	
ADDRESS: 284 Sheffield St., Ste 1						ANALYTICAL PARAMETERS	
CITY, STATE, ZIP: Mountainside, NJ 07092							
PHONE: (908) 789-8900 FAX: EMAIL:							
ACCOUNT #:						COMMENTS Methanol Preserved Weights HOT Sample Notation Additional Sample Description, etc.	
ITEM #	SAMPLE ID	Client Sample ID	Bottle Type	MATRIX	DATE COLLECTED		
1	25061630-00	NE exterior corne	4 OZ GLASS	Solid	6/14/2025 1:30:00 PM	1	✓
2	25061630-00	N exterior center	4 OZ GLASS	Solid	6/14/2025 2:00:00 PM	1	✓
3	25061630-00	Basement south	4 OZ GLASS	Solid	6/14/2025 2:10:00 PM	1	✓
4	25061630-00	Entertainment ro	4 OZ GLASS	Solid	6/14/2025 2:15:00 PM	1	✓
5	25061630-00	Black mat outside	4 OZ GLASS	Solid	6/14/2025 2:20:00 PM	1	✓
6	25061630-00	Basement bedroo	4 OZ GLASS	Solid	6/14/2025 2:25:00 PM	1	✓
7	25061630-00	Basement bedroo	4 OZ GLASS	Solid	6/14/2025 2:30:00 PM	1	✓
8	25061630-00	Basement bedroo	4 OZ GLASS	Solid	6/14/2025 2:35:00 PM	1	✓
9	25061630-00	Maeeve's room ma	4 OZ GLASS	Solid	6/14/2025 2:40:00 PM	1	✓
10	25061630-01	Master bedroom	4 OZ GLASS	Solid	6/14/2025 2:45:00 PM	1	✓
11	25061630-01	Master bedroom	4 OZ GLASS	Solid	6/14/2025 3:00:00 PM	1	✓
12	25061630-01	Master bedroom	4 OZ GLASS	Solid	6/14/2025 3:05:00 PM	1	✓

RCVD Broken

Relinquished By: <i>Salwa Najjar</i>	Date: 6/30/2025	Time: 3:07 PM	Received By: <i>CL</i>	Date: 7/2/25	Time: 10:25
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:

TAT: Standard <input type="checkbox"/> RUSH <input type="checkbox"/> Next BD <input type="checkbox"/> 2nd BD <input type="checkbox"/> 3rd BD <input type="checkbox"/>		REPORT TRANSMITTAL DESIRED: <input type="checkbox"/> HARD COPY (extra cost) <input type="checkbox"/> FAX <input type="checkbox"/> EMAIL <input type="checkbox"/> ONLINE	
Note: RUSH requests will incur surcharges!		FOR LAB USE ONLY Temp of samples <u>3.5</u> °C Attempt to Cool ? <input type="checkbox"/> Comments:	

Q2496

ADDRESS

Alliance Technical Group - Akron
3310 Win St.
Cuyahoga Falls, Ohio 44223
TEL: (330) 253-8211
FAX: (330) 253-4489
Website: <http://www.settek.com>

SUB CONTRACTOR: Chemtech NJ						COMPANY: Chemtech						SPECIAL INSTRUCTIONS / COMMENTS: Report to salwa.najjar@alliancetg.com PO 25061630 No certification required																							
ADDRESS: 284 Sheffield St., Ste 1																		ANALYTICAL PARAMETERS																	
CITY, STATE, ZIP: Mountainside, NJ 07092																																			
PHONE: (908) 789-8900 FAX: EMAIL:																																			
ACCOUNT #:																		COMMENTS Methanol Preserved Weights HOT Sample Notation Additional Sample Description, etc.																	
ITEM #	SAMPLE ID	Client Sample ID	Bottle Type	MATRIX	DATE COLLECTED	NUMBER OF CONTAINERS																													
13	25061630-01	Master bedroom	4 OZ GLASS	Solid	6/14/2025 3:15:00 PM	1	✓																												
14	25061630-01	SE bedroom brow	4 OZ GLASS	Solid	6/14/2025 3:30:00 PM	1	✓																												
15	25061630-01	SE bedroom gray	4 OZ GLASS	Solid	6/14/2025 4:00:00 AM	1	✓																												
16	25061630-01	Maeves room gre	4 OZ GLASS	Solid	6/14/2025 4:05:00 AM	1	✓																												
17	25061630-01	Master bedroom	4 OZ GLASS	Solid	6/14/2025 4:15:00 AM	1	✓																												
18	25061630-01	3rd floor roof ent	4 OZ GLASS	Solid	6/14/2025 4:20:00 AM	1	✓																												
19	25061630-01	Living room couc	4 OZ GLASS	Solid	6/14/2025 4:25:00 AM	1	✓																												
20	25061630-02	Living room 2 sea	4 OZ GLASS	Solid	6/14/2025 4:30:00 AM	1	✓																												
21	25061630-02	Office leather cha	4 OZ GLASS	Solid	6/14/2025 2:35:00 PM	1	✓																												
22	25061630-02	Pink shoe sole	4 OZ GLASS	Solid	6/14/2025 2:40:00 PM	1	✓																												
23	25061630-02	Living room rug S	4 OZ GLASS	Solid	6/14/2025 2:45:00 PM	1	✓																												
24	25061630-02	Dining room NE c	4 OZ GLASS	Solid	6/14/2025 2:50:00 PM	1	✓																												

Relinquished By: Salwa Najjar	Date: 6/30/2025	Time: 3:07 PM	Received By: [Signature]	Date: 7/2/25	Time: 1025
Relinquished By:	Date:	Time:	Received By:	Date:	Time:
Relinquished By:	Date:	Time:	Received By:	Date:	Time:

TAT:	Standard <input type="checkbox"/>	RUSH <input checked="" type="checkbox"/>	Next BD <input type="checkbox"/>	2nd BD <input type="checkbox"/>	3rd BD <input type="checkbox"/>
Note: RUSH requests will incur surcharges!					

REPORT TRANSMITTAL DESIRED:	
<input type="checkbox"/> HARDCOPY (extra cost)	<input type="checkbox"/> FAX <input type="checkbox"/> EMAIL <input type="checkbox"/> ONLINE
FOR LAB USE ONLY	
Temp of samples 35.5 °C	Attempt to Cool ?
Comments:	

Laboratory Certification

Certified By	License No.
CAS EPA CLP Contract	68HERH20D0011
Connecticut	PH-0830
DOD ELAP (ANAB)	L2219
Maine	2024021
Maryland	296
New Hampshire	255424 Rev 1
New Jersey	20012
New York	11376
Pennsylvania	68-00548
Soil Permit	525-24-234-08441
Texas	T104704488