

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX070325\
 Data File : VX046883.D
 Acq On : 03 Jul 2025 13:34
 Operator : JC/MD
 Sample : Q2501-02
 Misc : 5.0mL/MSVOA_X/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_X
 ClientSampleId :
 STORAGE-BLANK-WATER-REF-5

Quant Time: Jul 04 01:31:57 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X070225W.M
 Quant Title : SW846 8260
 QLast Update : Thu Jul 03 05:51:11 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	5.562	168	431836	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	6.769	114	746079	50.000	ug/l	0.00
63) Chlorobenzene-d5	10.055	117	689914	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	12.018	152	354597	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	5.964	65	290988	51.006	ug/l	0.00
Spiked Amount	50.000	Range	78 - 117	Recovery	=	102.020%
35) Dibromofluoromethane	5.397	113	241307	47.648	ug/l	0.00
Spiked Amount	50.000	Range	75 - 124	Recovery	=	95.300%
50) Toluene-d8	8.647	98	900554	50.400	ug/l	0.00
Spiked Amount	50.000	Range	92 - 112	Recovery	=	100.800%
62) 4-Bromofluorobenzene	11.079	95	346478	51.020	ug/l	0.00
Spiked Amount	50.000	Range	83 - 123	Recovery	=	102.040%


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_X\Data\VX070325\
Data File : VX046883.D
Acq On : 03 Jul 2025 13:34
Operator : JC/MD
Sample : Q2501-02
Misc : 5.0mL/MSVOA_X/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_X
ClientSampleId :
STORAGE-BLANK-WATER-REF-5

Quant Time: Jul 04 01:31:57 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_X\Method\82X070225W.M
Quant Title : SW846 8260
QLast Update : Thu Jul 03 05:51:11 2025
Response via : Initial Calibration









#1
Pentafluorobenzene
Concen: 50.000 ug/l
RT: 5.562 min Scan# 71
Delta R.T. 0.000 min
Lab File: VX046883.D
Acq: 03 Jul 2025 13:34




Instrument :
MSVOA_X
ClientSampleId :
STORAGE-BLANK-WATER-REF-5


Tgt Ion:168 Resp: 431836
Ion Ratio Lower Upper
168 100
99 58.1 48.8 73.2



#33
1,2-Dichloroethane-d4
Concen: 51.006 ug/l
RT: 5.964 min Scan# 800
Delta R.T. 0.006 min
Lab File: VX046883.D
Acq: 03 Jul 2025 13:34

Tgt Ion: 65 Resp: 290988
Ion Ratio Lower Upper
65 100
67 52.1 0.0 105.2









#34
1,4-Difluorobenzene
Concen: 50.000 ug/l
RT: 6.769 min Scan# 911
Delta R.T. 0.000 min
Lab File: VX046883.D
Acq: 03 Jul 2025 13:34




Instrument :
MSVOA_X
ClientSampleId :
STORAGE-BLANK-WATER-REF-5


Tgt Ion:114 Resp: 746079
Ion Ratio Lower Upper
114 100
63 20.7 0.0 40.4
88 15.7 0.0 31.0



#35
Dibromofluoromethane
Concen: 47.648 ug/l
RT: 5.397 min Scan# 707
Delta R.T. 0.000 min
Lab File: VX046883.D
Acq: 03 Jul 2025 13:34

Tgt Ion:113 Resp: 241307
Ion Ratio Lower Upper
113 100
111 103.4 81.2 121.8
192 19.5 15.3 22.9









#50
Toluene-d8
Concen: 50.400 ug/l
RT: 8.647 min Scan# 11
Delta R.T. 0.000 min
Lab File: VX046883.D
Acq: 03 Jul 2025 13:34




Instrument :
MSVOA_X
ClientSampleId :
STORAGE-BLANK-WATER-REF-5


Tgt Ion: 98 Resp: 900554
Ion Ratio Lower Upper
98 100
100 66.5 53.0 79.6



#62
4-Bromofluorobenzene
Concen: 51.020 ug/l
RT: 11.079 min Scan# 1639
Delta R.T. 0.000 min
Lab File: VX046883.D
Acq: 03 Jul 2025 13:34

Tgt Ion: 95 Resp: 346478
Ion Ratio Lower Upper
95 100
174 75.8 0.0 152.0
176 72.8 0.0 145.2









#63
Chlorobenzene-d5
Concen: 50.000 ug/l
RT: 10.055 min Scan# 1471
Delta R.T. 0.000 min
Lab File: VX046883.D
Acq: 03 Jul 2025 13:34

Instrument :
MSVOA_X
ClientSampleId :
STORAGE-BLANK-WATER-REF-5

Tgt Ion:117 Resp: 689914
Ion Ratio Lower Upper
117 100
82 54.6 43.3 64.9
119 32.4 26.4 39.6



#72
1,4-Dichlorobenzene-d4
Concen: 50.000 ug/l
RT: 12.018 min Scan# 1793
Delta R.T. 0.000 min
Lab File: VX046883.D
Acq: 03 Jul 2025 13:34

Tgt Ion:152 Resp: 354597
Ion Ratio Lower Upper
152 100
115 60.3 42.4 127.1
150 156.5 0.0 349.2

