

Report of Analysis

Client:	Sciaccia General Contractors, LLC	Date Collected:	07/02/25
Project:	10 Hemlock Drive, Franklin Boro	Date Received:	07/03/25
Client Sample ID:	4	SDG No.:	Q2504
Lab Sample ID:	Q2504-06	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	84.5
Sample Wt/Vol:	30.05 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
07/08/25 09:05	07/08/25 18:05	PB168752

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C9-C28	Aliphatic C9-C28	3.76	J	1	1.07	4.73	mg/kg	FE054747.D
Total EPH	Total EPH	3.76	J		1.07	4.73	mg/kg	

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	07/02/25
Project:	10 Hemlock Drive, Franklin Boro	Date Received:	07/03/25
Client Sample ID:	4	SDG No.:	Q2504
Lab Sample ID:	Q2504-06	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	84.5
Sample Wt/Vol:	30.05 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FE054747.D	1	07/08/25	07/08/25	PB168752

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C28	Aliphatic C9-C28	3.76	J	1.07	4.73	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	12.9		1.39	2.36	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	27.4		40 - 140	55%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	28.1		40 - 140	56%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	Q2504-06	Acq On:	08 Jul 2025 18:05
Client Sample ID:	4	Operator:	YP\AJ
Data file:	FE054747.D	Misc:	
Instrument:	FID_E	ALS Vial:	28
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.323	6.956	396846	2.917	300	ug/ml
Aliphatic C12-C16	6.957	10.409	1062820	7.561	200	ug/ml
Aliphatic C16-C21	10.410	13.786	2414413	16.721	300	ug/ml
Aliphatic C21-C28	13.787	17.458	2964181	20.492	400	ug/ml
Aliphatic C28-C40	17.459	22.482	22772552	164.248	600	ug/ml
Aliphatic EPH	3.323	22.482	29610812	211.938		ug/ml
ortho-Terphenyl (SURR)	12.082	12.082	4559017	28.07		ug/ml
1-chlorooctadecane (SURR)	13.517	13.517	3459081	27.39		ug/ml
Aliphatic C9-C28	3.323	17.458	6838260	47.691	1200	ug/ml