

Report of Analysis

Client:	Sciaccia General Contractors, LLC	Date Collected:	
Project:	10 Hemlock Drive, Franklin Boro	Date Received:	
Client Sample ID:	PB168752BSD	SDG No.:	Q2504
Lab Sample ID:	PB168752BSD	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	100
Sample Wt/Vol:	30.02 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

Prep Date :	Date Analyzed :	Prep Batch ID
07/08/25 09:05	07/08/25 14:03	PB168752

Datafile

CAS Number	Parameter	Conc.	Qualifier	Dilution	MDL	LOQ / CRQL	Units(Dry Weight)	
TARGETS								
Aliphatic C9-C28	Aliphatic C9-C28	77.9		1	0.91	3.99	mg/kg	FC069391.D
Total EPH	Total EPH	77.9			0.91	3.99	mg/kg	

* As samples are not fractionated, all aliphatic and aromatic carbon compounds in the C9-C28 carbon range are calculated against the aliphatic calibration curve, and reported as Aliphatic EPH. Therefore, the aliphatic C9-C28 concentration for the sample is reported as the Total EPH.

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

Report of Analysis

Client:	Sciacca General Contractors, LLC	Date Collected:	
Project:	10 Hemlock Drive, Franklin Boro	Date Received:	
Client Sample ID:	PB168752BSD	SDG No.:	Q2504
Lab Sample ID:	PB168752BSD	Matrix:	Solid
Analytical Method:	NJEPH	% Solid:	100
Sample Wt/Vol:	30.02 Units: g	Final Vol:	2000 uL
Soil Aliquot Vol:	uL	Test:	EPH_F2
Prep Method :			

File ID :	Dilution:	Prep Date :	Date Analyzed :	Prep Batch ID
FC069391.D	1	07/08/25	07/08/25	PB168752

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
TARGETS						
Aliphatic C9-C28	Aliphatic C9-C28	77.9		0.91	3.99	mg/kg
Aliphatic C28-C40	Aliphatic C28-C40	28.9		1.18	2.00	mg/kg
SURROGATES						
3383-33-2	1-chlorooctadecane (SURR)	37.0		40 - 140	74%	SPK: 50
84-15-1	ortho-Terphenyl (SURR)	36.0		40 - 140	72%	SPK: 50

Quantitation Report For Aliphatic EPH Range.

Lab Sample ID:	PB168752BSD	Acq On:	08 Jul 2025 14:03
Client Sample ID:	PB168752BSD	Operator:	YP/AJ
Data file:	FC069391.D	Misc:	
Instrument:	FID_C	ALS Vial:	13
Dilution Factor:	1	Sample Multiplier:	1.00

Compound	R.T.		Response	Conc	highest_standard	Units
Aliphatic C9-C12	3.303	6.602	35534608	242.26	300	ug/ml
Aliphatic C12-C16	6.603	10.005	44220739	277.75	200	ug/ml
Aliphatic C16-C21	10.006	13.375	44811503	290.165	300	ug/ml
Aliphatic C21-C28	13.375	17.040	48256147	360.211	400	ug/ml
Aliphatic C28-C40	17.041	22.023	39959927	433.76	600	ug/ml
Aliphatic EPH	3.303	22.023	212782924	1600		ug/ml
ortho-Terphenyl (SURR)	11.677	11.677	6215634	35.98		ug/ml
1-chlorooctadecane (SURR)	13.111	13.111	4833044	36.99		ug/ml
Aliphatic C9-C28	3.303	17.040	172822997	1170	1200	ug/ml