

Hit Summary Sheet SW-846

SDG No.: Q2504
Client: Sciacca General Contractors, LLC

Sample ID	Client ID	Matrix	Parameter	Concentration	C	MDL	RDL	Units
Client ID: Q2504-02	VOC VOC	SOIL	Methylene Chloride	12.0	Q	4.10	11.7	ug/Kg
			Total Voc :	12.0				
			Total Concentration:	12.0				
Client ID: Q2504-02RE	VOCRE VOCRE	SOIL	Methylene Chloride	17.1	Q	4.10	11.7	ug/Kg
			Total Voc :	17.1				
			Total Concentration:	17.1				

A

B

C

D



SAMPLE DATA

A

B

C

D

Report of Analysis

Client:	Sciacca General Contractors, LLC		Date Collected:	07/02/25	
Project:	10 Hemlock Drive, Franklin Boro		Date Received:	07/03/25	
Client Sample ID:	VOC		SDG No.:	Q2504	
Lab Sample ID:	Q2504-02		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	85.8	
Sample Wt/Vol:	5	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY022953.D	1	07/07/25 12:28	VY070725

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
75-71-8	Dichlorodifluoromethane	1.30	U	1.30	5.80	ug/Kg
74-87-3	Chloromethane	1.30	U	1.30	5.80	ug/Kg
75-01-4	Vinyl Chloride	0.92	U	0.92	5.80	ug/Kg
74-83-9	Bromomethane	1.20	U	1.20	5.80	ug/Kg
75-00-3	Chloroethane	1.50	U	1.50	5.80	ug/Kg
75-69-4	Trichlorofluoromethane	1.40	U	1.40	5.80	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	1.20	U	1.20	5.80	ug/Kg
75-35-4	1,1-Dichloroethene	1.20	U	1.20	5.80	ug/Kg
67-64-1	Acetone	5.50	U	5.50	29.1	ug/Kg
75-15-0	Carbon Disulfide	1.20	U	1.20	5.80	ug/Kg
1634-04-4	Methyl tert-butyl Ether	0.85	U	0.85	5.80	ug/Kg
79-20-9	Methyl Acetate	1.80	U	1.80	5.80	ug/Kg
75-09-2	Methylene Chloride	12.0	Q	4.10	11.7	ug/Kg
156-60-5	trans-1,2-Dichloroethene	1.00	U	1.00	5.80	ug/Kg
75-34-3	1,1-Dichloroethane	0.93	U	0.93	5.80	ug/Kg
110-82-7	Cyclohexane	0.92	U	0.92	5.80	ug/Kg
78-93-3	2-Butanone	7.60	U	7.60	29.1	ug/Kg
56-23-5	Carbon Tetrachloride	1.10	U	1.10	5.80	ug/Kg
156-59-2	cis-1,2-Dichloroethene	0.87	U	0.87	5.80	ug/Kg
74-97-5	Bromochloromethane	1.30	U	1.30	5.80	ug/Kg
67-66-3	Chloroform	0.98	U	0.98	5.80	ug/Kg
71-55-6	1,1,1-Trichloroethane	1.10	U	1.10	5.80	ug/Kg
108-87-2	Methylcyclohexane	1.10	U	1.10	5.80	ug/Kg
71-43-2	Benzene	0.92	U	0.92	5.80	ug/Kg
107-06-2	1,2-Dichloroethane	0.92	U	0.92	5.80	ug/Kg
79-01-6	Trichloroethene	0.94	U	0.94	5.80	ug/Kg
78-87-5	1,2-Dichloropropane	1.10	U	1.10	5.80	ug/Kg
75-27-4	Bromodichloromethane	0.91	U	0.91	5.80	ug/Kg
108-10-1	4-Methyl-2-Pentanone	4.20	U	4.20	29.1	ug/Kg
108-88-3	Toluene	0.91	U	0.91	5.80	ug/Kg

Report of Analysis

Client:	Sciaccia General Contractors, LLC		Date Collected:	07/02/25	
Project:	10 Hemlock Drive, Franklin Boro		Date Received:	07/03/25	
Client Sample ID:	VOC		SDG No.:	Q2504	
Lab Sample ID:	Q2504-02		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	85.8	
Sample Wt/Vol:	5	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY022953.D	1	07/07/25 12:28	VY070725

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	0.76	U	0.76	5.80	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	0.72	U	0.72	5.80	ug/Kg
79-00-5	1,1,2-Trichloroethane	1.10	U	1.10	5.80	ug/Kg
591-78-6	2-Hexanone	4.30	U	4.30	29.1	ug/Kg
124-48-1	Dibromochloromethane	1.00	U	1.00	5.80	ug/Kg
106-93-4	1,2-Dibromoethane	1.00	U	1.00	5.80	ug/Kg
127-18-4	Tetrachloroethene	1.20	U	1.20	5.80	ug/Kg
108-90-7	Chlorobenzene	1.10	U	1.10	5.80	ug/Kg
100-41-4	Ethyl Benzene	0.78	U	0.78	5.80	ug/Kg
179601-23-1	m/p-Xylenes	1.40	U	1.40	11.7	ug/Kg
95-47-6	o-Xylene	0.96	U	0.96	5.80	ug/Kg
100-42-5	Styrene	0.83	U	0.83	5.80	ug/Kg
75-25-2	Bromoform	1.00	U	1.00	5.80	ug/Kg
98-82-8	Isopropylbenzene	0.91	U	0.91	5.80	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	1.40	U	1.40	5.80	ug/Kg
541-73-1	1,3-Dichlorobenzene	2.00	U	2.00	5.80	ug/Kg
106-46-7	1,4-Dichlorobenzene	1.80	U	1.80	5.80	ug/Kg
95-50-1	1,2-Dichlorobenzene	1.70	U	1.70	5.80	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	2.10	U	2.10	5.80	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	3.50	U	3.50	5.80	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	3.70	U	3.70	5.80	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	46.5		63 - 155	93%	SPK: 50
1868-53-7	Dibromofluoromethane	50.8		70 - 134	102%	SPK: 50
2037-26-5	Toluene-d8	50.0		74 - 123	100%	SPK: 50
460-00-4	4-Bromofluorobenzene	52.0		17 - 146	104%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	221000	7.707			
540-36-3	1,4-Difluorobenzene	390000	8.616			
3114-55-4	Chlorobenzene-d5	371000	11.414			
3855-82-1	1,4-Dichlorobenzene-d4	156000	13.34			

Report of Analysis

Client:	Sciacca General Contractors, LLC		Date Collected:	07/02/25	
Project:	10 Hemlock Drive, Franklin Boro		Date Received:	07/03/25	
Client Sample ID:	VOC		SDG No.:	Q2504	
Lab Sample ID:	Q2504-02		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	85.8	
Sample Wt/Vol:	5	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY022953.D	1	07/07/25 12:28	VY070725

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 E = Value Exceeds Calibration Range
 Q = indicates LCS control criteria did not meet requirements
 M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 N = Presumptive Evidence of a Compound
 * = Values outside of QC limits
 D = Dilution
 () = Laboratory InHouse Limit
 A = Aldol-Condensation Reaction Products

Report of Analysis

Client:	Sciacca General Contractors, LLC		Date Collected:	07/02/25	
Project:	10 Hemlock Drive, Franklin Boro		Date Received:	07/03/25	
Client Sample ID:	VOCRE		SDG No.:	Q2504	
Lab Sample ID:	Q2504-02RE		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	85.8	
Sample Wt/Vol:	5	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY022973.D	1	07/08/25 14:16	VY070825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
TARGETS						
75-71-8	Dichlorodifluoromethane	1.30	U	1.30	5.80	ug/Kg
74-87-3	Chloromethane	1.30	U	1.30	5.80	ug/Kg
75-01-4	Vinyl Chloride	0.92	U	0.92	5.80	ug/Kg
74-83-9	Bromomethane	1.20	U	1.20	5.80	ug/Kg
75-00-3	Chloroethane	1.50	U	1.50	5.80	ug/Kg
75-69-4	Trichlorofluoromethane	1.40	U	1.40	5.80	ug/Kg
76-13-1	1,1,2-Trichlorotrifluoroethane	1.20	U	1.20	5.80	ug/Kg
75-35-4	1,1-Dichloroethene	1.20	U	1.20	5.80	ug/Kg
67-64-1	Acetone	5.50	U	5.50	29.1	ug/Kg
75-15-0	Carbon Disulfide	1.20	U	1.20	5.80	ug/Kg
1634-04-4	Methyl tert-butyl Ether	0.85	U	0.85	5.80	ug/Kg
79-20-9	Methyl Acetate	1.80	U	1.80	5.80	ug/Kg
75-09-2	Methylene Chloride	17.1	Q	4.10	11.7	ug/Kg
156-60-5	trans-1,2-Dichloroethene	1.00	U	1.00	5.80	ug/Kg
75-34-3	1,1-Dichloroethane	0.93	U	0.93	5.80	ug/Kg
110-82-7	Cyclohexane	0.92	U	0.92	5.80	ug/Kg
78-93-3	2-Butanone	7.60	U	7.60	29.1	ug/Kg
56-23-5	Carbon Tetrachloride	1.10	U	1.10	5.80	ug/Kg
156-59-2	cis-1,2-Dichloroethene	0.87	U	0.87	5.80	ug/Kg
74-97-5	Bromochloromethane	1.30	U	1.30	5.80	ug/Kg
67-66-3	Chloroform	0.98	U	0.98	5.80	ug/Kg
71-55-6	1,1,1-Trichloroethane	1.10	U	1.10	5.80	ug/Kg
108-87-2	Methylcyclohexane	1.10	U	1.10	5.80	ug/Kg
71-43-2	Benzene	0.92	U	0.92	5.80	ug/Kg
107-06-2	1,2-Dichloroethane	0.92	U	0.92	5.80	ug/Kg
79-01-6	Trichloroethene	0.94	U	0.94	5.80	ug/Kg
78-87-5	1,2-Dichloropropane	1.10	U	1.10	5.80	ug/Kg
75-27-4	Bromodichloromethane	0.91	U	0.91	5.80	ug/Kg
108-10-1	4-Methyl-2-Pentanone	4.20	U	4.20	29.1	ug/Kg
108-88-3	Toluene	0.91	U	0.91	5.80	ug/Kg

Report of Analysis

Client:	Sciacca General Contractors, LLC		Date Collected:	07/02/25	
Project:	10 Hemlock Drive, Franklin Boro		Date Received:	07/03/25	
Client Sample ID:	VOCRE		SDG No.:	Q2504	
Lab Sample ID:	Q2504-02RE		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	85.8	
Sample Wt/Vol:	5	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY022973.D	1	07/08/25 14:16	VY070825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units(Dry Weight)
10061-02-6	t-1,3-Dichloropropene	0.76	U	0.76	5.80	ug/Kg
10061-01-5	cis-1,3-Dichloropropene	0.72	U	0.72	5.80	ug/Kg
79-00-5	1,1,2-Trichloroethane	1.10	U	1.10	5.80	ug/Kg
591-78-6	2-Hexanone	4.30	U	4.30	29.1	ug/Kg
124-48-1	Dibromochloromethane	1.00	U	1.00	5.80	ug/Kg
106-93-4	1,2-Dibromoethane	1.00	U	1.00	5.80	ug/Kg
127-18-4	Tetrachloroethene	1.20	U	1.20	5.80	ug/Kg
108-90-7	Chlorobenzene	1.10	U	1.10	5.80	ug/Kg
100-41-4	Ethyl Benzene	0.78	U	0.78	5.80	ug/Kg
179601-23-1	m/p-Xylenes	1.40	U	1.40	11.7	ug/Kg
95-47-6	o-Xylene	0.96	U	0.96	5.80	ug/Kg
100-42-5	Styrene	0.83	U	0.83	5.80	ug/Kg
75-25-2	Bromoform	1.00	U	1.00	5.80	ug/Kg
98-82-8	Isopropylbenzene	0.91	U	0.91	5.80	ug/Kg
79-34-5	1,1,2,2-Tetrachloroethane	1.40	U	1.40	5.80	ug/Kg
541-73-1	1,3-Dichlorobenzene	2.00	U	2.00	5.80	ug/Kg
106-46-7	1,4-Dichlorobenzene	1.80	U	1.80	5.80	ug/Kg
95-50-1	1,2-Dichlorobenzene	1.70	U	1.70	5.80	ug/Kg
96-12-8	1,2-Dibromo-3-Chloropropane	2.10	U	2.10	5.80	ug/Kg
120-82-1	1,2,4-Trichlorobenzene	3.50	U	3.50	5.80	ug/Kg
87-61-6	1,2,3-Trichlorobenzene	3.70	U	3.70	5.80	ug/Kg
SURROGATES						
17060-07-0	1,2-Dichloroethane-d4	52.9		63 - 155	106%	SPK: 50
1868-53-7	Dibromofluoromethane	54.8		70 - 134	110%	SPK: 50
2037-26-5	Toluene-d8	48.3		74 - 123	97%	SPK: 50
460-00-4	4-Bromofluorobenzene	49.3		17 - 146	99%	SPK: 50
INTERNAL STANDARDS						
363-72-4	Pentafluorobenzene	80100	7.707			
540-36-3	1,4-Difluorobenzene	140000	8.609			
3114-55-4	Chlorobenzene-d5	132000	11.414			
3855-82-1	1,4-Dichlorobenzene-d4	52500	13.346			

Report of Analysis

Client:	Sciacca General Contractors, LLC		Date Collected:	07/02/25	
Project:	10 Hemlock Drive, Franklin Boro		Date Received:	07/03/25	
Client Sample ID:	VOCRE		SDG No.:	Q2504	
Lab Sample ID:	Q2504-02RE		Matrix:	SOIL	
Analytical Method:	8260D		% Solid:	85.8	
Sample Wt/Vol:	5	Units: g	Final Vol:	5000	uL
Soil Aliquot Vol:		uL	Test:	VOC-TCLVOA-10	
GC Column:	RXI-624	ID : 0.25	Level :	LOW	
Prep Method :					

File ID/Qc Batch:	Dilution:	Date Analyzed	Prep Batch ID
VY022973.D	1	07/08/25 14:16	VY070825

CAS Number	Parameter	Conc.	Qualifier	MDL	LOQ / CRQL	Units
------------	-----------	-------	-----------	-----	------------	-------

U = Not Detected

LOQ = Limit of Quantitation

MDL = Method Detection Limit

LOD = Limit of Detection

E = Value Exceeds Calibration Range

Q = indicates LCS control criteria did not meet requirements

M = MS/MSD acceptance criteria did not meet requirements

J = Estimated Value

B = Analyte Found in Associated Method Blank

N = Presumptive Evidence of a Compound

* = Values outside of QC limits

D = Dilution

() = Laboratory InHouse Limit

A = Aldol-Condensation Reaction Products

LAB CHRONICLE

OrderID:	Q2504	OrderDate:	7/3/2025 11:59:00 AM
Client:	Sciacca General Contractors, LLC	Project:	10 Hemlock Drive, Franklin Boro
Contact:	Rosanne Scirica	Location:	O12,VOA Lab

LabID	ClientID	Matrix	Test	Method	Sample Date	Prep Date	Anal Date	Received
Q2504-02	VOC	SOIL	VOC-TCLVOA-10	8260D	07/02/25		07/07/25	07/03/25
Q2504-02RE	VOCRE	SOIL	VOC-TCLVOA-10	8260D	07/02/25		07/08/25	07/03/25