

Report of Analysis

Client:	VERINA CONSULTING GROUP, LLC	Date Collected:	07/03/25
Project:	Rotor Clip NJ WTD - 2025	Date Received:	07/03/25
Client Sample ID:	WATER TREATMENT DISCHARGE	SDG No.:	Q2512
Lab Sample ID:	Q2512-01	Matrix:	Water
Level (low/med):	low	% Solid:	0

Cas	Parameter	Conc.	Qua.	DF	MDL	LOQ / CRQL	Units	Prep Date	Date Ana.	Ana Met.	Prep Met.
7440-47-3	Chromium	138		1	1.06	5.00	ug/L	07/07/25 10:15	07/10/25 20:21	6010D	SW3010
7440-50-8	Copper	8.21	J	1	2.30	10.0	ug/L	07/07/25 10:15	07/10/25 20:21	6010D	SW3010
7440-02-0	Nickel	38.8		1	1.53	20.0	ug/L	07/07/25 10:15	07/10/25 20:21	6010D	SW3010
7440-66-6	Zinc	319		1	1.75	20.0	ug/L	07/07/25 10:15	07/10/25 20:21	6010D	SW3010

Color Before:	Colorless	Clarity Before:	Clear	Texture:
Color After:	Colorless	Clarity After:	Clear	Artifacts:
Comments:	Metals Group4			

U = Not Detected
 LOQ = Limit of Quantitation
 MDL = Method Detection Limit
 LOD = Limit of Detection
 D = Dilution
 Q = indicates LCS control criteria did not meet requirements

J = Estimated Value
 B = Analyte Found in Associated Method Blank
 * = indicates the duplicate analysis is not within control limits.
 E = Indicates the reported value is estimated because of the presence of interference.
 OR = Over Range
 N =Spiked sample recovery not within control limits